

# STYLE REF: RF140

## STYLE NAME: VOLTA




**Rock Fall**<sup>®</sup>  
INNOVATION IN SAFETY FOOTWEAR

SPECIFICATION: EN ISO 20345:2011 SB P E FO WRU SRC + ASTM F 2413-11 I/75 C/75 EH PR | UK 6-12 (WHOLE SIZES) |  
COLOUR: BLACK

PROTECTIVE TOECAP AND MIDSOLE, VOLTA IS AN ELECTRICAL HAZARD TRAINER DEVELOPED WITH SPECIALIST COMFORT MATERIALS THAT ARE CERTIFIED TO WITHSTAND ELECTRICAL RISKS OF 18KV IN ACCORDANCE WITH THE ASTM F2412-11 TEST METHOD, INCLUDING BOA<sup>®</sup> LACING SYSTEM, SHOCK ABSORBING DUAL DENSITY EVA NITRILE RUBBER OUTSOLE AND ORTHOLITE<sup>®</sup> CLIMATE BREATHABLE FOOTBED.

INTENDED AS SECONDARY PROTECTIVE EQUIPMENT, FOR USE IN ADDITION TO OTHER ELECTRICAL HAZARD PROTECTION EQUIPMENT

# RF140



Ortholite<sup>®</sup> 

### Upper Material

Water repellent ripstop nylon with 3D printed styling and Boa<sup>®</sup> lacing system

### Protective Components

Protective fibreglass toecap and composite anti-penetration flexi-midsole

### Lining Materials

Moisture wicking breathable mesh fabric lining

### Scuff Cap and Outsole

Shock absorbing dual density EVA nitrile rubber outsole

### Footbed

Ortholite<sup>®</sup> climate breathable footbed

[WWW.ROCKFALL.COM](http://WWW.ROCKFALL.COM) | [WWW.ROCKFALL.COM/PRODUCTS/VOLTA](http://WWW.ROCKFALL.COM/PRODUCTS/VOLTA)

PROUDLY MANUFACTURED BY ROCK FALL UK, MAJOR HOUSE, WIMSEY WAY, ALFRETON, DERBYSHIRE, DE55 4LS

**EC DECLARATION OF CONFORMITY**



**Head Office & Distribution Centre**

Rock Fall UK Limited  
Unit 1 Major House  
Wimsey Way  
Alfreton, Derbyshire  
England. DE55 4LS

**E:** sales@rockfall.co.uk  
**T:** 01773 608616

[www.rockfall.co.uk](http://www.rockfall.co.uk)

The manufacturer or his nominated representative established in the community;

**ROCK FALL UK LTD  
MAJOR HOUSE, UNIT 1  
WIMSEY WAY  
ALFRETON  
DERBYSHIRE, DE55 4LS  
UNITED KINGDOM**

Declares that the PPE described hereafter;

**ROCK FALL VOLTA RF140**

Is in conformity with the provisions of Council Directive 89/686/EEC and, where such is the case, with the national standard transposing harmonised standard no. EN ISO 20345:2011 (for the PPE referred to in Article 8(2))

This declaration of conformity is issued under the sole responsibility of the manufacturer;

**ROCK FALL UK LTD  
MAJOR HOUSE, UNIT 1  
WIMSEY WAY  
ALFRETON  
DERBYSHIRE, DE55 4LS  
UNITED KINGDOM**

Is identical to the PPE which is subject of EC certificate No **LECFI00370042** Issued by:-

**ITS TESTING SERVICES (UK) LTD  
CENTRE COURT  
MERIDIAN BUSINESS PARK  
LEICESTER  
LE19 1WD**

Is subject to the procedure set out in Article 11 point A or point B of the Directive 89/686/EEC under the supervision of the notified body:

**ITS TESTING SERVICES (UK) LTD  
CENTRE COURT  
MERIDIAN BUSINESS PARK  
LEICESTER  
LE19 1WD**

Signature:

Position: Director

Date: 01/05/2018



# EC Type Examination Certificate



## Approved Body 0362

The safety footwear detailed herein meets the criteria of an EC Type Examination in accordance with Article 10 of the PPE Directive (89/686/EEC) including amendments and corrigendum up to 14/12/2010 for intermediate design category products.

This has been shown through satisfactory testing to EN ISO 20345: 2011 and examination of the Technical File Documentation.

Following an EC Declaration of Product Conformity you are hereby licensed to mark the product(s) detailed in accordance with Article 13 of the PPE Directive (89/686/EEC).

ITS Testing Services (UK) Ltd.  
Centre Court  
Meridian Business Park  
Leicester, LE19 1WD  
United Kingdom  
Phone: +44 (0)116 263 0330  
Fax: +44 (0)116 263 0311



[www.intertek.com](http://www.intertek.com)

**Issued to** : ROCK FALL UK LTD.  
WIMSEY WAY ALFRETON TRADING ESTATE,  
DERBYSHIRE U.K. DE55 4LS


**Date of Issue** : 08 December 2017

**Expiry Date** : 08 December 2022

**Certificate No.** : LEC FI00370042

**Product Reference(s)** : RF140

**Description** : Construction : Cemented  
Toecap : PEP# Composite  
Midsole : PEP# Composite  
Last : #PEP-PL  
Sole : 2067# MD+RB  
Test Report(s) : See technical file  
Size Range : 40-47#  
Category : SBP WRU SRC

  
Assessor

  
Certification Manager

For and on behalf of ITS Testing Services (UK) Limited

08/12/2017

Date

08/12/2017

Date



中国认可  
国际互认  
检测  
TESTING  
CNAS L5912

1 Floor, No.14 building, Small and Medium  
sized Enterprises Pioneer Park,  
SSL Industry Park, Dongguan - P.R. CHINA  
Tél. : +86 769 23 03 77 70  
Fax : +86 769 23 03 77 71  
E-mail : [ctcdongguan@ctcgroupe.com](mailto:ctcdongguan@ctcgroupe.com)

# TEST REPORT

Page 1/3

Report No.: D180101094\_1

19 January 2018

APPLICANT: ROCK FALL UK LTD (C30039)

Matthew / [matthew@rockfall.co.uk](mailto:matthew@rockfall.co.uk)

Major House, Wimsey Ways  
Alfreton  
DE554LS DERBYSHIRE  
UNITED KINGDOM

Date of receipt : 15 Jan. 2018  
Testing period : 15 Jan. 2018  
: 19 Jan. 2018

**Buyer:** —

**Sample description:** RF140 VOLTA

Style / Article no. : ROCK FALL RF140 VOLTA  
Test(s) requested : PHYSICAL TEST  
Service : REGULAR  
Brand / Section : ROCK FALL  
Season : —  
End use : —  
Factory name : —  
Factory code : —

Previous report : —  
Product category : SAFETY SHOE  
Product type : —  
Test stage : FIRST TEST  
Supplier name : —  
Exported to : —

## 1. Conclusion:

ASTM F 2413:2011

	Tests description	Conformity
1	5.5. Electrical Hazard Resistant Footwear (EH)	Pass

Pass: requirements met    Fail: requirements not met    None: no requirement for this test    N/A: not applicable

Approved by

Leo TOM KIT FAI  
Operational Manager





# TEST REPORT

Page 2/3

Report No.: D180101094\_1

19 January 2018

APPLICANT: ROCK FALL UK LTD (C30039)

## 2. Sample(s) description assigned by laboratory:

<u>Size</u>	<u>Analyzed product</u>	<u>Description</u>	<u>Sample information</u>
9	Safety shoes (3 pcs)	Whole footwear	Black



D180101094

# TEST REPORT

Report No.: D180101094\_1

Page 3/3

19 January 2018

APPLICANT: ROCK FALL UK LTD (C30039)

### 3. Safety shoes (3 pcs)/9

Whole footwear : Black

	Method	Client Requirement	Unit	Result	Conformity
(+) 5.5. Electrical Hazard Resistant Footwear (EH)	ASTM F 2412 : 2011				Pass
Applied voltage			kV	18	
Leakage current - left 1		≤ 1.0	mA	0.05	
Leakage current - left 2		≤ 1.0	mA	0.04	
Leakage current - right 1		≤ 1.0	mA	0.03	
Arc flashing observed				No	

END OF TEST REPORT

(+)CNAS accreditation