

# CLASSIFICATION OF THE EUCALYPTS

(*Angophora*, *Corymbia* and *Eucalyptus*)

Dean Nicolle

Web Version 2 | April 2015

**Cite as:**

Nicolle D (2015) *Classification of the eucalypts (Angophora, Corymbia and Eucalyptus) Version 2.*

<http://www.dn.com.au/Classification-Of-The-Eucalypts.pdf>

## Taxonomy

**Genus** (common name, if any)

**Subgenus** (common name, if any)

**Section** (common name, if any)

**Series** (common name, if any)

**Subseries** (common name, if any)

**Species** (common name, if any)

**Subspecies** (common name, if any)

? = dubious or poorly understood taxon requiring further investigation

[ ] = Hybrid or intergrade taxon (only recently described or well-known hybrid names are listed)

MS = unpublished manuscript name

## Natural distribution (regions listed in order from most to least common)

**WA** Western Australia

**NT** Northern Territory

**SA** South Australia

**Qld** Queensland

**NSW** New South Wales

**Vic** Victoria

**Tas** Tasmania

**PNG** Papua New Guinea (including New Britain)

**Indo** Indonesia

**ET** East Timor

**Phil** Philippines

? = dubious or unverified records

## Research

**O** Observed in wild by D.Nicolle

**C** Specimens Collected in wild by D.Nicolle

**G** Grown at Currency Creek Arboretum (number of provenances grown)

**(m)** = reproductively mature. Where multiple provenances have been grown, (m) is indicated where at least one provenance is reproductively mature.

**-(#)** = provenances have been grown at CCA, but the taxon is no longer alive

**-(#)m** = at least one provenance has been grown to maturity at CCA, but the taxon is no longer alive

**Synonyms** (common known and recently named synonyms only)

**Taxon name**

? = indicates possible synonym/dubious taxon

## Angophora (apples)

ser. 'Costatitae' MS (smooth-barked apples)

**Angophora costata** (smooth-barked apple; rusty gum)**subsp. euryphylla****subsp. costata****Angophora leiocarpa** (smooth-barked apple)

NSW

NSW,Qld

Qld,NSW

O C G(2)m

O C G(1)m

O C G(1)

E. subg. Angophora

A. subser. Costatitae; E. ser. Costatitae

A. euryphylla; E. euryphylla

E. apocynifolia

A. costata subsp. leiocarpa; E. leiocarpa

ser. Angophora (rough-barked apples)

subser. 'Floribundinae' MS

**Angophora bakeri** (small-leaved apple)**Angophora paludosa****Angophora woodsiana** (smudgy apple)**Angophora floribunda** (rough-barked apple)**?Angophora inopina****Angophora crassifolia**

NSW

NSW

Qld,NSW

NSW,Qld,Vic

NSW

NSW

O C –

O C –

O C –

O C G(1)

O C G(1)

O C –

E. ser. Angophora

A. ser. Floribundinae; A. ser. Bakerinae; A. ser. Subvelutinae;

E. ser. Floribundinae

E. angustata

E. palustris; A. bakeri subsp. paludosa

E. woodsiana

A. exsul; E. florida; E. exsul

Dubious species (possibly = A. crassifolia); E. inopina

A. bakeri subsp. crassifolia; E. crassifolia

subser. 'Melanoxyton' MS

**Angophora melanoxyton** (coolabah apple)

NSW,Qld

O C G(1)

E. melana

subser. 'Angophora' MS

**Angophora subvelutina** (broad-leaved apple)**?Angophora robur**

NSW,Qld

NSW

O C G(1)m

O C –

E. subvelutina

Dubious species (possibly = A. subvelutina); E. robur

**Angophora hispida** (dwarf apple)

NSW

O C G(1)m

E. hispida; A. cordifolia

Corymbia (bloodwoods)				E. subg. <i>Corymbia</i>
subg. <i>Corymbia</i>				
sect. <i>Calophyllae</i>				E. ser. <i>Disjunctae</i>
<b><i>Corymbia ficifolia</i></b> (W.A. red-flowering gum)	WA	O C G(3)m		<i>E. ficifolia</i>
<b><i>Corymbia haematoxylon</i></b> (mountain marri)	WA	O C G(1)m		<i>E. haematoxylon</i>
<b><i>Corymbia chlorolampra</i></b> (Mt Lesueur bloodwood)	WA	O C G(2)		
<b><i>Corymbia calophylla</i></b> (marri)	WA	O C G(3)m		<i>E. calophylla</i>
sect. <i>Corymbia</i>				E. sect. <i>Septentrionales</i> ; E. sect. <i>Septentrionales</i> ; E. sect. <i>Notiales</i> ; E. ser. <i>Cymbiformes</i>
ser. 'Cymbiformes' MS				
<b><i>Corymbia gummifera</i></b> (red bloodwood)	NSW,Qld,Vic	O C G(1)m		<i>E. gummifera</i>
[ <b><i>Corymbia</i> × <i>nowraensis</i></b> ]	NSW	– – –		= <i>C. gummifera</i> × <i>C. maculata</i> hybrid
ser. 'Jacobsianae' MS				E. ser. <i>Jacobsianae</i>
<b><i>Corymbia jacobiana</i></b> (stringybarked bloodwood)	NT	O C –(1)		<i>E. jacobiana</i>
ser. 'Trachyphloiae' MS				E. ser. <i>Trachyphloiae</i>
<b><i>Corymbia trachyphloia</i></b> (brown bloodwood)				<i>E. trachyphloia</i>
subsp. <i>trachyphloia</i>	Qld,NSW	O C G(3)		
subsp. <i>amphistomatica</i>	NSW,Qld	O C G(2)m		<i>C. trachyphloia</i> subsp. <i>carnarvonica</i>

## Corymbia (continued)

subg. *Corymbia* (continued)sect. *Corymbia* (continued)

## ser. 'Dorsiventrals' MS

E. subsect. *Alatae*; E. ser. *Dorsiventrals****Corymbia ptychocarpa*** (swamp bloodwood)subsp. *ptychocarpa*

NT,WA,Qld

O C – (2)

E. *ptychocarpa*subsp. *aptycha*

NT

O C – (1)

***Corymbia abergiana*** (range bloodwood)

Qld

O C G(1)m

E. *abergiana****Corymbia polycarpa*** (long-fruited bloodwood)

NT,WA,Qld

O C – (2)

E. *derbyensis*; E. *polycarpa*; E. *erebescens*?***Corymbia novoguineensis***

Qld,PNG,Indo

O – –

Dubious species (possibly = *C. clarksoniana*); E. *novoguineensis****Corymbia clarksoniana*** (Clarkson's bloodwood)

Qld

O C G(1)

?***Corymbia dolichocarpa*** (long-fruited bloodwood)

Qld,NSW

O C G(2)

Dubious species (possibly = *C. clarksoniana*); *C. maritima*; *C. ligans* subsp. *burdekinensis****Corymbia ligans***

Qld

O C G(2)

*C. ligans* subsp. *novocastrensis****Corymbia plena*** (large-fruited bloodwood)

Qld

O C – (1)

E. *plena*; E. sp. DD in Brooker & Kleinig 1994?***Corymbia clandestina***

Qld

O C ¬G(1)

Dubious species (possibly = *C. brachycarpa*); E. *clandestina****Corymbia brachycarpa***

Qld

O C ¬G(1)

*C. clandestina*; E. *clandestina****Corymbia hylandii*** (Hyland's bloodwood)

Qld

O C – (1)

*C. hylandii* subsp. *campestris*; E. *hylandii****Corymbia stockeri***subsp. *peninsularis*

Qld

O C – (2)

E. *stockeri*subsp. *stockeri* (shiny-leaved bloodwood)

Qld

O C – (1)

*C. hylandii* subsp. *peninsularis**C. lamprophylla*; E. *lamprophylla****Corymbia hendersonii*** (Henderson's bloodwood)

Qld

O C G(1)m

E. *hendersonii*; E. sp. EE in Brooker & Kleinig 1994***Corymbia xanthope*** (Glen Geddes bloodwood)

Qld

O C G(2)

E. *xanthope****Corymbia intermedia*** (pink bloodwood)

Qld,NSW

O C G(1)

E. *intermedia****Corymbia rhodops*** (red-throated bloodwood)

Qld

O C G(1)

E. *rhodops****Corymbia serendipita*** (Newcastle Range bloodwood)

Qld

O C G(1)

*C. arnhemensis* subsp. *monticola*; E. *serendipita****Corymbia arnhemensis*** (Katherine Gorge bloodwood)

NT

O C G(1)

E. *arnhemensis****Corymbia arenaria*** (Kimberley bloodwood)

WA

O C – (1)

E. *arenaria*

## ser. 'Isobilaterales' MS

E. ser. *Isobilaterales*

## subser. 'Peltiformes' MS

E. subser. *Peltiformes****Corymbia nesophila*** (Melville Island bloodwood)

Qld,NT,WA

O C G(2)

E. *nesophila****Corymbia bleeseri*** (smooth-stemmed bloodwood)

NT,WA

O C – (1)

E. *bleeseri****Corymbia collina*** (silver-leaved bloodwood)

WA

O C – (1)

E. *collina*

*Corymbia* (continued)subg. *Corymbia* (continued)sect. *Corymbia* (continued)

## ser. 'Isobilaterales' MS (continued)

## subser. 'Limitaneae' MS

*E.* subser. *Limitaneae*

<b><i>Corymbia oocarpa</i></b>	NT	O C – (1)	<i>E. oocarpa</i>
<b><i>Corymbia dichromophloia</i></b> (small-fruited bloodwood)	NT,WA	O C G(3)	<i>C. rubens</i> ; <i>E. atrovirens</i> ; <i>E. dichromophloia</i>
<b><i>Corymbia capricornia</i></b> (small-fruited bloodwood)	NT,WA,Qld	O C G(2)	<i>C. drysdalensis</i> ; <i>E. capricornia</i> ; <i>E. drysdalensis</i>
<b><i>Corymbia umbonata</i></b> (rusty bloodwood)	NT	O C G(1)	<i>E. ollaris</i> ; <i>E. umbonata</i>
<b><i>Corymbia erythrophloia</i></b> (red bloodwood)	Qld	O C G(1)	<i>E. erythrophloia</i>
<b><i>Corymbia pocillum</i></b> (red bloodwood)	Qld	O C – (1)	<i>E. pocillum</i>
<b><i>Corymbia ellipsoidea</i></b>	Qld	O C G(1)	<i>C. porphyritica</i> ; <i>E. ellipsoidea</i>
<b><i>Corymbia cliftoniana</i></b> (Bungle Bungle bloodwood)	WA,NT	O C G(2)	<i>E. pontis</i> ; <i>E. cliftoniana</i> ; <i>C. sp.</i> 'Yampi Peninsula'
<b><i>Corymbia chippendalei</i></b> (sandhill bloodwood)	WA,NT	O C G(3)	<i>E. chippendalei</i>
<b><i>Corymbia eremaea</i></b>			<i>E. eremaea</i>
<b>subsp. oligocarpa</b> (mallee bloodwood)	NT	O C G(1)m	<i>E. fordeana</i> ; <i>E. nelsonii</i> ; <i>E. polycarpa</i> var. <i>oligocarpa</i>
<b>subsp. eremaea</b> (range bloodwood)	NT,SA,WA	O C G(3)m	<i>E. australis</i> ; <i>E. symonii</i> ; <i>E. connerensis</i>
? <b><i>Corymbia lenziana</i></b> (narrow-leaved bloodwood)	WA	O C G(2)	Dubious species (possibly = <i>C. eremaea</i> subsp. <i>eremaea</i> ); <i>E. lenziana</i>
<b><i>Corymbia opaca</i></b> (desert bloodwood)	NT,WA,SA	O C G(2)	<i>E. centralis</i> ; <i>E. orientalis</i> ; <i>E. opaca</i>
<b><i>Corymbia hamersleyana</i></b> (Hamersley bloodwood)	WA	O C G(2)m	<i>C. semiclara</i> ; <i>E. bynoeana</i> ; <i>E. hesperis</i> ; <i>E. hamersleyana</i>
<b><i>Corymbia terminalis</i></b> (plains bloodwood)	Qld,NT,NSW,SA	O C G(3)m	<i>C. tumescens</i> ; <i>E. terminalis</i>
<b><i>Corymbia dampieri</i></b> (pindan bloodwood)	WA,NT,Qld	O C – (2)	<i>C. curtipes</i> ; <i>C. greeniana</i> ; <i>E. dampieri</i> ; <i>E. blackwelliana</i> ; <i>E. durackiana</i>
<b><i>Corymbia byrnesii</i></b>	WA	O C –	<i>E. byrnesii</i>
<b><i>Corymbia foelscheana</i></b> (broad-leaved bloodwood)	NT	O C – (2)	<i>E. foelscheana</i>
<b><i>Corymbia latifolia</i></b> (round-leaved bloodwood)	NT,WA,PNG,Qld,Indo?	O C – (1)	<i>E. latifolia</i>
<b><i>Corymbia porrecta</i></b> (grey bloodwood)	NT	O C – (1)	<i>E. porrecta</i>
[ <b><i>Corymbia</i> × <i>semiclara</i></b> ]	WA	O C –	= <i>C. hamersleyana</i> – <i>C. opaca</i> intergrade
[ <b><i>Corymbia</i> × <i>opacula</i></b> ]	WA,NT	O C –	= <i>C. capricornia</i> – <i>C. opaca</i> intergrade
[ <b><i>Corymbia</i> × <i>pedimontana</i></b> ]	WA	O C –	= <i>C. dampieri</i> – <i>C. opaca</i> intergrade

## Corymbia (continued)

subg. *Corymbia* (continued)sect. *Corymbia* (continued)

ser. 'Terminalipterae' MS

***Corymbia ferruginea*** (rusty bloodwood)subsp. *ferruginea*

NT, Qld, WA

O C G(1)

subsp. *stypophylla*

WA, NT

O C G(2)

***Corymbia abbreviata*** (scraggy bloodwood)

NT, WA

O C – (1)

***Corymbia cadophora***subsp. *polychroma* (Ragged Range bloodwood)

WA

O C G(1)

subsp. *pliantha* (Ellenbrae bloodwood)

WA

O C – (1)

subsp. *cadophora* (twin-leaved bloodwood)

WA

O C – (1)

***Corymbia zygophylla*** (Broome bloodwood)

WA

O C – (1)

***Corymbia pachycarpa*** (urn-fruited bloodwood)

NT, WA

O C G(2)

***Corymbia sphaerica*** (big-fruited bloodwood)

NT

O C – (1)

***Corymbia papillosa*** (Maningrida bloodwood)

NT, WA

O C G(2)

***Corymbia chartacea*** (Oenpelli bloodwood)

NT

O C – (1)

***Corymbia dunlopiana*** (Dunlop's bloodwood)

NT

O C – (1)

***Corymbia setosa*** (rough-leaved bloodwood)subsp. *pedicellaris*

Qld

O C G(1)

subsp. *setosa*

NT, Qld

O C G(1)

***Corymbia deserticola*** (dainty bloodwood)subsp. *deserticola*

WA

O C G(3)

subsp. *mesogeotica*

NT, WA

O C G(1)

E. ser. *Terminalipterae**E. ferruginea**E. stypophylla*; E. sp. HH in Brooker & Kleinig 1994*E. abbreviata**E. cadophora*; E. sp. LL in Brooker & Kleinig 1994*E. zygophylla**C. pachycarpa* subsp. *glabrescens*; *E. pachycarpa*; E. sp. KK in Brooker & Kleinig 1994*E. sp. II* in Brooker & Kleinig 1994*C. papillosa* subsp. *globifera*; *E. papillosa*; E. sp. GG in Brooker & Kleinig*E. chartacea*; E. sp. JJ in Brooker & Kleinig 1994*E. dunlopiana*; E. sp. FF in Brooker & Kleinig 1994*E. setosa**E. deserticola**E. desertorum* D.J.Carr & S.G.S.Carr

*Corymbia* (continued)subg. *Blakella*E. subg. *Blakella*; E. subsect. *Apterae*sect. *Naviculares* (yellow bloodwoods)E. ser. *Naviculares*

<b><i>Corymbia eximia</i></b> (yellow bloodwood)	NSW	O C G(1)m	<i>E. eximia</i>
<b><i>Corymbia petalophylla</i></b>	Qld	O C G(1)m	<i>E. petalophylla</i>
<b><i>Corymbia watsoniana</i></b> (large-fruited yellowjacket)			<i>E. watsoniana</i>
subsp. <i>capillata</i>	Qld	O C G(2)	<i>C. catenaria</i> ; <i>E. watsoniana</i> subsp. <i>capillata</i>
subsp. <i>watsoniana</i>	Qld	O C G(1)m	
<b><i>Corymbia scabrida</i></b> (rough-leaved yellowjacket)	Qld	O C G(1)m	<i>E. scabrida</i>
<b><i>Corymbia peltata</i></b> (yellowjacket)	Qld	O C G(1)m	<i>E. peltata</i>
<b><i>Corymbia dimorpha</i></b> (variable-leaved yellowjacket)	Qld	O C G(1)m	<i>E. peltata</i> subsp. <i>dimorpha</i>
<b><i>Corymbia leichhardtii</i></b> (yellowjacket)	Qld	O C G(1)m	<i>E. leichhardtii</i>
<b><i>Corymbia bunites</i></b> (Blackdown yellowjacket)	Qld	O C G(1)m	<i>E. bunites</i>
<b><i>Corymbia aureola</i></b> (coalfields yellowjacket)	Qld	O C G(1)m	<i>E. aureola</i>
<b><i>Corymbia bloxsomei</i></b> (Barakula yellowjacket)	Qld	O C G(1)m	<i>E. bloxsomei</i>
<b><i>Corymbia leptoloma</i></b> (Paluma yellowjacket)	Qld	O C G(1)m	<i>E. leptoloma</i>

sect. *Torellianae*E. ser. *Torellianae*

<b><i>Corymbia torelliana</i></b> (cadaghi)	Qld	O C G(1)	<i>E. torelliana</i>
---	-----	----------	----------------------

sect. *Maculatae* (spotted gums)E. ser. *Maculatae*

<b><i>Corymbia citriodora</i></b> (lemon-scented gum)	Qld	O C G(1)m	<i>E. citriodora</i>
<b><i>Corymbia variegata</i></b> (northern spotted gum)	Qld,NSW	O C G(2)m	<i>C. citriodora</i> subsp. <i>variegata</i> ; <i>E. variegata</i>
<b><i>Corymbia maculata</i></b> (spotted gum)	NSW,Qld,Vic	O C G(3)m	<i>C. henryi</i> ; <i>E. maculata</i>

sect. *Abbreviatae* (paper-fruited bloodwoods)E. sect. *Abbreviatae*ser. '*Tessellatae*' MSE. sect. *Extensae*; E. subser. *Tessellatae*

<b><i>Corymbia tessellaris</i></b> (carbeen)	Qld,NSW,PNG	O C G(1)	<i>E. tessellaris</i>
<b><i>Corymbia papuana</i></b> (ghost gum)	PNG,Qld,Indo	O C –	<i>C. paracolpica</i> ; <i>E. papuana</i>
<b>?<i>Corymbia arafurica</i></b> (Darwin ghost gum)	NT	O C –	Dubious species (possibly = <i>C. papuana</i> )
<b><i>Corymbia bella</i></b> (weeping ghost gum)	NT,WA,Qld	O C G(1)	<i>E. bella</i> ; <i>E. sp.</i> AA in Brooker & Kleinig 1994

*Corymbia* (continued)subg. *Blakella* (continued)sect. *Abbreviatae* (continued)

## ser. 'Scutiformes' MS

*E.* subg. *Blakella*; *E.* subsect. *Apterae**E.* ser. *Scutiformes*; *E.* ser. *Clavigerae*

<b><i>Corymbia torta</i></b> (Kimberley ghost gum)	WA	O C –	<i>C. torta</i> subsp. <i>allanii</i> ; <i>C. torta</i> subsp. <i>mixtifolia</i>
<b><i>Corymbia kombolgiensis</i></b> (scarp gum)	NT	O C –	<i>E. kombolgiensis</i>
<b><i>Corymbia clavigera</i></b> (Kimberley apple gum)	WA	– – –	<i>E. clavigera</i>
<b><i>Corymbia</i> sp. 'Prince Regent River'</b>	WA	O C –	
<b><i>Corymbia polysciada</i></b> (apple gum)	NT	O C G(2)	<i>E. polysciada</i>
<b><i>Corymbia disjuncta</i></b> (broad-leaved carbeen)	NT,WA,Qld,PNG	O C –	<i>C. pauciseta</i>
? <b><i>Corymbia karelgica</i></b> (broad-leaved carbeen)	WA	O C –	Dubious species (possibly = <i>C. disjuncta</i> )
<b><i>Corymbia confertiflora</i></b> (broad-leaved carbeen)	NT,Qld,WA	O C –	<i>E. confertiflora</i>
<b><i>Corymbia dendromerinx</i></b>	WA	O C –	
<b><i>Corymbia aspera</i></b> (rough-leaved ghost gum)	NT,WA,Qld	O C –	<i>E. aspera</i>
<b><i>Corymbia candida</i></b> (desert ghost gum)	WA,NT	O C –	<i>C. candida</i> subsp. <i>dipsoides</i> ; <i>E. candida</i> ; <i>E.</i> sp. CC in Brooker & Kleinig
<b><i>Corymbia ferritcola</i></b> (Pilbara ghost gum)	WA	O C G(1)	<i>C. ferritcola</i> subsp. <i>sitiens</i> ; <i>E. ferritcola</i>
<b><i>Corymbia gilbertensis</i></b> (Gilbert River ghost gum)	Qld	O C –	<i>E. gilbertensis</i>
<b><i>Corymbia blakei</i></b>	Qld	O C –	<i>C. blakei</i> subsp. <i>rassilis</i> ; <i>C. inobvia</i> ; <i>E. blakei</i>
<b><i>Corymbia aparrerinja</i></b> (Central Australian ghost gum)	NT,Qld,WA	O C G(1)	<i>C. punkapitiensis</i> ; <i>E. aparrerinja</i> ; <i>E. papuana</i> var. <i>aparrerinja</i>
? <b><i>Corymbia dallachiana</i></b> (Queensland ghost gum)	Qld	O C –	Dubious species (possibly = <i>C. aparrerinja</i> ); <i>E. aparrerinja</i> subsp. <i>dallachiana</i> ; <i>E. tessellaris</i> var. <i>dallachiana</i>
<b><i>Corymbia flavescens</i></b> (wrinkle-leaf ghost gum)	WA,NT,Qld	O C –	<i>E. flavescens</i> ; <i>E.</i> sp. BB in Brooker & Kleinig 1994
<b><i>Corymbia grandifolia</i></b> (large-leaved cabbage gum)			<i>E. grandifolia</i>
subsp. <b><i>grandifolia</i></b>	NT,Qld,WA	O C G(1)	
subsp. <b><i>lamprocardia</i></b>	WA,NT	O C – (1)	
?subsp. <b><i>longa</i></b>	NT,WA	O C G(1)	Dubious subspecies (possibly = subsp. <i>grandifolia</i> )
[ <b><i>Corymbia</i> × <i>candida</i> subsp. <i>lautifolia</i></b> ]	WA	O C –	= <i>C. candida</i> – <i>C. flavescens</i> intergrade
[ <b><i>Corymbia</i> × <i>chillagoensis</i></b> ]	Qld	O C –	= <i>C. confertiflora</i> × <i>C. dallachiana</i> hybrid swarm
[ <b><i>Corymbia</i> × <i>paractia</i></b> ]	WA	O C – (1)	= <i>C. dendromerinx</i> – <i>C. flavescens</i> intergrade



*Eucalyptus*subg. *Eudesmia* (eudesmids)*Aromadendrum*; *Eudesmia*; *Symphyomyrtus*sect. *Complanatae* (tropical eudesmids)*E. sect. Reticulatae*ser. *Tetodontae* (tropical stringybarks)***Eucalyptus tetrodonta*** (Darwin stringybark)

NT, Qld, WA

O C – (1)

***Eucalyptus megasepala*** (messmate)

Qld

O C –

ser. *Similes* (tropical yellowjackets)*E. subser. Variables****Eucalyptus lirata*** (Kimberely yellowjacket)

WA

O C G(1)

***Eucalyptus similis*** (Queensland yellowjacket)

Qld

O C G(1)

ser. *Miniatae* (orange-flowered gums)subser. *Inclinatae****Eucalyptus chartaboma*** (paperbark gum)

Qld

O C G(2)

***Eucalyptus aurantiaca*** (melaleuca gum)

NT, WA, Qld

O C G(1)

***Eucalyptus miniata*** (Darwin woollybutt)

NT, WA, Qld?

O C –

***Eucalyptus gigantangion*** (Kakadu woollybutt)

NT

O C – (1)

subser. *Phoeniceosae****Eucalyptus* sp. 'Battlecamp'** (Cooktown scarlet gum)

Qld

O C G(1)

***Eucalyptus phoenicea*** (scarlet gum)

NT, WA

O C – (2)

***Eucalyptus ceracea*** (Seppelt Range yellowjacket)

WA

O C – (1)

ser. *Scutelliformes****Eucalyptus baileyana*** (Bailey's stringybark)

Qld, NSW

O C G(3)m

sect. *Limbatae*ser. *Heteropterae*subser. *Patelliformes**E. ser. Odontocarpae****Eucalyptus odontocarpa*** (Sturt Creek mallee)

NT, WA, Qld

O C G(1)m

***Eucalyptus gamophylla*** (twin-leaved mallee)

NT, WA, SA, Qld

O C G(2)m

subser. *Acetabuliformes**E. ser. Edentatae****Eucalyptus gongylocarpa*** (desert gum)

WA, SA, NT

O C G(4)m

*Eucalyptus* (continued)subg. *Eudesmia* (continued)sect. *Limbatae* (continued)ser. *Heteropterae* (continued)subser. *Tetraedrae**E.* subser. *Convenienses*; *E.* subser. *Pleurocarpae****Eucalyptus pallida***

WA

O C G(2)m

*E. eudesmioides* subsp. northern pallid in Brooker & Kleinig 1990***Eucalyptus eudesmioides*** (Kalbarri mallee)

WA

O C G(2)m

***Eucalyptus selachiana***

WA

O C G(1)m

*E. eudesmioides* subsp. northern glossy in Brooker & Kleinig 1990***Eucalyptus gittinsii*** (northern sandplain mallee)subsp. ***gittinsii***

WA

O C G(2)m

subsp. ***illucida***

WA

O C G(1)m

***Eucalyptus pleurocarpa*** (tallerack; blue mallee)

WA

O C G(2)m

***Eucalyptus extrica*** (eastern tallerack)

WA

O C G(1)m

*E. sp.* B in Brooker & Kleinig 1990[***Eucalyptus* × *tetragona***] (Lucky Bay tallerack)

WA

O C –

= *E. extrica* – *E. pleurocarpa* intergrade[***Eucalyptus* × *conveniensi***] (Natta Road mallee)

WA

O C G(2)m

= *E. gittinsii* subsp. *illucida* – *E. pleurocarpa* intergrade; *E. sp.* A in Brooker & Kleinig 1990subser. *Jucundae**E.* subser. *Erythrocorysthosae*; *E.* ser. *Jucundae****Eucalyptus erythrocorysthosae*** (red-capped gum)

WA

O C G(3)m

***Eucalyptus roycei*** (Shark Bay mallee)

WA

O C G(2)m

***Eucalyptus jucunda*** (Yuna mallee)

WA

O C – (1)m

ser. *Ebbanoenses**E.* sect. *Ebbanoenses****Eucalyptus ebbanoensis*** (sandplain mallee)subsp. ***ebbanoensis***

WA

O C G(2)m

*E. ebbanoensis* subsp. *glauciramula*subsp. ***photina*** (glossy-leaved sandplain mallee)

WA

O C G(1)m

subg. *Acerosae****Eucalyptus curtisii*** (Plunkett mallee)

Qld

O C G(1)m

subg. *Cuboidea****Eucalyptus tenuipes*** (narrow-leaved white mahogany)

Qld

O C G(2)

*Eucalyptus* (continued)subg. *Alveolata*

***Eucalyptus microcorys*** (tallowwood) NSW,Qld O C G(1)m

subg. *Cruciformes*

***Eucalyptus guilfoylei*** (yellow tingle) WA O C – (1)m

subg. *Symphyomyrtus**Symphyomyrtus*sect. *Bolites*

***Eucalyptus gomphocephala*** (tuart) WA O C G(1)m *E. gomphocephala* var. *rhodoxylon*

**[*Eucalyptus* × *mundijongensis*]** WA – – – = *E. gomphocephala* × *E. wandoo* subsp. *wandoo* hybrid

sect. '*Glandulosae*' MS*E. subsect. Glandulosae*; *E. subsect. Hadrotes*ser. *Accedentes*

***Eucalyptus laeliae*** (Darling Range ghost gum) WA O C G(1)m

***Eucalyptus accedens*** (powderbark wandoo) WA O C G(2)m *E. sp. D* in Brooker & Kleinig 1990

***Eucalyptus zopherophloia*** (blackbutt mallee) WA O C G(1)m

***Eucalyptus baiophylla*** (Giralia Range mallee) WA O C G(1)m *E. sp. Giralia Range*; *E. 'giraliensis'* MS

***Eucalyptus prominens*** (Cape Range mallee) WA O C G(1)m

***Eucalyptus pilbarensis*** (Pilbara mallee) WA O C G(1)m *E. sp. Mt Bruce*

***Eucalyptus trivalva*** (desert mallee) WA,SA,NT O C G(5)m *E. trivalvis*

**[*Eucalyptus* × *crispata*]** WA O C G(1)m = *E. accedens* × *E. arachnaea* hybrid

**[*Eucalyptus* × *leprophloia*]** (scaly-butt mallee) WA O C G(1)m = *E. accedens* × *E. zopherophloia* hybrid

**[*Eucalyptus* × *pruiniramis*]** (Midlands gum) WA O C G(1)m = *E. accedens* × *E. loxophleba* subsp. *loxophleba* hybrid; *E. sp. D* in B&K 1990

*Eucalyptus* (continued)subg. *Symphyomyrtus* (continued)sect. '*Glandulosae*' MS (continued)ser. *Loxophlebae****Eucalyptus loxophleba***

<b>subsp. <i>loxophleba</i></b> (York gum)	WA	O C	G(1)m	
<b>subsp. <i>supralaevis</i></b> (blackbutt York gum)	WA	O C	G(3)m	
<b>subsp. <i>lissophloia</i></b> (smooth-barked York gum)	WA	O C	G(1)m	
<b>subsp. <i>gratiae</i></b> (Lake Grace mallee)	WA	O C	G(1)m	<i>E. gratiae</i>

***Eucalyptus blaxellii*** (Howatharra mallee)WA O C G(1)m *E. sp. I* in Brooker & Kleinig 1990***Eucalyptus articulata*** (Ponton Creek mallee)

WA O C G(1)m

***Eucalyptus semota*** (Marymia mallee)WA O C G(1) *E. sp. NN* in Brooker & Kleinig 1994ser. *Kruseanae****Eucalyptus kruseana*** (bookleaf mallee)

WA O C G(1)m

**[*Eucalyptus* × *brachyphylla*]**WA O C G(1)m = *E. kruseana* × *E. loxophleba* subsp. *lissophloia* hybridser. *Contortae* (gimlets)***Eucalyptus effusa*****subsp. *exsul*** (desert gimlet) WA O C G(2)m *E. 'abrupta'* MS**subsp. *effusa*** (rough-barked gimlet) WA O C G(2)m***Eucalyptus salubris*** (gimlet)

WA O C G(5)m

***Eucalyptus ravidata*** (silver-topped gimlet)WA O C G(2)m *E. salubris* var. *glauca***?*Eucalyptus jimberlanica*** (Norseman gimlet)WA O C G(2)m Dubious species (possibly = *E. ravidata* – *E. tortilis* intergrade)***Eucalyptus campaspe*** (silver gimlet)

WA O C G(3)m

***Eucalyptus tortilis***

WA O C G(1)m

***Eucalyptus terebra*** (Balladonia gimlet)WA O C G(2)m *E. sp. G* in Brooker & Kleinig 1990***Eucalyptus diptera*** (two-winged gimlet)

WA O C G(1)m

***Eucalyptus creta*** (large-fruited gimlet)WA O C G(2)m *E. sp. H* in Brooker & Kleinig 1990ser. *Obliquae****Eucalyptus grossa*** (coarse-leaved mallee)

WA O C G(1)m

*Eucalyptus* (continued)subg. *Symphyomyrtus* (continued)sect. '*Glandulosae*' MS (continued)ser. *Stricklandianae*

<b><i>Eucalyptus stricklandii</i></b> (Strickland's blackbutt)	WA	O C G(2)m	
<b><i>Eucalyptus carnei</i></b> (Carne's blackbutt)	WA	O C G(1)m	

ser. *Elongatae*

<b><i>Eucalyptus armillata</i></b> (flanged mallee)	WA	O C G(1)m	<i>E. erythronema</i> var. <i>marginata</i>
<b><i>Eucalyptus erythronema</i></b>			
subsp. <b><i>erythronema</i></b> (red-flowered mallee)	WA	O C G(1)m	
subsp. <b><i>inornata</i></b> (yellow-flowered mallee)	WA	O C G(2)m	
<b><i>Eucalyptus dielsii</i></b> (cap-fruited mallet)	WA	O C G(3)m	
<b><i>Eucalyptus cerasiformis</i></b> (cherry-fruited mallee)	WA	O C G(1)m	
<b><i>Eucalyptus cylindriflora</i></b> (goldfields white mallee)	WA	O C G(1)m	

ser. *Clinatae*

<b><i>Eucalyptus vegrandis</i></b>			
subsp. <b><i>vegrandis</i></b> (Ongerup mallee)	WA	O C G(3)m	
subsp. <b><i>recondita</i></b> (Cranbrook mallee)	WA	O C G(2)m	<i>E. 'recondita'</i> MS in Brooker & Kleinig 1990
<b><i>Eucalyptus cernua</i></b> (nodding mallet)	WA	O C G(2)m	
<b><i>Eucalyptus proxima</i></b> (nodding mallee)	WA	O C G(1)m	
<b><i>Eucalyptus vesiculosa</i></b> (Corackerup marlock)	WA	O C G(1)m	

*Eucalyptus* (continued)subg. *Symphyomyrtus* (continued)sect. '*Glandulosae*' MS (continued)ser. *Erectae*subser. *Abundae*

<b><i>Eucalyptus nutans</i></b> (red-flowered moort)	WA	O C	G(1)m	
<b><i>Eucalyptus platypus</i></b>				
subsp. <i>platypus</i> (moort)	WA	O C	G(1)m	
subsp. <i>congregata</i> (oval-leaved moort)	WA	O C	G(2)m	
<b><i>Eucalyptus utilis</i></b> (coastal moort)	WA	O C	G(5)m	<i>E. platypus</i> var. <i>heterophylla</i> (but not as to type)
<b><i>Eucalyptus spathulata</i></b>				
subsp. <i>salina</i> (Salt River mallet)	WA	O C	G(2)m	
subsp. <i>spathulata</i> (swamp mallet)	WA	O C	G(2)m	
<b><i>Eucalyptus orthostemon</i></b> (diverse mallee)	WA	O C	G(2)m	<i>E. vegrandis</i> subsp. 'Fine leaf'
<b><i>Eucalyptus suggrandis</i></b>				
subsp. <i>suggrandis</i> (Kundip mallee)	WA	O C	G(4)m	<i>E. 'verruculosa'</i> MS in Brooker & Kleinig 1990; <i>E. spathulata</i> var. <i>grandifolia</i>
subsp. <i>promiscua</i> (slender mallee)	WA	O C	G(4)m	
<b><i>Eucalyptus alipes</i></b> (Hyden mallet)	WA	O C	G(3)m	<i>E. suggrandis</i> subsp. <i>alipes</i> ; <i>E. sp.</i> 'Lort River'
<b><i>Eucalyptus mimica</i></b>				
subsp. <i>continens</i> (hooded mallet)	WA	O C	G(1)m	<i>E. 'continens'</i> MS in Brooker & Kleinig 1990
subsp. <i>mimica</i> (Newdegate mallet)	WA	O C	G(1)m	
<b><i>Eucalyptus steedmanii</i></b> (Steedman's mallet)	WA	O C	G(2)m	
<b><i>Eucalyptus goniocarpa</i></b> (lake King mallet)	WA	O C	G(1)m	
<b><i>Eucalyptus eremophila</i></b>				
subsp. <i>eremophila</i> (tall sand mallet)	WA	O C	G(2)m	
subsp. <i>pterocarpa</i> (Hatters Hill mallet)	WA	O C	G(1)m	
<b><i>Eucalyptus depauperata</i></b> (Mount Madden mallee)	WA	O C	G(1)	<i>E. sp.</i> E of Brooker & Kleinig 1990
<b><i>Eucalyptus tenera</i></b> (sand mallee)	WA	O C	G(4)m	
? <b><i>Eucalyptus tephroclada</i></b> (Holleton mallee)	WA	O C	G(1)m	Dubious species (possibly = <i>E. tenera</i> )
<b><i>Eucalyptus incerata</i></b> (Mount Day mallee)	WA	O C	G(2)m	

*Eucalyptus* (continued)subg. *Symphomyrtus* (continued)sect. '*Glandulosae*' MS (continued)ser. *Erectae* (continued)subser. *Pedicellatae**E. ser. Micromembranae*

<b><i>Eucalyptus stowardii</i></b> (fluted horn mallee)	WA	O C G(1)m	
<b><i>Eucalyptus diminuta</i></b> (spring mallee)	WA	O C G(5)m	<i>E. sargentii</i> subsp. <i>fallens</i>
<b><i>Eucalyptus sargentii</i></b>			
subsp. <i>sargentii</i> (salt river gum)	WA	O C G(3)	
subsp. <i>onesia</i> (Mortlock River yate)	WA	O C G(4)m	
<b><i>Eucalyptus astringens</i></b>	WA		
subsp. <i>astringens</i> (brown mallet)	WA	O C G(3)m	
subsp. <i>redacta</i> (coastal brown mallet)	WA	O C G(1)m	<i>E. astringens</i> subsp. 'Desmond'
<b><i>Eucalyptus thamnoides</i></b> (brown mallee)	WA	O C G(2)m	<i>E. thamnoides</i> subsp. <i>megista</i>
<b><i>Eucalyptus sporadica</i></b> (Burngup mallee)	WA	O C G(3)m	<i>E. sp. F</i> in Brooker & Kleinig 1990
<b><i>Eucalyptus aspratilis</i></b> (granite rock yate)	WA	O C G(1)m	<i>E. occidentalis</i> var. <i>stenantha</i>
<b><i>Eucalyptus occidentalis</i></b> (flat-topped yate; swamp yate)	WA	O C G(3)m	
<b>[<i>Eucalyptus</i> × <i>calyerup</i>]</b>	WA	O C G(1)m	= <i>E. occidentalis</i> × <i>E. platypus</i> subsp. <i>platypus</i> hybrid

subser. *Annulatae*

<b><i>Eucalyptus protensa</i></b>	WA	O C G(2)m	
<b><i>Eucalyptus extensa</i></b> (yellow mallet)	WA	O C G(3)m	<i>E. sp.</i> 'Tarin Rock'; <i>E. extensa</i> subsp. ' <i>dasyphloia</i> ' MS
<b><i>Eucalyptus annulata</i></b> (open-fruited mallee)	WA	O C G(1)m	

*Eucalyptus* (continued)subg. *Symphomyrtus* (continued)sect. '*Glandulosae*' MS (continued)ser. *Cornutae**E. ser. Lehmannianae*; *E. ser. Cornutae*subser. *Cornutae****Eucalyptus macrandra*** (river yate; long-flowered yate)

WA

O C G(5)m

*E. olivacea* in Brooker & Kleinig 1990***Eucalyptus cornuta*** (yate)

WA

O C G(5)m

[***Eucalyptus* × *missilis***] (bullet bush)

WA

O C G(1)m

= *E. cornuta* × *E. angulosa* hybridsubser. *Liberae****Eucalyptus talyuberlup*** (Stirling Range yate)

WA

O C G(2)m

***Eucalyptus burdettiana*** (Burdett's mallee)

WA

O C G(1)m

***Eucalyptus newbeyi*** (Beaufort Inlet yate)

WA

O C G(1)m

***Eucalyptus megacornuta*** (warty yate)

WA

O C G(2)m

subser. *Conjunctae* (bushy yates)***Eucalyptus mcquoidii*** (Quoin Head marlock)

WA

O C G(1)m

***Eucalyptus sinuosa*** (octopus mallee)

WA

O C G(2)

***Eucalyptus retusa*** (Point Hood yate)

WA

O C G(1)m

*E. sp.* 'Bremer Bay'; *E. 'jinungurdu'* MS  
*Symphomyrtus lehmannii****Eucalyptus lehmannii*** (bushy yate)

WA

O C G(6)m

subsp. *parallela*

WA

O C G(6)m

subsp. *lehmannii*

WA

O C G(1)m

***Eucalyptus arborella*** (Twertup yate)

WA

O C G(3)m

***Eucalyptus conferruminata***subsp. *conferruminata* (Bald Island marlock)

WA

O C G(2)m

subsp. *recherche*

WA

O C G(3)m

[***Eucalyptus* × *bennettiae***]

WA

O C G(1)m

= *E. lehmannii* subsp. *parallela* × *E. sporadica* hybrid



*Eucalyptus* (continued)subg. *Symphomyrtus* (continued)sect. '*Glandulosae*' MS (continued)ser. *Levispermae* (wandoo group)subser. *Levispermae****Eucalyptus wandoo*** (wandoo)subsp. *wandoo*

WA

O C G(2)m

subsp. *pulverea*

WA

O C G(1)m

***Eucalyptus capillosa*** (wheatbelt wandoo)

WA

O C G(5)m

*E. capillosa* subsp. *polyclada*; *E. nigrifunda****Eucalyptus livida*** (mallee wandoo)

WA

O C G(1)m

***Eucalyptus arachnaea***subsp. *arachnaea* (black-stemmed mallee)

WA

O C G(1)m

*E. redunca* var. *melanophloia*subsp. *arrecta* (black-stemmed mallet)

WA

O C G(2)m

***Eucalyptus phaenophylla*** (common southern mallee)

WA

O C G(4)m

*E. phaenophylla* subsp. *interjacens*; *E. sparsicoma****Eucalyptus tumida***

WA

O C G(1)m

***Eucalyptus histophylla*** (Dundas mallee)

WA

O C G(2)m

*E. luteola****Eucalyptus flavida*** (yellow-flowered mallee)

WA

O C G(1)m

*E. redunca* var. *oxymitra****Eucalyptus subangusta***subsp. *cerina* (Warralakin mallee)

WA

O C G(1)m

*E. redunca* var. *subangusta*subsp. *subangusta* (grey mallee)

WA

O C G(2)m

? *E. subangusta* subsp. *virescens*subsp. *pusilla* (ember mallee)

WA

O C G(2)m

?subsp. *virescens* (Narembeen mallee)

WA

O C G(1)m

Dubious subspecies (possibly = *E. arachnaea* × *E. subangusta* hybrid swarm)***Eucalyptus subtilis*** (narrow-leaved mallee)

WA

O C G(3)m

*E. microschemata****Eucalyptus xanthonema***subsp. *xanthonema* (Needilup mallee)

WA

O C G(1)m

subsp. *apposita*

WA

O C G(2)m

***Eucalyptus melanophitra***

WA

O C G(1)m

***Eucalyptus praetermissa***

WA

O C G(1)m

***Eucalyptus hebetifolia*** (middle mallee)

WA

O C G(2)m

*E. medialis****Eucalyptus clivicola*** (green mallet)

WA

O C G(2)m

***Eucalyptus gardneri***subsp. *ravensthorpensis* (Ravensthorpe blue mallet)

WA

O C G(1)m

subsp. *gardneri* (blue mallet)

WA

O C G(2)m

***Eucalyptus densa*** (narrow-leaved blue mallet)

WA

O C G(1)m

***Eucalyptus 'improcera'*** MS

WA

O C G(1)m

*E. densa* subsp. *improcera****Eucalyptus pluricaulis***subsp. *pluricaulis* (blue-leaved mallee)

WA

O C G(2)m

subsp. *porphyrea* (purple-leaved mallee)

WA

O C G(1)m

***Eucalyptus varia***

WA

O C G(2)m

*E. varia* subsp. *salsuginosa****Eucalyptus redunca*** (black marlock)

WA

O C G(1)m

**[*Eucalyptus* × *abdita*]**

WA

O C G(1)m

= *E. arachnaea* × *E. pluricaulis* subsp. *pluricaulis* hybrid swarm

*Eucalyptus* (continued)subg. *Symphomyrtus* (continued)sect. '*Glandulosae*' MS (continued)ser. *Levispermae* (continued)

***Eucalyptus desmondensis*** (Desmond mallee) WA O C G(1)m

ser. *Dundasianae*

***Eucalyptus dundasii*** (Dundas blackbutt) WA O C G(2)m

sect. *Bisectae*ser. *Decurvae**E. subsect. Destitutae*

***Eucalyptus doratoxylon*** (spearwood mallee) WA O C G(1)m

***Eucalyptus decurva*** (slender mallee) WA O C G(1)m

ser. *Squamosae*

***Eucalyptus pachycalyx*** (pumpkin bark)

?subsp. ***pachycalyx*** Qld O C G(1)m

?subsp. ***waajensis*** Qld O C G(1)m Dubious subspecies

?subsp. ***banyabba*** NSW O C G(1)m Dubious subspecies

***Eucalyptus squamosa*** (scaly bark) NSW O C G(1)m

ser. *Micrantherae*subser. *Micrantherae*

***Eucalyptus micranthera*** (Alexander River mallee) WA O C G(2)m

subser. *Bakerianae**E. ser. Bakerianae*

***Eucalyptus jutsonii***

subsp. ***jutsonii*** (Jutson's mallee) WA O C G(1)m

subsp. ***kobela*** (Karara mallee) WA O C G(1)m

***Eucalyptus mannensis***

subsp. ***mannensis*** (Mann Ranges mallee) WA,SA,NT O C G(1)m

subsp. ***vespertina*** WA O C G(1)m *E. mannensis* subsp. western in Brooker & Kleinig 1990

***Eucalyptus bakeri*** (Baker's mallee) Qld,NSW O C G(2)m

*Eucalyptus* (continued)subg. *Symphomyrtus* (continued)sect. *Bisectae* (continued)ser. *Angustissimae*

<b><i>Eucalyptus cneorifolia</i></b> (Kangaroo Island narrow-leaved mallee)	SA	O	C	G(1)m
<b><i>Eucalyptus misella</i></b>	WA	O	C	G(1)m
<b><i>Eucalyptus foliosa</i></b>	WA	O	C	G(1)m
<b><i>Eucalyptus quaerenda</i></b> (Melaleuca mallee)	WA	O	C	G(2)m
<b><i>Eucalyptus angustissima</i></b> (broombush mallee)	WA	O	C	G(3)m

E. subser. *Oviformes*; E. subser. *Fusififormes*

E. sp. L in Brooker &amp; Kleinig 1990

E. *angustissima* subsp. *quaerenda*ser. *Salmonophloiae*

<b><i>Eucalyptus salmonophloia</i></b> (salmon gum)	WA	O	C	G(2)m
---	----	---	---	-------

ser. *Falcatae*subser. *Rugatae*E. ser. *Cooperianae*E. subser. *Falcatae*

<b><i>Eucalyptus recta</i></b> (Wongan Hills silver mallet)	WA	O	C	G(3)m
<b><i>Eucalyptus rugulata</i></b> (Ironcaps silver mallet)	WA	O	C	G(2)m
<b><i>Eucalyptus ornata</i></b> (silver mallet)	WA	O	C	G(2)m
<b><i>Eucalyptus falcata</i></b> (silver mallet)	WA	O	C	G(2)m
<b><i>Eucalyptus purpurata</i></b> (purple-crowned silver mallet)	WA	O	C	G(2)m

E. *argyphaea*; E. sp. J in Brooker & Kleinig 1990

E. sp. 'Bandalup Hill'

<b><i>Eucalyptus cooperiana</i></b> (many-flowered mallee)	WA	O	C	G(2)m
--	----	---	---	-------

<b><i>Eucalyptus petrensis</i></b> (limestone mallee)	WA	O	C	G(1)m
---	----	---	---	-------

<b><i>Eucalyptus opimiflora</i></b> (northern silver mallee)	WA	O	C	G(3)m
--	----	---	---	-------

E. sp. 'Badgingarra'; E. *falcata* subsp. 'opima' MS

<b><i>Eucalyptus dorrienii</i></b> (silver mallee)	WA	O	C	G(2)m
--	----	---	---	-------

<b><i>Eucalyptus ecostata</i></b> (coastal silver mallee)	WA	O	C	G(6)m
---	----	---	---	-------

E. *falcata* var. *ecostata*

<b><i>Eucalyptus semiglobosa</i></b>	WA	O	C	G(2)m
--------------------------------------	----	---	---	-------

E. *goniantha* subsp. *semiglobosa*

<b><i>Eucalyptus notactites</i></b> (southern limestone mallee)	WA	O	C	G(3)m
---	----	---	---	-------

E. *goniantha* subsp. *notactites*; E. *goniantha* subsp. sessile fruit in Brooker & Kleinig 1990***Eucalyptus goniantha***

subsp. <b><i>goniantha</i></b> (Manypeaks mallee)	WA	O	C	G(2)m
---	----	---	---	-------

subsp. <b><i>kynoura</i></b> (Point Hillier mallee)	WA	O	C	G(1)m
---	----	---	---	-------

E. sp. 'Point Hillier'

***Eucalyptus kessellii*** (Kessell's mallee)

subsp. <b><i>eugnosta</i></b>	WA	O	C	G(1)m
-------------------------------	----	---	---	-------

subsp. <b><i>kessellii</i></b>	WA	O	C	G(2)m
--------------------------------	----	---	---	-------

<b><i>Eucalyptus annettae</i></b> (Annett's mallet)	WA	O	C	G(1)m
---	----	---	---	-------

E. sp. 'Point Malcolm'

[ <b><i>Eucalyptus</i> × <i>balanopelex</i></b> ]	WA	O	C	G(1)m
---	----	---	---	-------

= E. *kessellii* subsp. *eugnosta* × E. *semiglobosa* hybrid swarm

*Eucalyptus* (continued)subg. *Symphyomyrtus* (continued)sect. *Bisectae* (continued)ser. *Falcatae* (continued)subser. *Decipientes*

<b><i>Eucalyptus obesa</i></b> (Ninety Mile Tank mallee)	WA	O C	G(4)m	
<b><i>Eucalyptus adesmophloia</i></b> (Wellstead mallee)	WA	O C	G(1)m	<i>E. decipiens</i> subsp. <i>adesmophloia</i>
<b><i>Eucalyptus decipens</i></b> (redheart)	WA	O C	G(3)m	
[ <b><i>Eucalyptus</i> × <i>communalis</i></b> ]	WA	O C	G(1)m	= <i>E. adesmophloia</i> – <i>E. obesa</i> intergrade
[ <b><i>Eucalyptus</i> × <i>decipiens</i> subsp. <i>chalara</i></b> ]	WA	O C	G(1)m	= <i>E. decipiens</i> – <i>E. adesmophloia</i> intergrade
[ <b><i>Eucalyptus</i> × <i>balanites</i></b> ] (Cadda Road mallee)	WA	O C	–	= <i>E. decipiens</i> × <i>E. lane-polei</i> hybrid
[ <b><i>Eucalyptus</i> × <i>phylacis</i></b> ] (Meelup mallee)	WA	O C	–	= <i>E. decipiens</i> × <i>E. virginia</i> hybrid

ser. *Brockwayanae*

<b><i>Eucalyptus brockwayi</i></b> (Dundas mahogany)	WA	O C	G(3)m	
--	----	-----	-------	--

ser. *Subulatae*subser. *Spirales*

<b><i>Eucalyptus delicata</i></b>	WA	O C	G(2)m	
<b><i>Eucalyptus longicornis</i></b> (red morrel)	WA	O C	G(3)m	
<b><i>Eucalyptus oleosa</i></b> (red mallee)				
subsp. <i>corvina</i> (Ravensthopre stocking mallee)	WA	O C	G(2)m	
subsp. <i>cylindroidea</i>	WA	O C	G(3)m	
subsp. <i>oleosa</i>	SA,WA,Vic,NSW	O C	G(5)m	<i>E. oleosa</i> subsp. <i>repleta</i> ; <i>E. sp. N</i> in B&K 1990; <i>E. oleosa</i> subsp. Desert in Nicolle 1997
subsp. <i>ampliata</i> (coastal red mallee)	SA,WA	O C	G(8)m	<i>E. oleosa</i> subsp. <i>wylieana</i> ; <i>E. oleosa</i> subsp. <i>victima</i> ; <i>E. oleosa</i> subsp. Coastal in Nicolle 1997
<b><i>Eucalyptus grasbyi</i></b>	WA	O C	G(1)	

*Eucalyptus* (continued)subg. *Symphyomyrtus* (continued)sect. *Bisectae* (continued)ser. *Spirales* (continued)subser. *Oleaginae* (oil mallees)

<b><i>Eucalyptus longissima</i></b> (greenstone mallee)	WA	O C	G(4)m	<i>E. sp. M</i> in Brooker & Kleinig 1990
<b><i>Eucalyptus eremicola</i></b>				
subsp. <b><i>eremicola</i></b> (Nawa mallee)	WA,SA	O C	G(2)m	
subsp. <b><i>peeneri</i></b> (peeneri mallee)	WA,SA	O C	G(2)m	<i>E. sublucida</i> ; <i>E. oleosa</i> var. <i>peeneri</i> ; <i>E. peeneri</i> ; <i>E. sp. O</i> in B&K 1990; <i>E. sp. PP</i> in B&K 1994
<b><i>Eucalyptus ultima</i></b> (Exmouth mallee)	WA	O C	G(2)m	<i>E. sp. OO</i> in Brooker & Kleinig 1994
<b><i>Eucalyptus kochii</i></b>				
subsp. <b><i>yellowdinensis</i></b> (Yellowdine mallee)	WA	O C	G(2)m	
subsp. <b><i>amaryssia</i></b> (shiny-leaved oil mallee)	WA	O C	G(2)m	
subsp. <b><i>borealis</i></b> (Mullewa mallee)	WA	O C	G(2)m	<i>E. oleosa</i> var. <i>borealis</i>
subsp. <b><i>plenissima</i></b> (Trayning mallee)	WA	O C	G(2)m	<i>E. plenissima</i> ; <i>E. oleosa</i> var. <i>plenissima</i>
subsp. <b><i>kochii</i></b> (oil mallee)	WA	O C	G(3)m	

subser. *Decussatae*

<b><i>Eucalyptus aspersa</i></b> (forest mallee)	WA	O C	G(3)m	
<b><i>Eucalyptus yalatensis</i></b> (Yalata mallee)	SA,WA	O C	G(5)m	
<b><i>Eucalyptus socialis</i></b> (red mallee)				
subsp. <b><i>viridans</i></b> (green-leaved red mallee)	SA	O C	G(3)m	<i>E. socialis</i> subsp. 'glossy leaves' in Brooker et al. 2002
subsp. <b><i>socialis</i></b>	SA,NSW,Vic	O C	G(4)m	
subsp. <b><i>eucentrica</i></b> (inland red mallee)	WA,NT,SA,Qld	O C	G(4)m	<i>E. eucentrica</i>
subsp. <b><i>victoriensis</i></b>	SA,WA	O C	G(2)m	<i>E. sp. aff. socialis</i> (southern GVD) in Brooker et al. 2002
<b><i>Eucalyptus gillii</i></b> (silver mallee)	SA,NSW	O C	G(2)m	<i>E. gillii</i> var. <i>petiolaris</i>
<b><i>Eucalyptus wyolensis</i></b> (Wyola mallee)	SA	O C	G(2)m	
<b><i>Eucalyptus vokesensis</i></b> (Vokes Hill mallee)	SA	O C	G(2)m	
<b><i>Eucalyptus yumbarrana</i></b> (Yumbarra mallee)	SA	O C	G(2)m	
<b><i>Eucalyptus dolichocera</i></b> (Kalbarri red mallee)	WA	O C	G(2)m	<i>E. sp. R</i> in Brooker & Kleinig 1990
<b>[<i>Eucalyptus</i> × <i>intrasilvatica</i>]</b>	WA	O C	G(2)	= <i>E. aspersa</i> × <i>E. dorrieni</i> hybrid

*Eucalyptus* (continued)subg. *Symphyomyrtus* (continued)sect. *Bisectae* (continued)ser. *Spirales* (continued)subser. *Decurrentes*

<b><i>Eucalyptus</i> sp. ‘Dunbar Road’</b>	WA	O C	G(1)m	
<b><i>Eucalyptus urna</i></b> (merrit)	WA	O C	G(4)m	
<b><i>Eucalyptus peninsularis</i></b> (Cummins mallee)	SA	O C	G(3)m	
<b><i>Eucalyptus flocktoniae</i></b> (Flockton’s mallee)				
subsp. <b><i>flocktoniae</i></b>	WA	O C	G(4)m	<i>E. ‘viridans’</i> MS in Brooker & Kleinig 1990
subsp. <b><i>hebes</i></b>	WA	O C	G(3)m	
<b><i>Eucalyptus neutra</i></b> (Newdegate mallee)	WA	O C	G(6)m	<i>E. sp. Q</i> in Brooker & Kleinig 1990
<b><i>Eucalyptus luculenta</i></b>	WA	O C	G(2)m	
<b><i>Eucalyptus moderata</i></b> (redwood mallee)	WA	O C	G(7)m	<i>E. transcidentalis</i> subsp. <i>semivestita</i>
<b><i>Eucalyptus hypolaena</i></b> (desert redwood)	WA	O C	G(4)m	<i>E. sp. P</i> subsp. ‘blackbutt’ in Brooker & Kleinig 1990
<b><i>Eucalyptus optima</i></b> (Balladonia redwood)	WA	O C	G(3)m	<i>E. sp. P</i> subsp. <i>P</i> in Brooker & Kleinig 1990
<b><i>Eucalyptus transcidentalis</i></b> (redwood)	WA	O C	G(1)m	
<b><i>Eucalyptus rhomboidea</i></b> (diamond gum)	WA	O C	G(2)m	

ser. *Balladonienses*

<b><i>Eucalyptus balladoniensis</i></b> (Balladonia mallee)				
subsp. <b><i>sedens</i></b>	WA	O C	G(2)m	<i>E. balladoniensis</i> subsp. <i>sessile</i> fruit in Brooker & Kleinig 1990
subsp. <b><i>balladoniensis</i></b>	WA	O C	G(2)m	
<b><i>Eucalyptus indurata</i></b> (ironbark)	WA	O C	G(2)m	

ser. *Curviptera*subser. *Inflexae*

<b><i>Eucalyptus virginea</i></b> (Mount Lindesay white gum)	WA	O C	G(2)m	<i>E. sp. ‘Denmark’</i>
<b><i>Eucalyptus lanepolei</i></b> (salmonbark wandoo)	WA	O C	G(2)m	
<b><i>Eucalyptus relicta</i></b> (relict mallee)	WA	O C	G(3)m	

*Eucalyptus* (continued)subg. *Symphomyrtus* (continued)sect. *Bisectae* (continued)ser. *Curviptera* (continued)subser. *Xylocarpae**E.* subser. *Glomerosae*

<b><i>Eucalyptus drummondii</i></b> (Drummond's mallee)	WA	O C G(4)m	? <i>E. annuliformis</i> ; <i>E. drummondii</i> subsp. 'Moora'; <i>E. drummondii</i> subsp. 'York'
<b><i>Eucalyptus glomerosa</i></b> (jinjulu)	SA,WA	O C G(2)m	
<b><i>Eucalyptus oxymitra</i></b> (sharp-capped mallee)	SA,NT,WA	O C G(2)m	
<b><i>Eucalyptus</i> sp. 'Little Sandy Desert'</b>	WA	O C G(3)m	<i>E. oldfieldii</i> subsp. 'paupera' MS; <i>E. oldfieldii</i> subsp. 'millarensis' MS
<b><i>Eucalyptus oldfieldii</i></b> (Oldfield's mallee)	WA	O C G(2)m	<i>E. oldfieldii</i> subsp. 'decora' MS
<b><i>Eucalyptus burracoppinensis</i></b> (Burracoppin mallee)	WA	O C G(1)m	
<b><i>Eucalyptus rameliana</i></b> (Giles's mallee)	WA	O C G(3)m	
<b><i>Eucalyptus rhodantha</i></b> (rose mallee)	WA	O C G(1)m	<i>E. rhodantha</i> var. <i>petiolaris</i>
<b><i>Eucalyptus macrocarpa</i></b>			
subsp. <i>elachantha</i> (small-leaved mottecah)	WA	O C G(1)m	
subsp. <i>macrocarpa</i> (rose of the west; mottlecah)	WA	O C G(2)m	
<b><i>Eucalyptus pyriformis</i></b> (pear-fruited mallee)	WA	O C G(1)m	
<b><i>Eucalyptus youngiana</i></b> (Ooldea mallee)	SA,WA	O C G(4)m	<i>E. pyriformis</i> subsp. <i>youngiana</i>
<b><i>Eucalyptus alatissima</i></b> (wing-fruited mallee)	WA,SA	O C G(2)m	<i>E. kingsmillii</i> subsp. <i>alatissima</i>
<b><i>Eucalyptus kingsmillii</i></b> (Kingsmill's mallee)	WA	O C G(4)m	
<b><i>Eucalyptus pachyphylla</i></b> (red-budded mallee)	NT,WA,Qld	O C G(1)m	
<b><i>Eucalyptus sessilis</i></b> (Finke River mallee)	NT,WA	O C G(1)m	<i>E. pachyphylla</i> var. <i>sessilis</i>
[ <b><i>Eucalyptus</i> × <i>carnabyi</i></b> ]	WA	O C –	= <i>E. drummondii</i> × <i>E. macrocarpa</i> subsp. <i>macrocarpa</i> hybrid
[ <b><i>Eucalyptus</i> × 'graniticola' MS</b> ]	WA	O C –	= <i>E. drummondii</i> × <i>E. rudis</i> subsp. <i>rudis</i> hybrid
[ <b><i>Eucalyptus</i> × <i>impensa</i></b> ] (Eneabba mallee)	WA	O C G(1)m	= <i>E. macrocarpa</i> subsp. <i>macrocarpa</i> × <i>E. pyriformis</i> hybrid

subser. *Leptopodae**E.* subser. *Synandrae*; *E.* ser. *Leptopodae*

<b><i>Eucalyptus beardiana</i></b> (Beard's mallee)	WA	O C G(2)m	
<b><i>Eucalyptus synandra</i></b> (Jingymia mallee)	WA	O C G(2)m	
<b><i>Eucalyptus rosacea</i></b>	WA	O C G(1)m	<i>E.</i> 'elachyphylla' MS
<b><i>Eucalyptus leptopoda</i></b>			
subsp. <i>elevata</i>	WA	O C G(1)m	
?subsp. <i>subluta</i>	WA	O C G(2)m	Dubious subspecies (possibly = subsp. <i>leptopoda</i> )
subsp. <i>leptopoda</i> (Tammin mallee; Merredin mallee)	WA	O C G(1)m	? <i>E. leptopoda</i> subsp. <i>subluta</i>
<b><i>Eucalyptus 'arctata' MS</i></b> (narrow-leaved sandplain mallee)	WA	O C G(2)m	<i>E. leptopoda</i> subsp. <i>arctata</i> ; <i>E. leptopoda</i> subsp. 'pachyphitra' MS

*Eucalyptus* (continued)subg. *Symphomyrtus* (continued)sect. *Bisectae* (continued)ser. *Curviptera* (continued)subser. *Orbifoliae* (minniritchi-barked mallees)

<b><i>Eucalyptus ewartiana</i></b> (Ewart's mallee)	WA	O	C	G(2)m	
<b><i>Eucalyptus websteriana</i></b> (Webster's mallee)					
subsp. <i>websteriana</i>	WA	O	C	G(1)m	
subsp. <i>norsemanica</i>	WA	O	C	G(1)m	
<b><i>Eucalyptus minniritchi</i></b>	NT,WA,SA	O	C	G(2)m	
<b><i>Eucalyptus orbifolia</i></b> (round-leaved mallee)	WA	O	C	G(3)m	<i>E. lata</i>
<b><i>Eucalyptus educta</i></b>	WA	O	C	G(3)m	
<b><i>Eucalyptus</i> sp. 'Jaurdi Hill'</b>	WA	-	-	-	
<b><i>Eucalyptus crucis</i></b>					
subsp. <i>crucis</i> (Southern Cross silver mallee)	WA	O	C	G(3)m	
subsp. <i>praecipua</i> (Paynes Find mallee)	WA	O	C	G(1)m	
subsp. <i>lanceolata</i> (narrow-leaved granite mallee)	WA	O	C	G(3)m	

ser. *Caesia*

<b><i>Eucalyptus caesia</i></b>					
subsp. 'Boyagin Rock'	WA	O	C	G(1)	
subsp. <i>caesia</i> (caesia)	WA	O	C	G(4)m	
subsp. <i>magna</i> (silver princess)	WA	O	C	G(3)m	<i>E. caesia</i> 'Silver Princess'
subsp. 'Southern rocks'	WA	O	C	G(3)m	



*Eucalyptus* (continued)subg. *Symphomyrtus* (continued)sect. *Bisectae* (continued)ser. *Porantherae*

<i>Eucalyptus formanii</i> (Forman's mallee)	WA	O C	G(4)m	
<i>Eucalyptus</i> sp. 'Mulga Rock'	WA	O C	G(1)m	<i>E.</i> sp. S of Brooker & Kleinig 1990; ? <i>E.</i> 'undulans' MS; <i>E.</i> sp. 'Lake Minigwal'
<i>Eucalyptus perangusta</i> (fine-leaved mallee)	WA	O C	G(2)m	
<i>Eucalyptus kumarlensis</i> (Kumarl salmon gum)	WA	O C	G(2)m	
<i>Eucalyptus olivina</i> (olive-leaved mallee)	WA	O C	G(2)m	
<i>Eucalyptus dissimulata</i> (red-capped mallee)	WA	O C	G(4)m	
<i>Eucalyptus</i> sp. 'Kalbarri'	WA	O C	G(4)m	<i>E. uncinata</i> var. <i>rostrata</i> ; <i>E. uncinata</i> var. <i>major</i>
<i>Eucalyptus rigidula</i> (stiff-leaved mallee)	WA	O C	G(7)m	
<i>Eucalyptus</i> sp. 'Fraser Range'	WA	O C	G(3)m	? <i>E.</i> sp. 'Ravensthorpe'; ? <i>E.</i> 'aperticoma' MS; ? <i>E.</i> 'clancularia' MS
<i>Eucalyptus foecunda</i> (Fremantle mallee)	WA	O C	G(2)m	
<i>Eucalyptus leptophylla</i> (narrow-leaved red mallee)	SA,Vic,NSW,WA	O C	G(2)m	
<i>Eucalyptus</i> sp. 'Great Victoria Desert'	WA,SA	O C	G(5)m	<i>E.</i> 'oblivialis' MS
? <i>Eucalyptus</i> sp. 'Ravensthorpe'	WA	O C	G(1)m	Dubious species (possibly = <i>E. latens</i> ); ? <i>E.</i> 'austrina' MS
<i>Eucalyptus latens</i> (secret mallee)	WA	O C	G(7)m	
<i>Eucalyptus</i> sp. 'Sullivan Soak' (Moon Lagoon mallee)	WA	O C	G(2)m	<i>E.</i> 'Moon Lagoon'
<i>Eucalyptus horistes</i> (pointed bud mallee)				<i>E. hypochlamydea</i>
subsp. <i>horistes</i>	WA	O C	G(4)m	
subsp. 'Southern smooth-bark'	WA	O C	G(3)m	
<i>Eucalyptus fruticosa</i>	WA	O C	G(3)m	
<i>Eucalyptus</i> sp. 'Mukinbudin' (Mukinbudin mallee)	WA	O C	G(2)m	<i>E. leptophylla</i> var. <i>floribunda</i>
<i>Eucalyptus salicola</i> (salt gum)	WA	O C	G(6)m	
? <i>Eucalyptus</i> sp. 'Truslove'	WA	O C	G(2)m	Dubious species (possibly = <i>E. discreta</i> ); ? <i>E. dissimulata</i> subsp. 'plauta' MS
<i>Eucalyptus discreta</i>	WA	O C	G(5)m	<i>E.</i> sp. 'Madura Beach'; <i>E.</i> sp. 'Eyre'
<i>Eucalyptus uncinata</i> (hook-leaved mallee)				
subsp. <i>uncinata</i>	WA	O C	G(3)m	
subsp. 'Esperance Plains'	WA	O C	G(2)m	
subsp. 'Mt Short'	WA	O C	G(1)m	
<i>Eucalyptus albida</i> (white-leaved mallee)	WA	O C	G(3)m	

*E.* subser. *Ovatae*; *E.* subser. *Longiores*

*Eucalyptus* (continued)subg. *Symphomyrtus* (continued)sect. *Bisectae* (continued)ser. *Heterostemones*

<b><i>Eucalyptus yilgarnensis</i></b> (yorrell)	WA	O C G(1)m	<i>E. gracilis</i> var. <i>yilgarnensis</i>
<b><i>Eucalyptus gracilis</i></b> (white mallee)	SA,WA,NSW,Vic	O C G(5)m	
<b><i>Eucalyptus quadrans</i></b> (Cascade mallee)	WA	O C G(2)m	
<b><i>Eucalyptus brevipes</i></b> (Mukinbudin mallee)	WA	O C G(1)m	
<b><i>Eucalyptus celastroides</i></b> (snap and rattle)	WA	O C G(1)m	
<b><i>Eucalyptus</i> ‘virella’</b> MS (wheatbelt mallee)	WA	O C G(2)m	<i>E. celastroides</i> subsp. <i>virella</i>
<b><i>Eucalyptus calycogona</i></b> (square-fruited mallee)			
subsp. <b><i>trachybasis</i></b>	SA,Vic,NSW	O C G(2)m	<i>E. calycogona</i> subsp. ‘Eastern’ in Nicolle 1997
subsp. <b><i>calycogona</i></b>	WA,SA	O C G(5)m	
subsp. <b><i>miracula</i></b> (marvel mallee)	WA	O C G(2)m	<i>E. sp.</i> ‘Marvel Loch’
subsp. <b><i>spaffordii</i></b> (Yeelanna mallee)	SA	O C G(1)m	<i>E. calycogona</i> var. <i>spaffordii</i>
<b><i>Eucalyptus prolixa</i></b> (square-fruited mallet)	WA	O C G(1)m	

ser. *Halophilae*

<b><i>Eucalyptus halophila</i></b>	WA	O C G(1)m	
------------------------------------	----	-----------	--

sect. *Dumaria*ser. *Dissonae*

<b><i>Eucalyptus pimpiniana</i></b> (pimpin mallee)	SA,WA	O C G(2)m	
---	-------	-----------	--

*Eucalyptus* (continued)subg. *Symphyomyrtus* (continued)sect. *Dumaria* (continued)ser. *Tetrapterae*

<i>Eucalyptus dolichorhyncha</i> (fuchsia gum)	WA	O C G(1)m	<i>E. forrestiana</i> subsp. <i>dolichorhyncha</i>
<i>Eucalyptus forrestiana</i> (fuchsia gum)	WA	O C G(2)m	
<i>Eucalyptus stoatei</i> (scarlet pear gum)	WA	O C G(1)m	<i>E. forrestiana</i> subsp. <i>stoatei</i>
<i>Eucalyptus brandiana</i> (square-fruited mallet)	WA	O C G(1)	
<i>Eucalyptus tetraptera</i> (square-fruited mallee)	WA	O C G(2)m	
<i>Eucalyptus sweetmaniana</i>	WA	O C G(2)	
<i>Eucalyptus ceratocorys</i> (horn-capped mallee)	WA	O C G(1)m	<i>E. angulosa</i> var. <i>ceratocorys</i>
<i>Eucalyptus</i> sp. 'Queen Victoria Spring'	WA	O C –	
<i>Eucalyptus capitanea</i>	SA	O C G(1)m	
<i>Eucalyptus angulosa</i> (ridge-fruited mallee)	WA,SA	O C G(6)m	<i>E. grossifolia</i> ; <i>E. cuspidata</i> ; <i>E. incrassata</i> var. <i>angulosa</i>
<i>Eucalyptus incrassata</i> (yellow mallee)	SA,WA,Vic,NSW	O C G(17)m	<i>E. costata</i> ; <i>E. costata</i> subsp. <i>murrayana</i>
<i>Eucalyptus</i> sp. 'Lake Magenta'	WA	O C G(2)m	
<i>Eucalyptus captiosa</i> (Jerramungup mallee)	WA	O C G(1)m	
<i>Eucalyptus singularis</i> (ridge-top mallet)	WA	O C G(2)m	
<i>Eucalyptus rigens</i> (saltlake mallee)	WA	O C G(2)m	
<i>Eucalyptus litorea</i> (saline mallee)	WA	O C G(3)m	<i>E. famelica</i>
[ <i>Eucalyptus</i> × <i>stoaptera</i> ]	WA	O C G(1)m	= <i>E. stoatei</i> × <i>E. tetraptera</i> hybrid
[ <i>Eucalyptus</i> × <i>erythrandra</i> ] (rosebud mallee)	WA	O C G(1)m	= <i>E. incrassata</i> × <i>E. tetraptera</i> hybrid

ser. *Torquatae*

<i>Eucalyptus laevis</i>	WA	O C G(5)m	<i>E. sp.</i> W in Brooker & Kleinig 1990
<i>Eucalyptus melanoxylon</i> (black morrel)	WA	O C G(1)m	
<i>Eucalyptus brachycalyx</i> (chindoo mallee)	SA,WA	O C G(4)m	<i>E. pleurocorys</i>
<i>Eucalyptus rugosa</i> (Kingscote mallee)	SA	O C G(3)m	<i>E. anceps</i>
<i>Eucalyptus concinna</i> (Great Victoria Desert mallee)	WA,SA	O C G(3)m	
<i>Eucalyptus griffithsii</i>	WA	O C G(4)m	
<i>Eucalyptus planipes</i>	WA	O C G(3)m	<i>E. trachybasis</i>
<i>Eucalyptus corrugata</i> (rib-fruited mallee)	WA	O C G(2)m	
<i>Eucalyptus torquata</i> (coral gum; Coolgardie gum)	WA	O C G(1)m	

*E. ser. Incrassatae*; *E. ser. Rigentes**E. ser. Corrugatae*; *E. subser. Corrugatae*

*Eucalyptus* (continued)subg. *Symphyomyrtus* (continued)sect. *Dumaria* (continued)ser. *Merrickianae****Eucalyptus deflexa*** (Lake King mallee)

WA

O C G(2)m

*E. ser. Deflexae****Eucalyptus merrickiae*** (goblet mallee)

WA

O C G(2)m

***Eucalyptus scyphocalyx*** (Toolinna mallee)

WA

O C G(2)m

*E. surgens*ser. *Furfuraceae****Eucalyptus leptocalyx*** (Hopetoun mallee)?subsp. *leptocalyx*

WA

O C G(2)m

?subsp. *petilipes*

WA

O C G(1)m

Dubious subspecies

***Eucalyptus* sp. 'Southern wheatbelt'** (cup mallee)

WA

O C G(3)m

***Eucalyptus platycorys*** (Boorabbin mallee)

WA

O C G(4)m

*E. scyphocalyx* subsp. *triadica*

*Eucalyptus* (continued)subg. *Symphomyrtus* (continued)sect. *Dumaria* (continued)ser. *Rufispermae*

<b><i>Eucalyptus polita</i></b> (Parker Range mallet)	WA	O C G(3)m	
<b><i>Eucalyptus kondininensis</i></b> (Kondinin blackbutt)	WA	O C G(2)m	<i>E. sp.</i> 'Yealering'; <i>E. kondininensis</i> subsp. 'tuberosa' MS
<b><i>Eucalyptus tenuis</i></b>	WA	O C G(1)m	
<b><i>Eucalyptus pileata</i></b> (capped mallee)	WA,SA	O C G(6)m	
<b><i>Eucalyptus distuberosa</i></b> (capped mallet)			
subsp. <i>distuberosa</i>	WA	O C G(1)m	<i>E. sp.</i> 'Southern Cross'
subsp. <i>aerata</i>	WA	O C G(2)m	<i>E. sp.</i> 'Bronzite Ridge'
<b><i>Eucalyptus spreata</i></b>	WA	O C G(3)m	<i>E. paralimnetica</i> ; <i>E. sp.</i> U of Brooker & Kleinig 1990
<b><i>Eucalyptus phenax</i></b>			
subsp. <i>phenax</i> (white mallee)	SA,WA,Vic	O C G(2)m	
subsp. <i>compressa</i> (Kangaroo Island mallee)	SA	O C G(1)m	<i>E. phenax</i> subsp. 'Kangaroo Island' in Nicolle 1997
<b><i>Eucalyptus conglobata</i></b>			
subsp. <i>conglobata</i> (Port Lincoln mallee)	WA,SA	O C G(7)m	
subsp. <i>perata</i>	WA	O C G(2)m	
<b><i>Eucalyptus sp.</i> 'Esperance'</b>	W	O C G(4)m	<i>E. 'burgmanniana'</i> MS
<b><i>Eucalyptus valens</i></b> (Esperance mallet)	W	O C G(1)m	<i>E. sp.</i> T in Brooker & Kleinig 1990
<b><i>Eucalyptus fraseri</i></b>			
subsp. <i>fraseri</i> (Balladonia gum)	WA	O C G(3)m	<i>E. conglobata</i> subsp. <i>fraseri</i> Brooker
subsp. <i>melanobasis</i> (Fraser Range blackbutt)	WA	O C G(2)m	<i>E. fraseri</i> subsp. 'blackbutt' in Brooker & Kleinig 1990
<b><i>Eucalyptus calcareana</i></b> (Nundroo mallee)	SA,WA	O C G(6)m	<i>E. sp.</i> 'Triangolensis'
<b><i>Eucalyptus dumosa</i></b> (white mallee)	SA,NSW,Vic	O C G(4)m	
<b><i>Eucalyptus percostata</i></b> (rib-capped mallee)	SA	O C G(2)m	
<b><i>Eucalyptus cyanophylla</i></b> (blue-leaved mallee)	SA,Vic,NSW?	O C G(1)m	
<b><i>Eucalyptus cretata</i></b> (Darke Peak mallee)	SA	O C G(2)m	<i>E. sp.</i> V in Brooker & Kleinig 1990
<b><i>Eucalyptus pterocarpa</i></b>	WA	O C G(2)m	
<b><i>Eucalyptus frenchiana</i></b> (French's mallet)	WA	O C G(2)m	<i>E. sp.</i> 'Lake Johnston'
<b><i>Eucalyptus lesouefii</i></b> (goldfields blackbutt)	WA	O C G(2)m	
<b><i>Eucalyptus clelandii</i></b> (Cleland's blackbutt)	WA	O C G(1)m	
<b><i>Eucalyptus striaticalyx</i></b> (Cue York gum)	WA	O C G(2)m	<i>E. striaticalyx</i> subsp. <i>delicata</i>
<b><i>Eucalyptus gypsophila</i></b> (kopi mallee)	SA,WA	O C G(3)m	<i>E. infracorticata</i>
<b><i>Eucalyptus repullulans</i></b> (chryopraxe mallee)	WA,SA	O C G(3)m	
<b><i>Eucalyptus canescens</i></b>			
subsp. <i>canescens</i> (Ooldea Range mallee)	SA,WA	O C G(1)m	
subsp. <i>beadellii</i> (Beadell's mallee)	SA,WA	O C G(1)m	

*Eucalyptus* (continued)subg. *Symphyomyrtus* (continued)sect. *Dumaria* (continued)ser. *Rufispermae* (continued)

<b><i>Eucalyptus argutifolia</i></b> (Yanchep mallee)	WA	O C	G(2)m	
<b><i>Eucalyptus</i> sp. 'Quobba'</b>	WA	O C	–	
<b><i>Eucalyptus obtusiflora</i></b>				
subsp. <b><i>obtusiflora</i></b>	WA	O C	G(2)m	<i>E. obtusiflora</i> subsp. <i>cowcowensis</i>
subsp. <b><i>dongarraensis</i></b> (Dongarra mallee)	WA	O C	G(1)m	<i>E. dongarraensis</i>
<b><i>Eucalyptus wubinensis</i></b> (Wubin mallee)	WA	O C	G(2)m	
<b><i>Eucalyptus</i> sp. 'North Balladonia'</b>	WA	O C	G(3)m	<i>E. sp.</i> 'Zanthus'; <i>E. 'bolida'</i> MS
<b><i>Eucalyptus sheathiana</i></b> (ribbon-barked mallee)	WA	O C	G(2)m	
<b><i>Eucalyptus vittata</i></b> (ribbon-barked mallet)	WA	O C	G(3)m	<i>E. sp.</i> 'Southern Goldfields'
<b><i>Eucalyptus assimilans</i></b> (Balladonia ribbon gum)	WA	O C	G(3)m	
<b><i>Eucalyptus georgei</i></b>				
subsp. <b><i>georgei</i></b> (Hyden blue gum)	WA	O C	G(2)m	
subsp. <b><i>fulgida</i></b>	WA	O C	G(1)m	<i>E. 'fulgida'</i> MS in Brooker & Kleinig 1990
<b><i>Eucalyptus woodwardii</i></b> (lemon-flowered gum)	WA	O C	G(2)m	
[ <b><i>Eucalyptus</i> × <i>macmahonii</i></b> ]	Vic	O C	G(1)m	= <i>E. phenax</i> subsp. <i>phenax</i> × <i>E. wimmerensis</i> hybrid
[ <b><i>Eucalyptus</i> × <i>redimiculifera</i></b> ]	WA	O C	G(1)m	= <i>E. spreata</i> – <i>E. vittata</i> intergrade
[ <b><i>Eucalyptus</i> × <i>yumbarrana</i> subsp. <i>striata</i></b> ]	SA	O C	–	= <i>E. canescens</i> subsp. <i>canescens</i> × <i>E. vokesensis</i> hybrid

ser. *Ovulares*

<b><i>Eucalyptus cyclostoma</i></b>	WA	O C	G(1)m	
<b><i>Eucalyptus exigua</i></b> (flat-budded mallee)	WA	O C	G(2)m	
<b><i>Eucalyptus comitae-vallis</i></b> (Cowcowing mallee)	WA	O C	G(2)m	<i>E. brachycorys</i>
<b><i>Eucalyptus cylindrocarpa</i></b> (woodline mallee)	WA	O C	G(2)m	<i>E. 'leioclada'</i> MS in Brooker & Kleinig 1990
<b><i>Eucalyptus oraria</i></b> (ooragmandee)	WA	O C	G(3)m	<i>E. tamala</i>
<b><i>Eucalyptus baudiniana</i></b>	WA	O C	G(1)m	
<b><i>Eucalyptus ovularis</i></b>	WA	O C	G(1)m	
<b><i>Eucalyptus aequioperta</i></b> (Welcome Hill gum)	WA	O C	G(3)m	
<b><i>Eucalyptus myriadena</i></b> (small-fruited gum)	WA	O C	G(3)m	<i>E. myriadena</i> subsp. <i>parviflora</i>
<b><i>Eucalyptus</i> sp. 'Dartmoor'</b> (Dartmoor gum)	WA	O C	G(1)	

*Eucalyptus* (continued)subg. *Symphyomyrtus* (continued)sect. *Sejunctae****Eucalyptus cladocalyx*** (sugar gum)subsp. ***cladocalyx*** (bushy sugar gum)

SA

O C G(1)m

*E. ser. Microcorythae**E. cladocalyx* var. *nana*subsp. ***crassa***

SA

O C G(1)m

subsp. ***petila***

SA

O C G(1)m

sect. *Domesticae**E. subg. Minutifructus*; *E. ser. Howittianae****Eucalyptus brachyandra*** (tropical red box)

WA,NT

O C – (1)

***Eucalyptus raveretiana*** (black ironbox)

Qld

O C G(1)m

***Eucalyptus howittiana*** (Howitt's box)

Qld

O C G(1)m

sect. *Equatoria**E. ser. Myrtiformes****Eucalyptus binacag*** (rainbow gum)

Phil.,PNG

– – – (1)

*E. multiflora****Eucalyptus deglupta*** (rainbow gum)

Indo.,PNG

– – – (1)

*E. naudiniana*; *E. schlechteri*; *E. versicolor*; *E. sarassa*

*Eucalyptus* (continued)subg. *Symphomyrtus* (continued)sect. *Adnataria* (boxes & ironbarks)ser. *Striolatae* (tropical boxes)E. ser. *Aquilonares*; E. subser. *Fortes*; E. subser. *Protrusae*

<b><i>Eucalyptus patellaris</i></b> (weeping box)	NT	O C G(1)	
<b><i>Eucalyptus leptophleba</i></b> (Molloy red box)	Qld,PNG	O C G(2)	
<b><i>Eucalyptus oligantha</i></b> (broad-leaved box)	NT,WA	O C G(4)	<i>E. oligantha</i> subsp. <i>modica</i> ; <i>E. fitzgeraldii</i>
<b><i>Eucalyptus koolpinensis</i></b> (Koolpin box)	NT	O C G(1)	
<b><i>Eucalyptus chlorophylla</i></b> (northern green box)	NT,Qld,WA	O C G(2)m	
<b><i>Eucalyptus leucophylla</i></b> (tropical box)	Qld,WA,NT	O C G(6)m	<i>E. limitaris</i> ; <i>E. tephroides</i> ; <i>E. tropica</i> ; E. sp. UU in Brooker & Kleinig 1994
<b><i>Eucalyptus xerothermica</i></b> (Pilbara box)	WA	O C G(3)m	E. sp. VV in Brooker & Kleinig 1994; E. sp. 'Mosquito Creek'
<b><i>Eucalyptus argillacea</i></b> (Mount House box)	WA	O C G(1)	
<b><i>Eucalyptus pruinosa</i></b> (silver box)			
subsp. <i>pruinosa</i>	WA,NT,Qld	O C G(2)m	
subsp. <i>tenuata</i>	WA,NT	O C –(2)	
<b><i>Eucalyptus obconica</i></b> (Kimberley box)	WA,NT?	O C G(2)	<i>E. sp. B</i> in Rye et al. 1992
<b><i>Eucalyptus microneura</i></b> (Gilbert River box)	Qld	O C G(2)m	
<b><i>Eucalyptus distans</i></b> (Katherine box)	NT,Qld	O C G(2)m	<i>E. epruinata</i>
<b><i>Eucalyptus tectifera</i></b> (Darwin box)	NT,WA,Qld	O C –	<i>E. costuligera</i>
<b><i>Eucalyptus acroleuca</i></b> (Lakefield coolibah)	Qld	O C –	
<b><i>Eucalyptus microtheca</i></b> (tropical coolibah)	NT,Qld,WA	O C G(1)	<i>E. cyanoclada</i> ; <i>E. helenae</i> ; <i>E. barklyensis</i>
<b><i>Eucalyptus coolabah</i></b> (coolibah)	Qld,NSW,SA,NT,WA	O C G(3)m	<i>E. gymnoteles</i> ; <i>E. coolabah</i> subsp. <i>arida</i> ; <i>E. coolabah</i> subsp. <i>excerata</i>
<b><i>Eucalyptus victrix</i></b> (smooth-barked coolibah)	WA,NT,Qld?	O C G(3)m	<i>E. coolabah</i> var. <i>rhodoclada</i> ; E. sp. 'Marandoo'

ser. *Buxeales*subser. *Amissae*E. ser. *Cambageanae*; E. ser. *Rummeryanae*; E. ser. *Dawsonianae*

<b><i>Eucalyptus dawsonii</i></b> (slaty box)	NSW	O C G(1)m	
<b><i>Eucalyptus rummeryi</i></b> (steel box)	NSW	O C G(1)m	
<b><i>Eucalyptus cambageana</i></b> (Dawson gum)	Qld	O C G(1)m	
<b><i>Eucalyptus largeana</i></b> (Craven grey box)	NSW	O C G(1)m	



*Eucalyptus* (continued)subg. *Symphomyrtus* (continued)sect. *Adnataria* (continued)ser. *Buxeaes* (continued)subser. *Subplatyphyllae**E. ser. Paniculatae*

<b><i>Eucalyptus largiflorens</i></b> (black box; river box)	Vic,NSW,SA,Qld	O C G(3)m	<i>E. sp. 'Cockburn'</i>
<b><i>Eucalyptus persistens</i></b> (Greenvale box)	Qld	O C G(1)m	
<b><i>Eucalyptus provecta</i></b>	Qld	O C G(1)	
<b><i>Eucalyptus tardecidens</i></b>	Qld	O C G(1)m	<i>E. persistens</i> subsp. <i>tardecidens</i>
<b><i>Eucalyptus normantonensis</i></b> (Normanton box)	NT,Qld,WA	O C G(3)m	
<b><i>Eucalyptus sparsa</i></b> (northern ranges box)	SA,WA,NT	O C G(2)m	
<b><i>Eucalyptus populnea</i></b>			
subsp. <b><i>populnea</i></b> (poplar box)	Qld	O C G(1)m	
subsp. <b><i>bimbil</i></b> (bimbil box)	NSW,Qld	O C G(1)m	
<b><i>Eucalyptus brownii</i></b> (Reid River box)	Qld	O C G(1)m	
<b><i>Eucalyptus behriana</i></b> (bull mallee)	Vic,SA,NSW	O C G(5)m	
<b><i>Eucalyptus intertexta</i></b> (gum-barked coolibah)			
subsp. <b><i>intertexta</i></b>	NSW,SA,Qld	O C G(1)m	
subsp. <b>'Central Australia'</b>	NT,SA,WA	O C G(3)m	
<b><i>Eucalyptus orgadophila</i></b> (mountain coolibah)	Qld	O C G(1)m	

ser. *Lucasianae* (western boxes)*E. ser. Vagitae*; *E. subser. Cupreanae*

<b><i>Eucalyptus lansdowneana</i></b> (crimson mallee)	SA	O C G(3)m	
<b><i>Eucalyptus rowleyi</i></b> (Rudall River mallee box)	WA	O C G(3)m	<i>E. sp. 'Rudall River'</i>
<b><i>Eucalyptus aridomontana</i></b> (Pilbara mallee box)	WA	O C G(3)m	<i>E. sp. 'Mt King'</i> ; <i>E. sp. 'Mt Nameless'</i>
<b><i>Eucalyptus lucasii</i></b> (Barlee box)	WA	O C G(2)m	
<b><i>Eucalyptus petraea</i></b> (granite rock box)	WA	O C G(4)m	
<b><i>Eucalyptus cuprea</i></b> (mallee box)	WA	O C G(1)m	
<b><i>Eucalyptus absita</i></b> (Badgingarra box)	WA	O C G(1)m	Possibly = <i>E. loxophleba</i> subsp. <i>loxophleba</i> × <i>E. petraea</i> phantom hybrid

*Eucalyptus* (continued)subg. *Symphomyrtus* (continued)sect. *Adnataria* (continued)ser. *Subbuxuales* (southern boxes)*E. ser. Moluccanae*; *E. subser. Continentes*; *E. ser. Coalitae*

<i>Eucalyptus albens</i> (white box)	NSW,Vic,Qld,SA	O C G(2)m	
<i>Eucalyptus</i> sp. 'Mt Garnet'	Qld	O C G(1)	
<i>Eucalyptus moluccana</i> (grey box)	Qld,NSW	O C G(1)m	
<i>Eucalyptus</i> sp. 'Adelaide'	SA	O C G(1)m	<i>E. odorata</i> var. <i>refracta</i> ; <i>E. microcarpa</i> (Adelaide variant)
<i>Eucalyptus microcarpa</i> (grey box)	NSW,Vic,Qld,SA	O C G(3)m	
<i>Eucalyptus woolliana</i> (narrow-leaved grey box)	Qld,NSW	O C G(1)m	<i>E. pilligaensis</i>
<i>Eucalyptus albopurpurea</i> (purple-flowered mallee)	SA	O C G(3)m	<i>E. lansdowneana</i> subsp. <i>albopurpurea</i>
<i>Eucalyptus odorata</i> (peppermint box)	SA,Vic	O C G(5)m	<i>E. silvestris</i> ; <i>E. odorata</i> var. <i>angustifolia</i>
<i>Eucalyptus cajuputea</i> (narrow-leaved peppermint box)	SA	O C G(2)m	
? <i>Eucalyptus wimmerensis</i> (Wimmera mallee box)	Vic,SA	O C G(1)m	Dubious species (possibly = <i>E. cajuputea</i> ); <i>E. viridis</i> subsp. <i>wimmerensis</i>
<i>Eucalyptus polybractea</i> (blue mallee)	Vic,SA,NSW	O C G(3)m	<i>E. filiformis</i> ; <i>E. sp.</i> Y in Brooker & Kleinig 1990; <i>E. 'illucens'</i> MS
<i>Eucalyptus aenea</i>	NSW	O C G(2)m	
<i>Eucalyptus viridis</i> (green mallee)	NSW,Vic,Qld	O C G(3)m	
<i>Eucalyptus froggattii</i> (Kamarooka mallee)	Vic	O C G(2)m	
<i>Eucalyptus thozetiana</i> (Thozet's box)	Qld,NT	O C G(1)m	
<i>Eucalyptus ochrophloia</i> (yapunyah)	Qld,NSW	O C G(1)	
[ <i>Eucalyptus</i> × <i>castrensis</i> ]	NSW	O C G(1)	= <i>E. aenea</i> × <i>E. microcarpa</i> hybrid (type material only <sup>1</sup> )
[ <i>Eucalyptus</i> × 'desquamata' MS]	SA	O C G(1)m	= <i>E. cajuputea</i> × <i>E. percostata</i> hybrid
[ <i>Eucalyptus</i> × <i>hawkeri</i> ]	Vic	O C –	= <i>E. microcarpa</i> – <i>E. wimmerensis</i> intergrade
[ <i>Eucalyptus</i> × <i>viridis</i> var. <i>latiuscula</i> ]	Qld	O C G(1)	= <i>E. viridis</i> × <i>E. woolliana</i> hybrid
[ <i>Eucalyptus</i> × <i>walshii</i> ]	Vic	O C –	= hybrid involving <i>E. wimmerensis</i> (F1 or backcross with <i>E. wimmerensis</i> )
[ <i>Eucalyptus</i> × <i>yarriambiack</i> ]	Vic	O C G	= <i>E. largiflorens</i> × <i>E. odorata</i> hybrid (type material only <sup>2</sup> )

ser. *Submelliodorae**E. subser. Submelliodorae*

<i>Eucalyptus argophloia</i> (western white gum)	Qld	O C G(1)m	
--	-----	-----------	--

<sup>1</sup> At the type location, a small population of *E. aenea* occurs in *E. microcarpa* woodland, with a few hybrid individuals between these two species. Although the type material of *E. × castrensis* represents the hybrid *E. aenea* × *E. microcarpa*; the concept of *E. × castrensis*, according to its original description, appears to also include typical *E. aenea*.

<sup>2</sup> The type location is dominated by *E. largiflorens*, with some *E. odorata* present as well as numerous hybrids between these two species and hybrid backcrosses with *E. largiflorens*. Although the type material of *E. × yarriambiack* represents the hybrid *E. odorata* × *E. largiflorens*, the concept of *E. × yarriambiack*, according to its original description, appears to also include backcrosses with *E. largiflorens*.

*Eucalyptus* (continued)subg. *Symphomyrtus* (continued)sect. *Adnataria* (continued)ser. *Siderophloiae*

<i>Eucalyptus beaniana</i> (Bean's ironbark)	Qld	O C G(1)	
<i>Eucalyptus decorticans</i> (gum-topped ironbark)	Qld	O C G(1)m	
<i>Eucalyptus granitica</i> (granite ironbark)	Qld	O C G(1)m	<i>E. sp.</i> 'Forty Mile Scrub'; <i>E. sp.</i> 'Kuranda'
<i>Eucalyptus siderophloia</i> (coast ironbark)	Qld,NSW	O C G(1)m	<i>E. decepta</i>
<i>Eucalyptus fibrosa</i> (broad-leaved ironbark)	Qld,NSW	O C G(2)m	
<i>Eucalyptus nubilis</i> (blue-leaved ironbark)	Qld,NSW	O C G(1)m	<i>E. fibrosa</i> subsp. <i>nubila</i>
<i>Eucalyptus rhombica</i>	Qld	O C G(1)m	
<i>Eucalyptus ophitica</i> (serpentine ironbark)	NSW	O C G(1)m	
? <i>Eucalyptus fracta</i>	NSW	O C G(1)m	Dubious species (possibly = <i>E. ophitica</i> )
? <i>Eucalyptus tholoformis</i>	Qld	O C G(1)m	Dubious species (possibly = <i>E. ophitica</i> ); <i>E. sp.</i> Rewan
<i>Eucalyptus taurina</i> (Helidon ironbark)	Qld	O C G(1)	
? <i>Eucalyptus elegans</i>	Qld,NSW	O C G(1)m	Dubious species (possibly = <i>E. crebra</i> ); <i>E. sp.</i> 'Gilgandra'
<i>Eucalyptus crebra</i> (narrow-leaved red ironbark)	Qld,NSW	O C G(2)	<i>E. sp.</i> 'Battle Camp'
? <i>Eucalyptus beyeri</i> (Beyer's ironbark)	NSW	O C G(1)m	Dubious species (possibly = <i>E. crebra</i> ); <i>E. beyeriana</i> ; <i>E. panda</i> subsp. <i>illaquens</i>
<i>Eucalyptus panda</i> (tumbletown ironbark)	Qld,NSW	O C G(3)m	
<i>Eucalyptus virens</i> (shiny-leaved ironbark)	Qld	O C G(1)m	
<i>Eucalyptus scopulorum</i> (Peregrine Point ironbark)	NSW	O C G(1)m	
<i>Eucalyptus atrata</i> (Herberton ironbark)	Qld	O C G(1)m	
? <i>Eucalyptus paedoglauca</i> (Mount Stuart ironbark)	Qld	O C G(2)	Dubious species (possibly = <i>E. atrata</i> )
<i>Eucalyptus drepanophylla</i> (Queensland grey ironbark)	Qld	O C G(3)m	
? <i>Eucalyptus xanthoclada</i>	Qld	O C G(2)	Dubious species (possibly = <i>E. drepanophylla</i> )
<i>Eucalyptus quadricostata</i> (square-fruited ironbark)	Qld	O C G(2)m	
? <i>Eucalyptus farinosa</i> (silver ironbark)	Qld	O C G(1)	Dubious species (possibly = <i>E. caleyi</i> subsp. <i>ovendenii</i> )
<i>Eucalyptus caleyi</i> (Caley's ironbark)			
subsp. <i>ovendenii</i> (Ovenden's ironbark)	NSW	O C G(1)m	
subsp. <i>caleyi</i>	NSW,Qld	O C G(2)m	
<i>Eucalyptus exilipes</i> (fine-leaved ironbark)	Qld	O C G(1)m	
<i>Eucalyptus cullenii</i> (Cullen's ironbark)	Qld	O C G(1)m	
<i>Eucalyptus staigeriana</i> (lemon-scented ironbark)	Qld	O C G(1)m	
<i>Eucalyptus jensenii</i> (Wandi ironbark)	WA,NT	O C G(1)	
<i>Eucalyptus whitei</i> (White's ironbark)	Qld	O C G(1)m	
<i>Eucalyptus melanophloia</i> (silver ironbark)			
subsp. <i>melanophloia</i>	Qld,NSW	O C G(3)m	
subsp. <i>nana</i> (dwarf silver ironbark)	NT,Qld	O C G(4)m	
<i>Eucalyptus shirleyi</i> (Shirley's ironbark)	Qld	O C G(4)m	<i>E. sp.</i> 'Mt Hope Homestead'

*E. subser. Subglaucae*; *E. subser. Jugatae*

*Eucalyptus* (continued)subg. *Symphomyrtus* (continued)sect. *Adnataria* (continued)ser. *Rhodoxyla*subser. *Discolores*

<b><i>Eucalyptus 'dorsiventralis'</i></b> MS (Putty ironbark)	NSW	O C G(1)m	<i>E. fergusonii</i> subsp. <i>dorsiventralis</i>
<b><i>Eucalyptus paniculata</i></b> (grey ironbark)	NSW	O C G(2)m	
<b><i>Eucalyptus fergusonii</i></b> (ironbark)	NSW	O C G(3)m	<i>E. placita</i> ; <i>E. ancophila</i> ; <i>E. paniculata</i> subsp. <i>matutina</i>
<b><i>Eucalyptus decolor</i></b>	Qld	O C G(2)m	

subser. *Concolores*

<b><i>Eucalyptus tetrapleura</i></b> (square-fruited ironbark)	NSW	O C G(1)m	
<b><i>Eucalyptus fusiformis</i></b> (Nambucca ironbark)	NSW,Qld	O C G(1)m	
<b><i>Eucalyptus sicilifolia</i></b>	Qld	O C G(1)m	
<b><i>Eucalyptus suffulgens</i></b>	Qld	O C G(2)m	
<b><i>Eucalyptus dura</i></b> (ironbark)	Qld	O C G(1)m	
<b><i>Eucalyptus melanoleuca</i></b> (Nanango ironbark)	Qld	O C G(2)m	
<b><i>Eucalyptus corynodes</i></b>	Qld	O C G(1)m	

ser. *Heterophloiae*

<b><i>Eucalyptus lucens</i></b> (shiny-leaved mallee)	NT,WA?	O C G(1)m	
<b><i>Eucalyptus fasciculosa</i></b> (pink gum; hill gum)	SA,Vic	O C G(3)m	
<b><i>Eucalyptus polyanthemos</i></b> (red box)			
subsp. <i>polyanthemos</i>	NSW	O C G(2)m	
subsp. <i>vestita</i>	Vic,NSW	O C G(1)m	<i>E. polyanthemos</i> subsp. <i>longior</i>
subsp. <i>marginalis</i>	Vic	O C G(2)m	
<b><i>Eucalyptus baueriana</i></b> (blue box)			<i>E. baueriana</i> subsp. <i>thalassina</i>
?subsp. <i>baueriana</i>	Vic,NSW,Qld	O C G(3)m	
?subsp. <i>deddickensis</i>	Vic	– – –	Dubious subspecies
<b><i>Eucalyptus magnificata</i></b> (Enmore blue box)	NSW	O C G(1)m	
<b><i>Eucalyptus conica</i></b> (fuzzy box)	NSW,Qld	O C G(1)m	
<b><i>Eucalyptus rudderi</i></b> (Rudder's box)	NSW	O C G(1)m	
? <b><i>Eucalyptus hypostomatica</i></b> (Pokolbin box)	NSW	O C G(1)m	Dubious species (possibly = <i>E. rudderi</i> )

*Eucalyptus* (continued)subg. *Symphomyrtus* (continued)sect. *Adnataria* (continued)ser. *Melliiodorae**E. subser. Solidae*; *E. subser. Leucoxylon*

<b><i>Eucalyptus porosa</i></b> (mallee box)	SA,Vic,NSW	O	C	G(1)m	
<b><i>Eucalyptus bosistoana</i></b> (coast grey box)	Vic,NSW	O	C	G(2)m	
<b><i>Eucalyptus melliiodora</i></b> (yellow box; honey box)	NSW,Vic,Qld	O	C	G(1)m	
<b><i>Eucalyptus sideroxylon</i></b> (red ironbark)	NSW,Vic,Qld	O	C	G(2)m	<i>E. sideroxylon</i> subsp. <i>improcera</i>
<b><i>Eucalyptus tricarpa</i></b> (southern red ironbark)	Vic,NSW	O	C	G(2)m	<i>E. tricarpa</i> subsp. <i>decora</i> ; <i>E. sideroxylon</i> subsp. <i>tricarpa</i>
<b><i>Eucalyptus leucoxylon</i></b> (blue gum; yellow gum)					
subsp. <b><i>stephaniae</i></b> (scrubby blue gum)	SA,Vic	O	C	G(1)m	
subsp. <b><i>pruinosa</i></b>	Vic,SA,NSW	O	C	G(4)m	<i>E. leucoxylon</i> var. <i>pauperita</i>
subsp. <b><i>bellarinensis</i></b> (Bellerine Peninsula yellow gum)	Vic	O	C	G(1)m	
subsp. <b><i>leucoxylon</i></b> (South Australian blue gum; yellow gum)	SA,Vic	O	C	G(3)m	<i>E. leucoxylon</i> subsp. <i>connata</i>
subsp. <b><i>megalocarpa</i></b> (large-fruited S.A. blue gum)	SA,Vic	O	C	G(2)m	<i>E. leucoxylon</i> var. <i>macrocarpa</i>
<b><i>Eucalyptus petiolaris</i></b> (Eyre Peninsula blue gum)	SA	O	C	G(3)m	<i>E. leucoxylon</i> subsp. <i>petiolaris</i>

sect. *Platysperma* (snappy gums)*E. ser. Brevifoliae*

<b><i>Eucalyptus rupestris</i></b> (Prince Regent gum)	WA	O	C	G(2)	
<b><i>Eucalyptus kenneallyi</i></b> (Kenneally's white gum)	WA	–	–	–	
<b><i>Eucalyptus umbrawarrensensis</i></b> (Umbrawarra gum)	NT	O	C	G(1)	
<b><i>Eucalyptus confluens</i></b> (Kimberley gum)	WA,NT?	O	C	– (1)	
<b><i>Eucalyptus brevifolia</i></b> (northern white gum)	NT,WA	O	C	G(2)	
<b><i>Eucalyptus leucophloia</i></b> (snappy gum)					
subsp. <b><i>euroa</i></b>	NT, Qld	O	C	G(2)m	<i>E. leucophloia</i> subsp. QQ in Brooker & Kleinig 1994
subsp. <b><i>leucophloia</i></b>	WA	O	C	G(1)m	
<b><i>Eucalyptus ordiana</i></b>	WA	O	C	G(1)	

*Eucalyptus* (continued)subg. *Symphomyrtus* (continued)sect. *Exsertaria* (red gums)ser. *Subexsertae* (tropical white gums)subser. *Pyramidales*

<b><i>Eucalyptus herbertiana</i></b> (Kalumburu gum)	NT,WA,Qld	O C G(3)	<i>E. sp.</i> Pitta Creek
? <b><i>Eucalyptus gregoriensis</i></b>	NT	O C G(1)	Dubious species (possibly = <i>E. herbertiana</i> )
<b><i>Eucalyptus cupularis</i></b> (Halls Creek white gum)	WA,NT	O C G(2)	
<b><i>Eucalyptus glomericassis</i></b> (scarp white gum)	NT	O C G(1)	<i>E. sp.</i> SS in Brooker & Kleinig 1994

subser. *Applanatae*

<b><i>Eucalyptus alba</i></b> (white gum)			
<b>var. <i>alba</i></b> (Timor white gum)	ET,Indo	– – G(1)	<i>E. sp.</i> ‘Alor’
<b>var. <i>australasica</i></b>	NT	O C G(2)	
<b><i>Eucalyptus sp. Melville Island</i></b> (Melville Island white gum)	NT,WA	– – –	<i>E. ‘tiwiana’</i> MS
<b><i>Eucalyptus tintinnans</i></b> (hills salmon gum)	NT	O C –(1)	<i>E. platyphylla</i> var. <i>tintinnans</i>
<b><i>Eucalyptus bigalerita</i></b> (northern salmon gum)	NT,WA	O C G(1)	
<b><i>Eucalyptus pantoleuca</i></b> (round-leaved gum)	WA	O C G(1)	<i>E. sp.</i> RR in Brooker & Kleinig 1994; <i>E. sp.</i> I in Rye et al. 1992
<b><i>Eucalyptus sp. ‘Arnhem Land’</i></b> (mealy white gum)	NT	O – –	
<b><i>Eucalyptus sp. ‘Port Moresby’</i></b>	PNG	– – G(1)	
<b><i>Eucalyptus platyphylla</i></b> (poplar gum)	Qld	O C G(2)m	
<b><i>Eucalyptus mooreana</i></b> (mountain white gum)	WA	– – –	
<b><i>Eucalyptus sp. ‘Mt Broome’</i></b>	WA	O C G(1)	
<b><i>Eucalyptus houseana</i></b> (Kimberley white gum)	WA	O C G(1)	
<b><i>Eucalyptus apodophylla</i></b> (whitebark)	NT,WA	O C G(1)	
<b>[<i>Eucalyptus</i> × <i>apodophylla</i> subsp. <i>provecta</i>]</b>	WA	O – –	= <i>E. apodophylla</i> × <i>E. bigalerita</i> hybrid

*Eucalyptus* (continued)subg. *Symphyomyrtus* (continued)sect. *Exsertaria* (continued)ser. *Rostratae* (river red gums)***Eucalyptus rudis*** (flooded gum)subsp. ***rudis***

WA O C G(1)m

subsp. ***cratyantha***

WA O C G(2)m

***Eucalyptus camaldulensis*** (river red gum)subsp. ***refulgens***

WA O C G(2)

subsp. ***obtusa***

Qld,NT,WA O C G(2)m

subsp. ***arida***

WA,NT,Qld,SA,NSW O C G(8)m

subsp. ***minima***

SA O C G(2)

subsp. ***camaldulensis***

Vic,NSW,SA,Qld O C G(3)m

subsp. ***acuta***

Qld,NSW O C G(2)m

subsp. ***simulata*** (Laura red gum)

Qld O C G(1)m

[*Eucalyptus* × *mcintyrensis*]

SA O – –

[*Eucalyptus* × *oxypoma*]

NSW,Vic,SA? O – G(1)

[*Eucalyptus* × *studleyensis*]

Vic,SA? – – –

*E. ser. Singulares**E. sp.* ‘North Pilbara’*E. camaldulensis* var. *obtusa**E. camaldulensis* var. *subcinerea*; *E. camaldulensis* var. *pendula**E. camaldulensis* var. *brevistostriis*; *E. rostrata**E. camaldulensis* var. *acuminata*= *E. camaldulensis* subsp. *camaldulensis* × *E. ovata* subsp. *grandiflora* hybrid= *E. camaldulensis* subsp. *camaldulensis* × *E. largiflorens* hybrid= *E. camaldulensis* subsp. *camaldulensis* × *E. ovata* subsp. *ovata* hybridser. *Exsertae* (Queensland red gums)***Eucalyptus brassiana*** (Cape York red gum)

Qld,PNG O C G(2)m

***Eucalyptus insulana***

Qld O C G(1)m

**?*Eucalyptus ammophila*** (sandplain red gum)

Qld O C G(3)m

***Eucalyptus lockyeri***

Qld O C G(2)m

***Eucalyptus exserta*** (Queensland peppermint)

Qld,NSW O C G(5)m

***Eucalyptus ammophila*** (sandplain red gum)

Qld O C G(3)m

***Eucalyptus morrisii*** (grey mallee)

NSW O C G(2)m

*E. ser. Phaeoxylon**E. lockyeri* subsp. *exuta*Dubious species (possibly = *E. insulana*)

*Eucalyptus* (continued)subg. *Symphomyrtus* (continued)sect. *Exsertaria* (continued)ser. *Erythroxyton* (eastern red gums)subser. *Erythroxyta****Eucalyptus amplifolia*** (cabbage gum)subsp. *sessiliflora*

NSW, Qld

O C G(1)m

subsp. *amplifolia*

NSW

O C G(1)m

***Eucalyptus 'rotunda'*** MS

Qld

O C G(1)m

*E. tereticornis* subsp. *rotunda****Eucalyptus chloroclada*** (Baradine red gum)

NSW, Qld

O C G(3)m

*E. dealbata* var. *chloroclada****Eucalyptus terrica***

Qld

O C G(1)

***Eucalyptus blakelyi*** (Blakely's red gum)

NSW, Vic, Qld

O C G(2)m

*E. sp.* 'Warby Range'***Eucalyptus glaucina*** (slaty red gum)

NSW

O C G(3)m

*E. tereticornis* var. *glaucina****Eucalyptus tereticornis*** (forest red gum)subsp. *mediana* (Gippsland red gum)

Vic

O C G(1)m

*E. tereticornis* var. *media*subsp. *tereticornis*

Qld, NSW, PNG

O C G(3)m

?subsp. *basaltica*

Qld

O C G(1)m

Dubious subspecies (possibly = subsp. *tereticornis* – *E. blakelyi* intergrades)***Eucalyptus kabiana*** (Mount Beerwah mallee)

Qld

O C G(1)m

*E. sp.* TT in Brooker & Kleinig 1994***Eucalyptus dwyeri*** (Dwyer's red gum)

NSW

O C G(2)m

***Eucalyptus dealbata*** (tumble-down red gum)

NSW, Qld

O C G(3)m

***Eucalyptus nandewarica*** (mallee red gum)

NSW

O C G(2)

***Eucalyptus vicina*** (Manara Hills red gum)

NSW

O C G(5)m

*E. sp.* X in Brooker & Kleinig 1990***Eucalyptus flindersii*** (Flinders Ranges mallee red gum)

SA

O C G(3)m

***Eucalyptus gillenii*** (central Australian mallee red gum)

NT, WA, SA

O C G(3)m

*E. incurva****Eucalyptus nudicaulis*** (Mount Isa mallee red gum)

Qld

O C G(2)m

***Eucalyptus infera*** (Durikai mallee)

Qld

O C G(2)m

*E. dealbata* var. *populnea***[*Eucalyptus* × *subviridis*]**

NSW

– – –

= *E. blakelyi* × *E. cinerea* hybridsubser. *Liberivalvae**E. sect. Liberivalvae****Eucalyptus sp. 'Glen Gallic'*** (Glen Gallic red gum)

NSW

O C G(1)

***Eucalyptus prava*** (orange gum)

NSW, Qld

O C G(1)m

***Eucalyptus bancroftii*** (Bancroft's red gum)

NSW, Qld

O C G(1)m

***Eucalyptus interstans*** (narrow-leaved cabbage gum)

NSW, Qld

O C G(2)m

*E. disclusa****Eucalyptus parramattensis***subsp. *decadens* (Earp's dirty gum)

NSW

O C G(1)m

subsp. *parramattensis* (Parramatta red gum)

NSW

O C G(2)m

*E. parramattensis* var. *sphaerocalyx****Eucalyptus seeana*** (narrow-leaved red gum)

NSW, Qld

O C G(1)m



*Eucalyptus* (continued)subg. *Symphyomyrtus* (continued)sect. *Latoangulatae*ser. *Connexentes*

<b><i>Eucalyptus brovinensis</i></b>	Qld	O C G(1)	<i>E. sp.</i> 'Brovinia'
<b><i>Eucalyptus hallii</i></b> (Goodwood gum)	Qld	O C G(1)m	
<b><i>Eucalyptus major</i></b> (grey gum)	Qld,NSW	O C G(2)m	<i>E. propinqua</i> var. <i>major</i>
<b><i>Eucalyptus propinqua</i></b> (small-fruited grey gum)	NSW,Qld	O C G(2)m	

ser. *Inclusae**E. subser. Inclusae*

<b><i>Eucalyptus diversicolor</i></b> (karri)	WA	O C G(2)m	
---	----	-----------	--

ser. *Pumilae**E. sect. Pumilio*

<b><i>Eucalyptus pumila</i></b> (Pokolbin mallee)	NSW	O C G(1)m	
---	-----	-----------	--

ser. *Lepidotae-Fimbriatia* (grey gums)

<b><i>Eucalyptus longirostrata</i></b> (grey gum)	Qld	O C G(1)m	<i>E. punctata</i> var. <i>longirostrata</i>
<b>?<i>Eucalyptus grisea</i></b> (grey gum)	Qld	O C G(1)m	Dubious species (possibly = <i>E. punctata</i> )
<b><i>Eucalyptus punctata</i></b> (grey gum)	NSW,Qld	O C G(3)m	<i>Eucalyptus biturbinata</i>
<b><i>Eucalyptus canaliculata</i></b> (large-fruited grey gum)	NSW	O C G(1)m	

ser. *Transversae* (mahoganies)*E. ser. Annulares*

## subser. 'Unnamed'

<b><i>Eucalyptus brunnea</i></b> (brown gum)	NSW,Qld	O C G(1)m	
<b><i>Eucalyptus deanei</i></b> (mountain blue gum)	NSW	O C G(1)m	

subser. *Leptocarpae*

<b><i>Eucalyptus grandis</i></b> (flooded gum; rose gum)			
subsp. <b><i>grandis</i></b>	NSW,Qld	O C G(1)m	
subsp. 'Northern'	Qld	O C G(1)m	

<b><i>Eucalyptus saligna</i></b> (Sydney blue gum)	NSW,Qld	O C G(2)m	
<b><i>Eucalyptus botryooides</i></b> (southern mahogany)	NSW,Vic	O C G(2)m	<i>E. saligna</i> subsp. <i>botryooides</i>

*Eucalyptus* (continued)subg. *Symphyomyrtus* (continued)sect. *Latoangulatae* (continued)ser. *Transversae* (continued)subser. *Robustae**E. subser. Annulares****Eucalyptus resinifera*** (red mahogany)subsp. *resinifera*

NSW

O C G(3)m

subsp. *hemilampra*

Qld,NSW

O C G(2)m

*E. hemilampra****Eucalyptus macta***

Qld

O C G(2)m

***Eucalyptus notabilis*** (Blue Mountains mahogany)

NSW,Qld

O C G(2)m

***Eucalyptus scias*** (large-fruited red mahogany)?subsp. *callimastha*

NSW

O C G(2)m

Dubious subspecies (possibly = subsp. *scias*)subsp. *scias*

NSW

O C G(1)m

subsp. *apoda* (Tenterfield red mahogany)

NSW

O C G(2)m

***Eucalyptus robusta*** (swamp mahogany)

NSW,Qld

O C G(2)m

***Eucalyptus pellita*** (large-fruited red mahogany)

Qld

O C –(1)m

?***Eucalyptus biterranea***

Qld,PNG,Indo

O C G(2)m

Dubious species (possibly = *E. pellita*)***Eucalyptus urophylla*** (Timor mountain gum)

ET,Indo

O – –

*E. wetarensis*?***Eucalyptus orophila***

ET,Indo?

– – –

Dubious species (possibly = *E. urophylla*)[***Eucalyptus* × *patentinervis***] (bastard mahogany)

NSW

O – –

= *E. robusta* × *E. tereticornis* subsp. *tereticornis* hybrid[***Eucalyptus* × sp. ‘Cattai’**]

NSW

O C –

= *E. notabilis* – *E. scias* subsp. *scias* intergradesect. *Incognitae**E. sect. Similares*; *E. ser. Incognitae****Eucalyptus longifolia*** (woollybutt)

NSW

O C G(3)m

***Eucalyptus paludicola*** (marsh gum)

SA

O C G(1)m

***Eucalyptus cosmophylla*** (cup gum)

SA

O C –(1)m

sect. *Racemus**E. ser. Michaelianae****Eucalyptus michaeliana*** (Hillgrove gum)

NSW,Qld

O C G(1)m

*Eucalyptus* (continued)subg. *Symphomyrtus* (continued)sect. *Maidenaria*ser. *Foveolatae* (swamp gums)***Eucalyptus camphora*** (mountain swamp gum)subsp. *humeana*

Vic,NSW

O C G(2)m

subsp. *camphora*

NSW,Qld

O C G(5)m

*E. aquatica*; *E. camphora* subsp. *relicta****Eucalyptus yarraensis*** (Yarra gum)

Vic

O C G(1)m

***Eucalyptus ovata*** (swamp gum)subsp. *ovata*

Vic,Tas,NSW,SA

O C G(3)m

subsp. *grandiflora* (large-flowered swamp gum)

SA,Vic

O C G(4)m

*E. ovata* var. *grandiflora****Eucalyptus strzeleckii*** (wax-tip)

Vic

O C G(2)m

***Eucalyptus brookeriana*** (Brooker's gum)

Tas,Vic

O C G(4)m

***Eucalyptus barberi*** (Barber's gum)

Tas

O C G(1)m

***Eucalyptus cadens*** (tumble-down swamp gum)

Vic

O C G(1)m

***Eucalyptus aggregata*** (black gum)

NSW,Vic

O C G(1)m

***Eucalyptus rodwayi*** (swamp peppermint)

Tas

O C –(1)

***Eucalyptus macarthurii*** (Camden woollybutt)

NSW

O C G(2)m

**[*Eucalyptus* × *bunyip*]**

Vic

O C G(1)

= *E. camphora* subsp. *humeana* – *E. strzeleckii* intergradeser. *Acaciiformes****Eucalyptus splendens*** (Mount Richmond apple-jack)

Vic

O C G(1)m

***Eucalyptus arcana*** (mallee manna gum)

SA,Vic

O C G(2)m

*E. splendens* subsp. *arcana*; *E. sp.* 'Carpenter Rocks' in Nicolle 1997***Eucalyptus aromaphloia*** (Creswick apple-box)

Vic

O C G(3)m

***Eucalyptus sabulosa*** (western scent-bark)

Vic

O C G(1)m

*E. aromaphloia* subsp. *sabulosa****Eucalyptus corticosa*** (eastern scent-bark)

Vic,NSW

O C G(4)m

*E. conferta*; *E. ignorabilis****Eucalyptus fulgens*** (Dandenong scent-bark)

Vic

O C G(1)m

***Eucalyptus acaciiformis*** (wattle-leaved peppermint)

NSW

O C G(2)m

***Eucalyptus nicholii*** (narrow-leaved black peppermint)

NSW

O C G(2)m

***Eucalyptus parvula*** (small-leaved gum)

NSW

O C G(1)

*E. subsect. Triangulares*; *E. subsect. Euryotae**E. subsect. Obscurae*

*Eucalyptus* (continued)subg. *Symphyomyrtus* (continued)sect. *Maidenaria* (continued)ser. *Microcarpae* (small-fruited white gums)

<b><i>Eucalyptus scoparia</i></b> (Wallangarra white gum)	Qld,NSW	O C G(2)m	
<b><i>Eucalyptus mannifera</i></b> (brittle gum)			
subsp. <b><i>gullickii</i></b>	NSW	O C G(1)m	<i>E. gullickii</i>
subsp. <b><i>mannifera</i></b> (fine-leaved brittle gum)	NSW	O C G(1)	<i>E. mannifera</i> subsp. <i>maculosa</i>
<b><i>Eucalyptus</i> sp. 'Alpine Victoria'</b>	Vic,NSW?	O C G(3)m	
<b><i>Eucalyptus lactea</i></b> (brittle gum)	NSW	O C – (1)m	<i>E. mannifera</i> subsp. <i>praecox</i> ; <i>E. praecox</i>
? <b><i>Eucalyptus elliptica</i></b> (Bendemeer white gum)	NSW	O C G(3)m	Dubious species (possibly = <i>E. lactea</i> ), <i>E. mannifera</i> subsp. <i>elliptica</i>

ser. *Semiunicolores* (yellow gums)

<b><i>Eucalyptus recurva</i></b> (Mongarlowe mallee)	NSW	O C G(2)	
<b><i>Eucalyptus vernicosa</i></b> (varnished mallee)	Tas	O C – (2)	
<b><i>Eucalyptus subcrenulata</i></b> (alpine yellow gum)	Tas	O C – (3)	
<b><i>Eucalyptus johnstonii</i></b> (Tasmanian yellow gum)	Tas	O C – (1)	

ser. *Kitsonianae*

<b><i>Eucalyptus kitsoniana</i></b> (bog gum; Gippsland mallee)	Vic	O C G(3)m	
---	-----	-----------	--

ser. *Neglectae*

<b><i>Eucalyptus neglecta</i></b> (Omeo gum)	Vic	O C G(2)	
--	-----	----------	--

*Eucalyptus* (continued)subg. *Symphyomyrtus* (continued)sect. *Maidenaria* (continued)ser. *Orbiculares*

<b><i>Eucalyptus archeri</i></b> (alpine cider gum)	Tas	O C –(1)	
<b><i>Eucalyptus gunnii</i></b> (cider gum)			
<b>subsp. <i>divaricata</i></b> (Miena cider gum)	Tas	O C –(1)	<i>E. divaricata</i>
<b>subsp. <i>gunnii</i></b>	Tas	O C –(1)	
<b><i>Eucalyptus urnigera</i></b> (urn-fruited gum)	Tas	O C –(1)	
<b><i>Eucalyptus morrisbyi</i></b> (Morrisby's gum)	Tas	O C G(1)	
<b><i>Eucalyptus cordata</i></b> (heart-leaved silver gum)			
<b>subsp. <i>quadrangulosa</i></b>	Tas	O C –(1)	<i>E. cordata</i> subsp. 'western' in Nicolle 2006
<b>subsp. <i>cordata</i></b>	Tas	O C G(1)m	
<b><i>Eucalyptus perriniana</i></b> (spinning gum)	Vic,NSW,Tas	O C G(2)	
<b><i>Eucalyptus glaucescens</i></b> (Tingiringi gum)	Vic,NSW	O C G(1)	
<b><i>Eucalyptus saxatilis</i></b> (Mount Wheeler mallee)	Vic,NSW	O C G(2)m	
<b><i>Eucalyptus pulverulenta</i></b> (silver-leaved mountain gum)	NSW	O C G(2)m	

ser. *Argyrophyllae*

<b><i>Eucalyptus cinerea</i></b> (argyle apple)			
<b>subsp. <i>cinerea</i></b>	NSW	O C G(2)	
<b>subsp. <i>triplex</i></b>	NSW,Vic	O C G(1)m	<i>E. triplex</i>
<b><i>Eucalyptus alligatrix</i></b>			
<b>subsp. <i>alligatrix</i></b> (Eildon stringybark)	Vic	O C G(1)m	<i>E. alligatrix</i> subsp. <i>limaensis</i>
<b>subsp. <i>miscella</i></b> (Coomber stringybark)	NSW	O C G(1)m	
<b><i>Eucalyptus conspicua</i></b> (Gippsland swamp box)	Vic,NSW	O C G(2)m	
<b><i>Eucalyptus cephalocarpa</i></b> (mealy stringybark)	Vic,NSW	O C G(1)m	
<b><i>Eucalyptus nova-anglica</i></b> (New England peppermint)	NSW,Qld	O C G(1)m	

*Eucalyptus* (continued)subg. *Symphomyrtus* (continued)sect. *Maidenaria* (continued)ser. *Viminalis* (white gums)subser. *Circulares**E. ser. Benthamianae*; *E. ser. Compactae*; *E. ser. Confines****Eucalyptus chapmaniana*** (Bogong gum)

Vic,NSW

O C – (1)m

***Eucalyptus canobolensis*** (silver-leaf candlebark)

NSW

O C G(1)m

*E. rubida* subsp. *canobolensis****Eucalyptus rubida*** (candlebark)subsp. *rubida*

NSW,Vic,Tas

O C G(3)m

*E. rubida* subsp. *septemflora*subsp. *barbigerorum* (blackbutt candlebark)

NSW

O C G(1)m

***Eucalyptus dalrympleana*** (mountain white gum)

subsp. 'Alpine'

Vic

O C G(1)

*E. dalrympleana* subsp. 'alpine' in Nicolle 2006subsp. *heptantha*

NSW,Qld

O C G(2)m

subsp. *dalrympleana*

Vic,NSW,SA

O C G(3)m

subsp. 'Tasmania'

Tas

O C G(1)

*E. dalrympleana* subsp. 'Tasmania' in Nicolle 2006subser. *Lanceolatae* (manna gums)*E. subser. Ambitae*; *E. subser. Arrectae****Eucalyptus benthamii*** (Camden white gum)

NSW

O C G(1)m

***Eucalyptus dorrigoensis*** (Dorrigo white gum)

NSW

O C G(1)

*E. benthamii* var. *dorrigoensis****Eucalyptus kartzoffiana*** (Araluen gum)

NSW

O C G(1)m

***Eucalyptus nobilis*** (giant white gum)

NSW,Qld

O C G(2)m

***Eucalyptus viminalis*** (manna gum; ribbon gum)subsp. *viminalis*

Vic,Tas,NSW,SA

O C G(3)m

*E. viminalis* subsp. *hentyensis*subsp. *pryoriana* (Gippsland manna gum)

Vic

O C G(1)m

*E. pryoriana*subsp. *cygnetensis* (rough-barked manna gum)

SA,Vic

O C G(3)m

?*E. huberiana*?subsp. *siliceana*

Vic

O C G(1)

Dubious subspecies (possibly = subsp. *cygnetensis*)***Eucalyptus smithii*** (blackbutt peppermint)

NSW,Vic

O C G(2)m

***Eucalyptus badjensis*** (Big Badja gum)

NSW

O C G(1)m

ser. *Saxicola* (rock gums)***Eucalyptus baeuerlenii*** (Baeuerlen's gum)

NSW

O C G(3)m

***Eucalyptus wilcoxii*** (Deua gum)

NSW

O C G(1)m

***Eucalyptus imlayensis*** (Mount Imlay mallee)

NSW

O C – (1)m

***Eucalyptus elaeophloia*** (Nunniong gum)

Vic

O C G(1)

*E. sp.* 'Brumby Point'

*Eucalyptus* (continued)subg. *Symphyomyrtus* (continued)sect. *Maidenaria* (continued)ser. *Bridgesianae* (apple boxes)

<b><i>Eucalyptus dunnii</i></b> (Dunn's white gum)	NSW,Qld	O C G(1)m	
<b><i>Eucalyptus angophoroides</i></b> (apple-topped box)	Vic,NSW	O C G(1)m	
<b><i>Eucalyptus bridgesiana</i></b> (apple box)	NSW,Vic,Qld	O C G(2)m	<i>E. saxicola</i>
<b><i>Eucalyptus malacoxylon</i></b> (Moonbi apple box)	NSW	O C G(1)m	

ser. *Globulares*subser. *Euglobulares*

<b><i>Eucalyptus globulus</i></b> (Tasmanian blue gum)	Tas,Vic	O C G(2)m	
<b><i>Eucalyptus bicostata</i></b> (southern blue gum)	Vic,NSW,SA	O C G(2)m	<i>E. globulus</i> subsp. <i>bicostata</i>
<b><i>Eucalyptus pseudoglobulus</i></b> (Gippsland blue gum)	Vic,NSW,Tas?	O C G(1)m	<i>E. globulus</i> subsp. <i>pseudoglobulus</i>
<b><i>Eucalyptus maidenii</i></b> (Maiden's gum)	NSW,Vic	O C G(1)m	<i>E. globulus</i> subsp. <i>maidenii</i>

subser. *Remanentes*

<b><i>Eucalyptus nitens</i></b> (shining gum)	NSW,Vic	O C G(2)	
<b><i>Eucalyptus denticulata</i></b> (Errinundra shining gum)	Vic,NSW	O C G(1)m	
<b><i>Eucalyptus quadrangulata</i></b> (white-topped box)	NSW,Qld	O C G(1)m	
<b><i>Eucalyptus cypellocarpa</i></b> (mountain grey gum)	Vic,NSW	O C G(3)m	<i>E. quinniorum</i> ; <i>E. oresbia</i>
<b><i>Eucalyptus alaticaulis</i></b> (Grampians gum)	Vic	O C G(2)m	<i>E. pyrenea</i>
<b><i>Eucalyptus litoralis</i></b> (Anglesea box)	Vic	O C G(1)m	<i>E. sp.</i> 'Anglesea'
<b><i>Eucalyptus volcanica</i></b> (Hillgrove box)	NSW	O C G(4)m	<i>E. retinens</i>
<b><i>Eucalyptus goniocalyx</i></b> (long-leaved box)			
subsp. <b><i>viridissima</i></b> (Mount Arapiles box)	Vic	O C G(2)m	<i>E. sp.</i> 'Mt Arapiles' in Nicolle 2006
subsp. <b><i>goniocalyx</i></b>	Vic,NSW,SA	O C G(2)m	
subsp. <b><i>exposa</i></b> (South Australian mountain box)	SA	O C G(2)m	
<b><i>Eucalyptus nortonii</i></b> (long-leaved box)	NSW,Vic	O C G(2)m	
<b><i>Eucalyptus banksii</i></b> (Tenterfield woollybutt)	NSW,Qld	O C G(1)m	
[ <b><i>Eucalyptus</i> × <i>carolaniae</i></b> ]	Vic	O C G(1)	= <i>E. cypellocarpa</i> – <i>E. goniocalyx</i> subsp. <i>goniocalyx</i> intergrade
[ <b><i>Eucalyptus</i> × <i>goniocalyx</i> subsp. <i>fallax</i></b> ]	Vic	O C G(1)	= <i>E. cypellocarpa</i> – <i>E. goniocalyx</i> subsp. <i>goniocalyx</i> intergrade
[ <b><i>Eucalyptus</i> × <i>goniocalyx</i> subsp. <i>laxa</i></b> ]	Vic	O C G(1)	= <i>E. cypellocarpa</i> – <i>E. goniocalyx</i> subsp. <i>goniocalyx</i> intergrade

*Eucalyptus* (continued)subg. *Symphyomyrtus* (continued)sect. *Maidenaria* (continued)ser. *Crenulatae****Eucalyptus crenulata*** (Buxton silver gum)

Vic

O C G(1)m

ser. *Sturgissianae****Eucalyptus sturgissiana*** (Ettrema mallee)

NSW

O C G(1)m

subg. *Idiogenes****Eucalyptus cloeziana*** (Gympie messmate)

Qld

O C G(1)m

subg. *Eucalyptus*

## sect. 'Primitiva' MS

*E. subg. Primitiva*; *E. ser. Rubiginosae****Eucalyptus rubiginosa***

Qld

O C G(1)

sect. *Eucalyptus**E. sect. Amentum*ser. *White-mahoganies* (white mahoganies)***Eucalyptus helidonica***

Qld

O C G(2)

***Eucalyptus acmenoides*** (white mahogany)

NSW, Qld

O C G(2)m

*E. contracta****Eucalyptus portuensis***

Qld

O C G(1)

***Eucalyptus irritans***

Qld

O C G(2)m

*E. uvida****Eucalyptus apothalassica*** (white mahogany)

Qld, NSW

O C G(1)

***Eucalyptus mediocris*** (inland white mahogany)

Qld

O C G(1)

*E. sp.* MM in Brooker & Kleinig 1994***Eucalyptus psammitica*** (bastard white mahogany)

NSW, Qld?

O C G(1)m

***Eucalyptus carnea*** (broad-leaved white mahogany)

NSW, Qld

O C G(2)m

*E. umbra* subsp. *carnea****Eucalyptus umbra*** (broad-leaved white mahogany)

NSW

O C G(1)m

***Eucalyptus latisinensis*** (broad-leaved white mahogany)

Qld

O C G(1)

ser. *Pseudostringybarks**E. sect. Pseudophloius****Eucalyptus pyrocarpa*** (large-fruited blackbutt)

NSW

O C G(1)

*E. pilularis* var. *pyriformis****Eucalyptus pilularis*** (blackbutt)

NSW, Qld

O C G(1)m



*Eucalyptus* (continued)subg. *Eucalyptus* (continued)sect. *Eucalyptus* (continued)ser. *Regnantes*

<b><i>Eucalyptus fastigata</i></b> (brown barrel)	NSW,Vic	O C G(1)	
<b><i>Eucalyptus regnans</i></b> (mountain ash; swamp gum)	Tas,Vic	O C G(3)	

ser. *Eucalyptus*

<b><i>Eucalyptus obliqua</i></b> (messmate stringybark)	NSW,Vic,Tas,SA,Qld	O C G(3)m	<i>E. obliqua</i> var. <i>megacarpa</i>
---	--------------------	-----------	---

ser. *Pachyphloiae* (stringybarks)*E. sect. Capillulus*

<b><i>Eucalyptus muelleriana</i></b> (yellow stringybark)	NSW,Vic	O C G(1)m	
<b><i>Eucalyptus laevopinea</i></b> (silvertop stringybark)	NSW,Qld	O C G(1)m	
<b><i>Eucalyptus mackintii</i></b> (Orbost stringybark)	Vic	O C G(1)m	
<b><i>Eucalyptus macrorhyncha</i></b>			
subsp. <i>cannonii</i> (Capertee stringybark)	NSW	O C G(1)m	<i>E. cannonii</i>
subsp. <i>macrorhyncha</i> (red stringybark)	NSW,Vic,SA	O C G(2)m	<i>E. stannicola</i>
? <b><i>Eucalyptus prominula</i></b>	NSW	O C G(1)m	Dubious species (possibly = <i>E. youmanii</i> )
<b><i>Eucalyptus youmanii</i></b> (Youman's stringybark)	NSW,Qld	O C G(2)m	<i>E. subtilior</i>
<b><i>Eucalyptus williamsiana</i></b> (large-leaved stringybark)	NSW,Qld	O C G(1)m	

*Eucalyptus* (continued)subg. *Eucalyptus* (continued)sect. *Eucalyptus* (continued)ser. *Pachyphloiae* (stringybarks) (continued)

<i>Eucalyptus cameronii</i> (Diehard stringybark)	NSW,Qld	O C – (2)	<i>E. mensalis</i>
<i>Eucalyptus mckieana</i> (McKie's stringybark)	NSW,Qld	O C G(1)m	
<i>Eucalyptus tenella</i> (narrow-leaved stringybark)	NSW	O C G(1)m	
<i>Eucalyptus ligustrina</i> (privet-leaved stringybark)	NSW	O C G(1)m	
<i>Eucalyptus sparsifolia</i> (narrow-leaved stringybark)	NSW	O C G(1)m	<i>E. ralla</i>
<i>Eucalyptus globoidea</i> (white stringybark)	NSW,Vic?	O C G(1)m	
? <i>Eucalyptus yangoura</i> (white stringybark)	Vic,NSW	O C G(2)m	Dubious species (possibly = <i>E. globoidea</i> )
? <i>Eucalyptus oblonga</i> (twisted stringybark)	NSW	O C G(1)m	Dubious species (possibly = <i>E. globoidea</i> )
<i>Eucalyptus imitans</i> (Illawarra stringybark)	NSW	O C G(1)m	
<i>Eucalyptus conglomerata</i> (swamp stringybark)	Qld	O C – (1)m	
<i>Eucalyptus tindaliae</i> (Queensland white stringybark)	Qld,NSW	O C G(2)m	<i>E. phaeotricha</i> ; <i>E. sp.</i> 'Glasshouse Mountains'; <i>E. 'curta'</i> MS
? <i>Eucalyptus reducta</i> (northern stringybark)	Qld	O C G(1)m	Dubious species (possibly = <i>E. tindaliae</i> )
<i>Eucalyptus caliginosa</i> (broad-leaved stringybark)	NSW,Qld	O C G(2)m	
? <i>Eucalyptus erosa</i> (Carnarvon stringybark)	Qld	O C G(1)m	Dubious species (possibly = <i>E. eugenioides</i> ); <i>E. sp.</i> 'Mt Moffatt HS'
<i>Eucalyptus eugenioides</i> (thin-leaved stringybark)	NSW,Qld,Vic	O C G(2)m	<i>E. nigra</i>
<i>Eucalyptus expressa</i> (prickly-fruited stringybark)	NSW	O C G(2)	
<i>Eucalyptus blaxlandii</i> (Blaxland's stringybark)	NSW	O C G(3)	
<i>Eucalyptus agglomerata</i> (blue-leaved stringybark)	NSW,Vic	O C G(3)m	<i>E. subcaerulea</i>
<i>Eucalyptus capitellata</i> (brown stringybark)	NSW	O C G(2)m	
<i>Eucalyptus bensonii</i> (Benson's stringybark)	NSW	O C G(1)m	
<i>Eucalyptus camfieldii</i> (heart-leaved stringybark)	NSW	O C G(2)	
<i>Eucalyptus aurifordina</i> (goldfields stringybark)	Vic	O C G(1)	
<i>Eucalyptus arenacea</i> (desert stringybark)	SA,Vic	O C G(1)m	
<i>Eucalyptus alpina</i> (brown stringybark)	Vic,SA,NSW	O C – (2)m	<i>E. baxteri</i>
<i>Eucalyptus victoriana</i> (Victoria Range stringybark)	Vic	O C G(3)m	
<i>Eucalyptus serraensis</i> (Serra Range stringybark)	Vic	O C G(1)m	
<i>Eucalyptus verrucata</i> (Mount Abrupt stringybark)	Vic	O C G(3)m	<i>E. verrucosa</i>
[ <i>Eucalyptus</i> × <i>conjuncta</i> ]	NSW	– – –	= <i>E. eugenioides</i> × <i>E. sparsifolia</i> hybrid

*Eucalyptus* (continued)subg. *Eucalyptus* (continued)sect. *Eucalyptus* (continued)ser. *Olsenianae**E. sect. Nebulosa*; *E. ser. Limitares*

***Eucalyptus boliviana*** (Bolivia Hill stringybark) NSW O C G(1)

***Eucalyptus deuaensis*** (Mongamulla mallee) NSW O C G(1)m

***Eucalyptus olsenii*** (Woila gum) NSW O C – (1)

ser. *Strictae* (mallee ashes)subser. *Irregulares*

***Eucalyptus langleyi*** (Albatross mallee) NSW O C G(2)m

***Eucalyptus triflora*** (Pigeon House ash) NSW O C G(3)m

***Eucalyptus dendromorpha*** (Budawang ash) NSW O C G(1)m *E. obtusiflora* var. *dendromorpha*

***Eucalyptus burgessiana*** (Faulconbridge mallee ash) NSW O C G(2)m *E. obstans*; *E. obtusiflora* L.A.S.Johnson & K.D.Hill

**?*Eucalyptus spectratrrix*** (Bega mallee ash) NSW O C G(1)m Dubious species (possibly = *E. stricta*)

***Eucalyptus stricta*** (Blue Mountains mallee ash) NSW O C G(3)

***Eucalyptus apiculata*** (narrow-leaved mallee ash) NSW O C G(2)m *E. laophila*

***Eucalyptus cunninghamii*** (cliff mallee ash) NSW O C G(2) *E. rupicola*; *E. microphylla*

subser. *Regulares**E. ser. Contiguae*

***Eucalyptus approximans*** (Barren Mountain mallee) NSW O C G(1)

***Eucalyptus microcodon*** (mallee ash) Qld,NSW O C G(1)

***Eucalyptus codonocarpa*** (bell-fruited mallee ash) NSW,Qld O C G(3) *E. approximans* subsp. *codonocarpa*

***Eucalyptus paliformis*** (Wadbilliga ash) NSW O C – (1)m

***Eucalyptus kybeanensis*** (Kybean mallee ash) Vic,NSW O C – (1)

*Eucalyptus* (continued)subg. *Eucalyptus* (continued)sect. *Eucalyptus* (continued)ser. *Longitudinales* (sallees)*E. sect. Longitudinales*

<b><i>Eucalyptus mitchelliana</i></b> (Mount Buffalo sallee)	Vic	O	C	G(1)	
<b><i>Eucalyptus stellulata</i></b> (black sallee)	NSW,Vic	O	C	G(1)m	
? <b><i>Eucalyptus forresterae</i></b> (mountain sallee)	Vic	O	C	–	Dubious species (possibly = <i>E. stellulata</i> )
<b><i>Eucalyptus moorei</i></b>					
subsp. ' <b><i>latiuscula</i></b> ' MS	NSW	O	C	G(1)	<i>E. latiuscula</i> ; <i>E. moorei</i> var. <i>latiuscula</i>
subsp. <b><i>moorei</i></b> (whipstick sallee)	NSW	O	C	G(5)m	<i>E. dissita</i>
subsp. <b><i>serpenticola</i></b> (Mooning Ground sallee)	NSW	O	C	G(1)m	<i>E. serpenticola</i>
<b>[<i>Eucalyptus</i> × <i>copulans</i>]</b>	NSW	O	–	–	= <i>E. moorei</i> subsp. <i>moorei</i> × <i>E. stellulata</i> hybrid
<b>[<i>Eucalyptus</i> × <i>phoenix</i>]</b>	Vic	–	–	–	Dubious species (probable hybrid involving <i>E. forresterae</i> )

ser. *Radiatae* (peppermints)*E. sect. Aromatica*; *E. ser. Insulanae*

<b><i>Eucalyptus elata</i></b> (river peppermint)	Vic,NSW	O	C	G(4)m	<i>E. ornans</i>
<b><i>Eucalyptus croajingolensis</i></b> (Gippsland peppermint)	Vic,NSW	O	C	G(2)m	
<b><i>Eucalyptus robertsonii</i></b> (Robertson's peppermint)	NSW	O	C	G(2)	<i>E. radiata</i> subsp. <i>robertsonii</i>
<b><i>Eucalyptus radiata</i></b> (narrow-leaved peppermint)					
subsp. <b><i>radiata</i></b>	NSW,Vic,Tas	O	C	G(4)m	
subsp. <b><i>sejuncta</i></b>	NSW,Qld	O	C	G(1)	<i>E. radiata</i> var. <i>subplatyphylla</i>
<b><i>Eucalyptus dives</i></b> (broad-leaved peppermint)	NSW,Vic	O	C	G(3)m	
<b><i>Eucalyptus willisii</i></b> (Promontory peppermint)	Vic,Tas?	O	C	–	
<b><i>Eucalyptus arenicola</i></b> (South Gippsland peppermint)	Vic	O	C	G(2)m	<i>E. sp.</i> 'Gippsland Lakes'
<b><i>Eucalyptus falciformis</i></b> (western peppermint)	Vic,SA	O	C	G(3)m	<i>E. willisii</i> subsp. <i>falciformis</i>
? <b><i>Eucalyptus molyneuxii</i></b> (Little Desert peppermint)	Vic	O	C	G(1)	Dubious species (possibly = <i>E. falciformis</i> )
<b><i>Eucalyptus pulchella</i></b> (white peppermint)	Tas	O	C	G(1)	
<b><i>Eucalyptus amygdalina</i></b> (black peppermint)	Tas	O	C	G(2)m	
<b><i>Eucalyptus nitida</i></b> (Smithton peppermint)	Tas	O	C	G(1)m	
<b><i>Eucalyptus nebulosa</i></b> (serpentine peppermint)	Tas	O	C	G(1)	
<b><i>Eucalyptus coccifera</i></b> (Tasmanian snow gum)	Tas	O	C	–(1)	
<b><i>Eucalyptus tenuiramis</i></b> (silver peppermint)	Tas	O	C	G(3)m	
<b><i>Eucalyptus risdonii</i></b> (Risdon peppermint)	Tas	O	C	G(1)	
<b>[<i>Eucalyptus</i> × <i>ambigua</i>]</b>	Tas	O	–	–	= <i>E. nitida</i> – <i>E. tenuiramis</i> intergrade
<b>[<i>Eucalyptus</i> × <i>robertsonii</i> subsp. <i>hemispherica</i>]</b>	NSW	O	–	–	= <i>E. dives</i> × <i>E. robertsonii</i> hybrid

*Eucalyptus* (continued)subg. *Eucalyptus* (continued)sect. *Eucalyptus* (continued)ser. *Pauciflorae* (snow gums)

<b><i>Eucalyptus lacrimans</i></b> (weeping snow gum)	NSW	O C G(1)m	
<b><i>Eucalyptus pauciflora</i></b> (snow gum)			
<b>subsp. hedraia</b> (Falls Creek snow gum)	Vic	O C – (2)	
<b>subsp. debeuzevillei</b> (Jounama snow gum)	NSW	O C – (1)	<i>E. debeuzevillei</i>
<b>subsp. niphophila</b>	NSW,Vic	O C – (3)	<i>E. niphophila</i>
<b>subsp. acerina</b> (Baw Baw snow gum)	Vic	O C – (1)	
<b>subsp. pauciflora</b>	NSW,Vic,Tas,SA,Qld	O C G(2)m	
?subsp. <b>parvifructa</b> (Mount William snow gum)	Vic	O C – (1)	Dubious subspecies (possibly = subsp. <i>pauciflora</i> )
<b><i>Eucalyptus gregsoniana</i></b> (Wolgan snow gum)	NSW	O C G(2)m	<i>E. pauciflora</i> var. <i>nana</i>

ser. *Fraxinales**E. sect. Cineraceae*; *E. ser. Sphaerocarphae*

<b><i>Eucalyptus luehmanniana</i></b> (yellow-top mallee ash)	NSW	O C G(2)	
<b><i>Eucalyptus fraxinoides</i></b> (white ash)	NSW,Vic	O C – (2)m	
<b><i>Eucalyptus oreades</i></b> (Blue Mountains ash)	NSW,Qld	O C G(2)m	
<b><i>Eucalyptus delegatensis</i></b>			
<b>subsp. delegatensis</b> (alpine ash)	Vic,NSW	O C – (1)	
<b>subsp. tasmaniensis</b> (blue-leaf)	Tas	O C – (1)	
<b><i>Eucalyptus sphaerocarpa</i></b> (Blackdown stringybark)	Qld	O C G(1)	

ser. *Planchoniana**E. sect. Insolitae*

<b><i>Eucalyptus planchoniana</i></b> (needlebark)	NSW	O C G(1)m	
--	-----	-----------	--

ser. *Psathyroxyla*subser. *Consideniana*

<b><i>Eucalyptus sieberi</i></b> (silvertop ash)	NSW,Vic,Tas	O C G(1)m	
<b><i>Eucalyptus consideniana</i></b> (yertchuk)	Vic,NSW	O C G(1)m	
<b><i>Eucalyptus multicaulis</i></b> (whipstick mallee ash)	NSW	O C – (2)	
<b><i>Eucalyptus remota</i></b> (Kangaroo Island mallee ash)	SA	O C G(1)m	
<b><i>Eucalyptus andrewsii</i></b> (New England blackbutt)	NSW,Qld	O C G(1)m	
<b><i>Eucalyptus campanulata</i></b> (New England blackbutt)	NSW,Qld	O C G(2)m	<i>E. montivaga</i> ; <i>E. andrewsii</i> subsp. <i>campanulata</i>
<b><i>Eucalyptus olida</i></b> (strawberry gum)	NSW	O C G(1)m	

*Eucalyptus* (continued)subg. *Eucalyptus* (continued)sect. *Eucalyptus* (continued)ser. *Psathyroxyla* (continued)subser. *Haemastomae* (scribbly gums)***Eucalyptus haemastoma*** (Sydney scribbly gum)

NSW

O C G(2)m

***Eucalyptus racemosa*** (scribbly gum)

Qld,NSW

O C G(2)m

*E. sclerophylla*; *E. signata****Eucalyptus rossii*** (inland scribbly gum)

NSW

O C G(2)m

*E. racemosa* subsp. *rossii*ser. *Stenostomae****Eucalyptus stenostoma*** (Jillaga ash)

NSW

O C G(1)m

ser. *Piperitales****Eucalyptus piperita***subsp. *urceolaris* (urn-fruited peppermint)

NSW

O C –(1)

*E. urceolaris*subsp. *piperita* (Sydney peppermint)

NSW

O C G(1)m

sect. *Longistylus*

## ser. 'Pedaria' MS

*E. subsect. Arboreae**E. sect. Pedaria****Eucalyptus brevistylis*** (Rate's tingle)

WA

O C G(1)m

ser. *Jacksoniae****Eucalyptus jacksonii*** (red tingle)

WA

O C –(1)

ser. *Occidentales****Eucalyptus marginata*** (jarrah)subsp. *thalassica* (blue-leaved jarrah)

WA

O C –(1)m

subsp. *marginata* (jarrah)

WA

O C –(3)m

*E. marginata* subsp. *elegantella****Eucalyptus staeri*** (Albany blackbutt)

WA

O C G(1)m

ser. *Patentes****Eucalyptus patens*** (blackbutt)

WA

O C G(3)

*Eucalyptus* (continued)subg. *Eucalyptus* (continued)

## sect. 'Frutices' MS

ser. *Diversiformae*subser. *Neuropterae**E. subsect. Frutices**E. ser. Neuropterae**E. subser. Finales****Eucalyptus diversifolia*****subsp. *diversifolia*** (coastal mallee)

SA, Vic

O C G(2)m

*E. diversifolia* subsp. *megacarpa***subsp. *hesperia*** (Wylie Scarp mallee)

WA, SA

O C G(1)m

***Eucalyptus platydisca*** (Jimberlana mallee)

WA

O C G(1)m

*E. sp. C* in Brooker & Kleinig 1990; *E. sp. 'Norseman'****Eucalyptus pachyloma*** (Kalgan Plains mallee)

WA

O C G(2)m

***Eucalyptus erectifolia*** (Stirling Range mallee)

WA

O C G(2)

***Eucalyptus todtiana*** (pricklybark)

WA

O C G(3)

**?*Eucalyptus dolorosa*** (Mount Misery mallee)

WA

O C –

Dubious species (possibly = *E. lateritica*)**?*Eucalyptus lateritica*** (laterite mallee)

WA

O C –(2)

Dubious species (possibly = *E. suberea* × *E. todtiana* hybrid)**[*Eucalyptus* × *kalganensis*]**

WA

O C G(1)m

= *E. pachyloma* × *E. preissiana* subsp. *preissiana* hybridsubser. *Cochleatae**E. ser. Cochleatae****Eucalyptus buprestium*** (ball-fruited mallee)

WA

O C G(2)m

ser. *Subereae**E. ser. Johnsonianae****Eucalyptus suberea*** (Mount Lesueur mallee)

WA

O C G(1)m

***Eucalyptus johnsoniana*** (Johnson's mallee)

WA

O C –(1)

ser. *Muricatae****Eucalyptus exilis*** (Boyagin mallee)

WA

O C G(3)m

***Eucalyptus pendens*** (Badgingarra mallee)

WA

O C G(1)

***Eucalyptus sepulcralis*** (weeping mallee)

WA

O C G(2)m

**[*Eucalyptus* × *angularis*]** (Lesueur Phantom mallee)

WA

– – –

= *E. exilis* × *E. marginata* subsp. *marginata* hybrid

*Eucalyptus* (continued)subg. *Eucalyptus* (continued)

## sect. 'Frutices' MS (continued)

ser. *Callicolae****Eucalyptus callicola*****subsp. *callicola*** (Hamelin Bay mallee)

WA

O C G(2)m

**subsp. *unita*** (Warramurrup mallee)

WA

O C G(5)m

*E. sp.* 'West Cape Howe'***Eucalyptus ligulata*****subsp. *ligulata*** (Lucky Bay mallee)

WA

O C G(2)m

**subsp. *stirlingica*** (Stirling Range mallee)

WA

O C G(1)

ser. *Proximae****Eucalyptus acies*** (Woolbernup mallee)

WA

O C –(1)m

ser. *Preissianae*subser. *Glandulares****Eucalyptus coronata*** (crowned mallee)

WA

O C G(1)m

***Eucalyptus aquilina*** (Cape LeGrand mallee)

WA

O C G(2)m

***Eucalyptus megacarpa*** (bullich)

WA

O C G(1)m

subser. *Pluriloculares****Eucalyptus preissiana*****subsp. *lobata*** (lobe-fruited mallee)

WA

O C G(3)m

**subsp. *preissiana*** (bell-fruited mallee)

WA

O C G(2)m

**[*Eucalyptus* × *chrisantha*]**

WA

O C –

= *E. preissiana* subsp. *preissiana* × *E. sepulcralis* hybridser. *Insulares**E. subsect. Unicae****Eucalyptus insularis*****subsp. *insularis*** (North Twin Peak Island mallee)

WA

O C G(1)m

**subsp. *continentalis***

WA

O C G(1)m