



City of Kalamunda

Flora and Vegetation Survey; Patterson Road Stage 3, Pickering Brook

12 November 2019

Natural Area Holdings Pty Ltd
233c Drumpellier Drive, Whiteman, WA, 6076
Ph: (08) 9209 2767
info@naturalarea.com.au
www.naturalarea.com.au



Disclaimer

Natural Area Holdings Pty Ltd, trading as Natural Area Consulting Management Services (Natural Area), has prepared this report for the sole use of the Client and for the purposes as stated in the agreement between the Client and Natural Area under which this work was completed. This report may not be relied upon by any other party without the express written agreement of Natural Area.

Natural Area has exercised due and customary care in the preparation of this document and has not, unless specifically stated, independently verified information provided by others. No other warranty, expressed or implied, is made in relation to the contents of this report. Therefore, Natural Area assumes no liability for any loss resulting from errors, omission or misrepresentations made by others. This document has been made at the request of the Client. The use of this document by unauthorised third parties without written permission from Natural Area shall be at their own risk, and we accept no duty of care to any such third party.

Any recommendations, opinions or findings stated in this report are based on circumstances and facts as they existed at the time Natural Area performed the work. Any changes in such circumstances and facts upon which this document is based may adversely affect any recommendations, opinions or findings contained in this document.

No part of this document may be copied, duplicated or disclosed without the express written permission of the Client and Natural Area.

Document Title		Kala R Patterson Rd Flora St3.docx			
Location		Client Folders NAC/City of Kalamunda/Patterson Rd Stg 3/Report/Kala R Patterson Rd Flora St3.docx			
Draft/Version No.	Date	Changes	Prepared by	Approved by	Status
V1	12/11/2019	New Document	KS	BC	Released

Executive Summary

Natural Area Consulting Management Services (Natural Area) was contracted by the City of Kalamunda to undertake a Level 1 flora and vegetation survey for a proposed clearing area for road widening along Stage 3 of Patterson Road, Pickering Brook (SLK 2.00 to SLK 3.70). Survey outcomes will inform the clearing permit process.

The survey aimed to determine:

- flora species present
- the extent and boundaries of vegetation type and condition
- the location of declared rare or priority flora and/or ecological communities
- the presence of threatened or priority fauna and their habitat, such as tree hollows.

Survey outcomes provided in this report will inform the environmental approvals process associated with a clearing permit application.

The level 1 flora and vegetation survey within the proposed boundary of the Patterson Road Stage 3 area, Pickering Brook confirmed:

- a total of 105 flora species present from 38 families
- a total of 17 weeds and 88 native flora species
- no priority or threatened flora species were found
- one vegetation type, Marri-Jarrah Woodland occurred within the site
- vegetation condition across the site ranged from Good to Excellent.

Contents

Executive Summary	3
1.0 Introduction.....	6
1.1 Location	6
1.2 Scope	6
2.0 Site Characteristics	8
2.1 Regional Context	8
2.2 Climate.....	8
2.3 Topography and soils.....	8
2.4 Vegetation Complex	10
2.5 Hydrology	10
2.6 Cockatoo Habitat.....	10
3.0 Methodology	11
3.1 Objectives	11
3.2 Desktop and Literature Review	11
3.3 On-ground Flora Methodology.....	11
3.3.1 Flora Species	12
3.3.2 Vegetation Type.....	12
3.3.3 Vegetation Condition.....	12
3.4 Limitations	13
4.0 Flora Survey Results.....	14
4.1 Desktop Survey.....	14
4.1.1 Significant Flora	14
4.1.2 Threatened Ecological Communities	15
4.2 On-ground Flora Survey.....	15
4.2.1 Flora	15
4.2.2 Vegetation Type.....	16
4.2.3 Vegetation Condition.....	16
4.2.4 Cockatoo Habitat	18
5.0 Implications of Results.....	20
5.1 Flora species	20
5.2 Significant Flora	20
5.3 Threatened Ecological Communities.....	20

5.4	Black Cockatoo Habitat.....	20
5.5	Assessment Against Clearing Principles	23
6.0	References	27
Appendix 1:	NatureMap Report	29
Appendix 2:	Protected Matter Search Tool Report	37
Appendix 3	Threatened Flora Summary Sheet.....	47
Appendix 4:	Conservation Codes.....	57
	Western Australia.....	57
	Commonwealth.....	58
Appendix 5:	Flora Species List.....	59

1.0 Introduction

Natural Area Consulting Management Services (Natural Area) was commissioned by the City of Kalamunda in October 2019 to undertake a level 1 flora and vegetation survey and threatened black cockatoo habitat assessment within a proposed clearing area along Patterson Road, Pickering Brook. The survey outcomes provided in this report will inform the environmental approvals process associated with a clearing permit application for the proposed road widening.

1.1 Location

The proposed clearing area of Patterson Road Stage 3 is to extend between SLK 2.00 to SLK 3.71, within the road reserve boundary, approximately 27 km south-east of the Perth Central Business District (Figure 1). The survey was carried out within the width of the road reserve.

1.2 Scope

Activities undertaken by Natural Area included:

- desktop database searches to identify potential conservation significant flora and fauna species potentially occurring within the proposed clearing area
- a level 1 flora survey to determine vegetation type and condition
- recording of flora species present, particularly threatened and priority species
- recording key habitat presence including tree hollows that could be used by endangered black cockatoos
- reporting outcomes of the survey and the implications of results.



2.0 Site Characteristics

The characteristics of a site has an influence on the flora, vegetation, fauna, and ecological communities present. Key characteristics of the proposed clearing area of Patterson Road Stage 3 are outlined in this section.

2.1 Regional Context

According to Interim Biogeographical Regionalisation of Australia (IBRA) descriptions, Patterson Road is located in the JAF01 – Northern Jarrah Forest subregion. This subregion occurs east of the Darling Scarp which is overlying granite and metamorphic rocks with an average elevation of 300 m. The Northern Jarrah Forest region is dominated by Jarrah-Marri forest on laterite soils and in the eastern area of the subregion is dominated by Wandoo-Marri woodland on clayey soil (Mitchell and Mitchell, 2001).

2.2 Climate

The climate experienced in the area is Mediterranean, with dry, hot summers and cool, wet winters.


According to the Bureau of Meteorology (Perth Airport, Station ID 009021, 2019):

- average rainfall is 765.3 mm pa, with the majority falling between May and August;
- average maximum temperature ranges from 18.0 °C in winter to 31.9 °C in summer, with the highest recorded maximum being 46.7 °C;
- average minimum temperatures range from 8.0 °C in winter to 17.5 °C in summer, with the lowest recorded minimum being -1.3 °C; and
- predominant wind directions include morning easterlies and westerly sea breezes during summer months, with an average wind speed of 16.6 km/h and gusts of more than 100 km/h.

2.3 Topography and soils

Topography across the site ranges from 280 – 365 m AHD rising from the south to the north. Two soil types, Dwellingup 2 Phase (255DpDW2) soil and Yarragil 1 Phase (255DpYg1) are present on the site, identified using the NRInfo Portal (Department of Primary Industries and Regional Development, 2019, Figure 2).

Dwellingup 2 Phase soils are described as very gently to gently undulating terrain (<10%) with well drained, shallow to moderately deep gravelly brownish sands, pale brown sands and earthy sands overlying lateritic duricrust (Department of Primary Industries and Regional Development, 2019). Yarragil 1 Phase soils are described as very gentle to moderately inclined concave slopes, moderately well drained yellow duplex soils and yellow brown massive earth and gravels (Department of Primary Industries and Regional Development, 2019).



2.4 Vegetation Complex

The vegetation complex indicated by the WALGA Environmental Planning Tool (2019) as occurring within the site is the Dwellingup D2 and Yarragil 1 (WALGA, 2019). The Dwellingup D2 complex comprises of Jarrah and Marri dominated woodlands in upland areas (Hedde, Loneragan and Havel, 1980). The Yarragil Complex comprises of a mixture of open-forest of Jarrah and Marri which can include *Eucalyptus patens* (Swan River Blackbutt) and *Eucalyptus megacarpa* (Bullich). The vegetation complex of the site corresponds to the soils classification as shown in Figure 2.

2.5 Hydrology

No wetland or other water courses were identified within the study area through a search on the City of Kalamunda's IntraMaps (City of Kalamunda, 2019).

2.6 Cockatoo Habitat

According to the WALGA Environmental Planning Tool (2019), Patterson Road Stage 3 is located within a confirmed breeding and roosting area, and a potential feeding area for the Carnaby's Black Cockatoo.

3.0 Methodology

3.1 Objectives

The objective of the survey was to collect sufficient data to adequately assess the proposed clearing area against the ten clearing principles. This included undertaking a desktop review, determining flora species present, assessing vegetation type and condition, assessing the presence of key habitats which could be used by threatened black cockatoos.

3.2 Desktop and Literature Review

A desktop flora and vegetation survey was undertaken to determine:

- likely native and non-native flora and fauna species present
- current extent of native vegetation
- general floristic community types
- likely presence of threatened or priority flora and fauna species
- likely presence of any threatened or priority ecological communities.

The following databases were accessed to obtain relevant information:

- NatureMap (Department of Biodiversity, Conservation and Attractions, 2018d) (Appendix 1)
- Protected Matters Search Tool (Department of the Environment and Energy (DoEE), 2018a) (Cwlth) (Appendix 2)
- FloraBase (Department of Biodiversity, Conservation and Attractions, 2018b)
- Threatened and priority flora and ecological community database searches (Department of Biodiversity, Conservation and Attractions, 2018e).

Summary sheets of threatened flora potentially occurring in the area were created for quick reference in the field (Appendix 3).

3.3 On-ground Flora Methodology

Natural Area Botanists Sharon Hynes and Kylie Sadgrove traversed the site on the 16th October 2019, with key GPS data recorded using a handheld Samsung tablet loaded with GIS mapping software (Mappt), including:

- identification of flora species present by walking the site, including targeting declared rare and priority species indicated as potentially present during desktop assessments
- assessing vegetation type and condition across the site
- using a GPS to map significant species and boundaries of differing vegetation condition
- determining the presence of any further threatened or priority listed flora species and/or ecological communities listed under the *Biodiversity and Conservation Act 2016* (WA) and/or the *Environment Protection and Biodiversity Conservation Act 1999* (Commonwealth)
- locations of trees which have the potential to provide habitat in the form of hollows for cockatoos.

The flora and vegetation survey was conducted in accordance with *Technical Guidance- Flora and Vegetation Surveys for Environmental Impact Assessment* (Environmental Protection Authority, 2016). Samples were collected, or photographs taken of unfamiliar species to enable later identification.

3.3.1 Flora Species

Flora species were recorded on observation across the length of the site the site, with the list of potential declared rare or priority flora species used to guide targeted searches for those species (Appendix 5).

3.3.2 Vegetation Type

The vegetation type was determined using the structural classes described in *Bush Forever Volume 2* (Government of Western Australia, 2000), and records dominant over, middle and understorey species (Table 1).

Table 1: Vegetation structural classes

Life Form/Height Class	Canopy Percentage Cover			
	100 – 70%	70 – 30%	30 – 10%	10 – 2 %
Trees over 30 m	Tall closed forest	Tall open forest	Tall woodland	Tall open woodland
Trees 10 – 30 m	Closed forest	Open forest	Woodland	Open woodland
Trees under 10 m	Low closed forest	Low open forest	Low woodland	Low open woodland
Tree Mallee	Closed tree mallee	Tree mallee	Open tree mallee	Very open tree mallee
Shrub Mallee	Closed shrub mallee	Shrub mallee	Open shrub mallee	Very open shrub mallee
Shrubs over 2 m	Closed tall scrub	Tall open scrub	Tall shrubland	Tall open shrubland
Shrubs 1 – 2 m	Closed heath	Open heath	Shrubland	Open shrubland
Shrubs under 1 m	Closed low heath	Open low heath	Low shrubland	Low open shrubland
Grasses	Closed grassland	Grassland	Open grassland	Very open grassland
Herbs	Closed herbland	Herbland	Open herbland	Very open herbland
Sedges	Closed sedgeland	Sedgeland	Open sedgeland	Very open sedgeland

(Source: Government of Western Australia, 2000)

3.3.3 Vegetation Condition

Vegetation condition was assessed using the rating scale attributed to Keighery in *Bush Forever Volume 2* (Government of Western Australia, 2000). A Samsung tablet loaded with GIS mapping software (Mappt) was used to differentiate the locations of the vegetation condition across the site and assist with mapping outcomes (Table 2).

Table 2: Vegetation condition ratings

Category	Description
1 Pristine	Pristine or nearly so, no obvious signs of disturbance.
2 Excellent	Vegetation structure intact, disturbance affecting individual species and weeds are non-aggressive species.
3 Very Good	Vegetation structure altered, obvious signs of disturbance. For example, disturbance to vegetation structure caused by repeated fires, the presence of some more aggressive weeds, dieback, logging and grazing.
4 Good	Vegetation structure significantly altered by very obvious signs of multiple disturbances. Retains basic vegetation structure or ability to regenerate it. For

Category		Description
		example, disturbance to vegetation structure caused by very frequent fires, the presence of some very aggressive weeds at high density, partial clearing, dieback and grazing.
5	Degraded	Basic vegetation structure severely impacted by disturbance. Scope for regeneration but not to a state approaching good condition without intensive management. For example, disturbance to vegetation structure caused by very frequent fires, the presence of very aggressive weeds, partial clearing, dieback and grazing.
6	Completely Degraded	The structure of the vegetation is no longer intact and the area is completely or almost completely without native species. These areas are often described as 'parkland cleared' with the flora comprising weed or crop species with isolated native trees or shrubs.

(Source: Government of Western Australia, 2000)

3.4 Limitations

The survey was carried out in spring the optimal time to survey native vegetation in the South West Botanical Region. However, certain limitations for the survey works still exist, including:

- database searches only provide an indication of what flora species may be present, with on ground surveys required to confirm those present
- the differing databases are reliant on information submitted via various reporting mechanisms, so all records of a flora species or ecological community in a specified area may not be complete
- on-ground surveys indicate species present at the time of the assessment, with species flowering at different times not always able to be identified
- not all species flower every year.

Despite these limitations, Natural Area believes 80 – 90% of flora species were identified.

4.0 Flora Survey Results

Survey works for the proposed clearing of Patterson Road Stage 3 included desktop and field activities, outcomes for both are provided in this section.

4.1 Desktop Survey

4.1.1 Significant Flora

A review of NatureMap identified 258 plant species which could potentially occur within a 5 km radius of the Patterson Road site. Of the species identified, NatureMap indicated 11 conservation significant flora species listed under the *Biodiversity Conservation Act 2016* (WA) as potentially occurring within 5 km of the site (Department of Biodiversity Conservation and Attractions, 2019d). A review of the Protected Matters Search Tool (PMST) (Department of the Environment and Energy, 2019) indicated 9 significant flora species listed under the *Environment Protection and Biodiversity Conservation Act 1999* (EPBC Act) (Cwlth) as potentially occurring within a 5 km radius of the site.

A review of the DBCA's threatened and priority flora database indicated one Priority 4 species has been previously recorded within a 10 km buffer of the survey site. Of the 11 conservation significant species potentially found in the area, it was determined that the site conditions (soil type, drainage, location) may be suitable for nine (highlighted in green) of these species (Table 3).

Table 3: Potential threatened and priority species

Species	Common Name	Cons. Code	NM	PMST	DBCA
<i>Acacia anomala</i>	Grass Wattle	T, VU	X	X	
<i>Acacia aphylla</i>	Leafless Rock Wattle	T, VU	X	X	
<i>Anthocercis gracilis</i>	Slender Tailflower	T, VU	X	X	
<i>Boronia tenuis</i>	Blue Boronia	P4	X		
<i>Bossiaea modesta</i>		P2	X		
<i>Darwinia apiculata</i>	Scarp Darwinia	T, EN	X	X	
<i>Diplolaena andrewsii</i>		T, EN	X	X	
<i>Diuris micrantha</i>	Dwarf Bee-orchid	V		X	
<i>Diuris purdiei</i>	Purdie's Donkey-orchid	T, EN	X	X	
<i>Lasiopetalum bracteatum</i>	Helena Velvet Bush	P4	X		
<i>Lasiopetalum glutinosum subsp. glutinosum</i>		P3	X		
<i>Pimelea rara</i>		P4	X		X
<i>Stylidium striatum</i>	Fan-Leaved Triggerplant	P4	X		
<i>Thelymitra dedmaniarum</i>	Cinnamon Sun Orchid	T, EN	X	X	
<i>Thelymitra magnifica</i>	Crystal Brook Star Orchid	P1	X		
<i>Thelymitra stellata</i>	Star Orchid	T, EN	X	X	
<i>Thysanotus glaucus</i>		P4	X		

4.1.2 Threatened Ecological Communities

A review of the PMST report indicated that there are no listed Threatened Ecological Communities that could potentially occur within the site. Threatened and priority flora and ecological community database search indicated that there are no known Threatened or Priority Ecological Communities within a 5km radius of the site (Department of Biodiversity, Conservation and Attractions, 2018e).

4.2 On-ground Flora Survey

4.2.1 Flora

A total of 105 flora species were identified from the October 2019 survey, from 38 families. Of these 17 were weeds and 88 were native species. No conservation significant flora species were found on site. Examples of native flora species are shown in Table 4, with weed species shown in Table 5. A complete flora list is provided in Appendix 5.

Table 4: Examples of native flora species recorded during the survey



Daviesia decurrens subsp. *decurrens* *Hemigenia parviflora*

Hakea amplexicaulis
(Prickly Hakea)



Thelymitra crinita
(Blue Lady Orchid)

Pentapeltis peltigera

Patesonia juncea
(Rush Leaved Patesonia)

Table 5: Examples of weed species found on site

		
<i>Oxalis pes-caprae</i> (Sour sob)	<i>Ursinia anthemoides</i> (Ursinia)	<i>Trifolium campestre</i> (Hop Clover)

4.2.2 Vegetation Type

One vegetation type was recorded across the length of the site; Marri-Jarrah Woodland (Figure 3). This vegetation community is comprised of a woodland of *Corymbia calophylla* (Marri) and *Eucalyptus marginata* (Jarrah), with a middle story of *Xanthorrhoea preissii*, *Xanthorrhoea gracilis* and mixed shrub over an understory of mixed native herbs and sedges.




Figure 3: Marri-Jarrah Woodland at Patterson Road Stage 3, Pickering Brook.

4.2.3 Vegetation Condition

Vegetation condition across the site ranged from Good to Excellent (Figure 4). The area of Good vegetation occurred in front of the farmland property along the western side of the road. The remaining vegetation along the western side of the road was classified as Very Good. The majority of the site was in Excellent condition (63.85%, Table 6) which occurred along the eastern boundary of the road. Vegetation condition was not assessed in the cleared area in front of the farmland property as it did not contain remnant native vegetation. The borders of the vegetation condition map (Figure 4) have been extended past the proposed clearing area for ease of viewing.

Table 6: Vegetation condition

Vegetation Condition	Excellent	Very Good	Good	Degraded	Completely Degraded	Totals
Area (ha)	2.75	1.38	0.17	0	0	4.31
Area (%)	63.84	32.1	4.06	0	0	100




4.2.4 Cockatoo Habitat

Opportunistic observations noted 20 potential habitat trees, one of which was dead. These trees had a diameter at breast height of greater than 500 mm and have the potential to be used for roosting by threatened black cockatoos. Of these two contained hollows that appeared to be large enough to be utilised for nesting by endangered cockatoos with an entrance >100 mm wide (Figures 5 and 6). While conducting the survey no cockatoos were observed and no signs of feeding or other use were recorded.



Figure 5: Potential habitat trees/hollows for black cockatoos.



5.0 Implications of Results

5.1 Flora species

Natural Area's October 2019 survey at the site along Patterson Road Stage 3, Pickering Brook recorded 105 flora species from 38 families, 17 of which were introduced and 88 were native. One vegetation type was recorded, Marri-Jarrah Woodland with vegetation condition ranging from Good to Excellent within the survey area.

As a road reserve in a heavily vegetated area in the Perth hills, the survey area was adjacent to extensive areas of similar vegetation. Accordingly, the species recorded during the survey are representative of nearby vegetation (Figure 1). The condition of the vegetation is likely to be better within the broader vegetated area as the road acts to fragment the landscape and increases the potential for weeds to be present.

5.2 Significant Flora

No threatened or priority species were recorded during the on-ground October 2019 survey. While the DBCA database search of declared rare and priority listed flora species (2019e) noted the Priority 4 listed *Pimelea rara* was present approximately 200 m south west of the southern boundary of the site, it was not recorded during the survey. Two other records indicate the presence of this species more than 600 m to the east; all other records of significant flora are a minimum of 1.3 km from the survey site boundary.

5.3 Threatened Ecological Communities

No threatened ecological communities were present within the survey boundary.

5.4 Black Cockatoo Habitat

It is noted that Marri is a common food source for the Carnaby's Cockatoo, Baudin's and Forest Red-tailed Black Cockatoos species. The Carnaby's Cockatoo (*Calyptorhynchus latirostris*) is listed as endangered under the *EPBC Act 1999* (Cwlth), with the Forest Red-tailed Black Cockatoo (*Calyptorhynchus banksia naso*) and the Baudin's Black Cockatoo (*Calyptorhynchus baudinii*) listed as vulnerable; all are listed as threatened under the *Biodiversity Conservation Act 2016* (WA).

While there were potential habitat trees with hollows recorded on site no birds were observed within the hollows and no evidence of roosting or nesting was recorded during Natural Area's survey. The site has the potential to be used as a source for foraging, particularly for Red-tailed Black Cockatoo as Marri is a preferred food source. An assessment of the referral guidelines for Black Cockatoos has been made for this site (Table 7) with the potential for high risk of significant impacts and referral is recommended. The area surveyed during October 2019, is likely to be greater than the total area to be cleared. While the recorded trees were located within the surveyed area, these may not occur within the proposed clearing boundary. As a result of this the environmental significance could vary as it is dependant on how many habitat trees are to be cleared.

Table 7: Referral guidelines for the 3 threatened Black Cockatoo species

Guideline		Comment
High risk of significant impacts: referral recommended	- Clearing of any known nesting tree - Clearing or degradation of any part of a vegetation community known to contain breeding habitat - Clearing of more than 1 ha of quality foraging habitat. - Clearing or degradation (including pruning the top canopy) of a known night roosting site - Creating a gap of greater than 4 km between patches of black cockatoo habitat (breeding, foraging or roosting).	Patterson Rd Stage 3; - There was no observed black cockatoos or evidence of foraging at the time of the survey - There are 20 potential habitat trees within the surveyed area, two of which had hollows large enough to be utilised by black cockatoos - The area to be cleared is greater than 1 ha with vegetation condition ranging from Good to Excellent - The site is located within a confirmed breeding and roosting area and a potential feeding area for Carnaby's Black Cockatoo - There are extensive bushland areas to the west and east of the site.
Uncertainty: referral recommended or contact the department	- Degradation (such as through altered hydrology or fire regimes) of more than 1 ha of foraging habitat. Significance will depend on the level and extent of degradation and the quality of the habitat. - Clearing or disturbance in areas surrounding black cockatoo breeding, foraging or night roosting habitat that has the potential to degrade habitat through introduction of invasive species, edge effects, hydrological changes, increased human visitation or fire. - Actions that do not directly affect the listed species but that have the potential for indirect impacts such as increasing competitors for nest hollows. - Actions with the potential to introduce known plant diseases such as <i>Phytophthora</i> spp. to an area where the pathogen was not previously known.	Patterson Rd Stage 3; - The site is located within a confirmed breeding and roosting area and a potential feeding area for Carnaby's Black Cockatoo - The area to be cleared is greater than 1 ha with vegetation condition ranging from Good to Excellent - The area to be cleared follows the existing alignment of the road which has the potential to introduce invasive species and create edge effects

Guideline		Comment
Low risk of significant impacts: referral may not be required	▪ Actions that do not affect black cockatoo habitat or individuals. ▪ Actions whose impacts occur outside the modelled distribution of the three black cockatoos.	▪ During the October 2019 survey no observed black cockatoos were present within the hollows and no evidence of roosting or nesting was found ▪ The site is located within a confirmed breeding and roosting area and a potential feeding area for Carnaby's Black Cockatoo

5.5 Assessment Against Clearing Principles

An assessment of information obtained during the October 2019 survey has been made against the Western Australian clearing principles. It is suggested that the clearing application may be at variance to two of the ten clearing principles (Table 8).

Table 8: Assessment against clearing principles

Clearing Principle	Comment
A Native vegetation should not be cleared if it comprises a high level of biological diversity.	The area to be cleared may be at variance with this principle: ▪ The majority of the vegetation to be cleared is in Very Good to Excellent condition ▪ The area of the proposed clearing area has a high level of species diversity, 88 native species were recorded during the October 2019 survey by Natural Area botanists ▪ There were no observed threatened or priority species recorded during the October 2019 survey by Natural Area botanists ▪ Flora and vegetation present within the survey boundary is consistent with extensive bushland areas adjacent to and in the broader area
B Native vegetation should not be cleared if it comprises the whole or a part of, or is necessary for the maintenance of, a significant habitat for fauna indigenous to Western Australia.	The area to be cleared may be at variance with this principle: ▪ A review of the information available on the WALGA Environmental Planning Tool identified that the area to be cleared is a confirmed breeding, roosting and potential feeding area for the Carnaby's Black Cockatoo ▪ During the October 2019 survey by Natural Area botanists, 20 habitat trees were recorded, with two having hollows present that could be used by black cockatoos ▪ No evidence of hollow use, roosting or feeding was noted during the survey.
C Native vegetation should not be cleared if it includes, or is necessary for the continued existence of, rare flora.	The area to be cleared is not likely to be at variance with this principle: ▪ During the October survey by Natural Area botanists, no conservation significant flora was identified within the clearing area ▪ The DBCA declared rare and priority listed flora database search indicated that there were no observations within the proposed clearing area; the closest record was the priority 4 listed <i>Pimelea rara</i> approximately 200 m to the south west of the site.
D Native vegetation should not be cleared if it comprises the whole or a part of, or is necessary for the maintenance of a threatened ecological community.	The area to be cleared is not likely to be at variance with this principle: ▪ No threatened or priority ecological communities were recorded. ▪ Threatened and priority flora and ecological community database search (Department of Biodiversity, Conservation and Attractions, 2018e) identified that there are no known Threatened or Priority Ecological Communities within a 5km radius of the site.

E	Native vegetation should not be cleared if it is significant as a remnant of native vegetation in an area that has been extensively cleared.	The area to be cleared is not likely to be at variance with this principle as there are very large areas of uncleared vegetation adjacent to the east and west of the proposed clearing area.
F	Native vegetation should not be cleared if it is growing in, or in association with, an environment associated with a watercourse or wetland.	The area to be cleared is not likely to be at variance with this principle as the site is no association with a watercourse or wetland (City of Kalamunda, 2019).
G	Native Vegetation should not be cleared if the clearing of the vegetation is likely to cause appreciable land degradation.	The area to be cleared is not likely to be at variance with this principle: ▪ The area proposed to be cleared runs adjacent to the existing alignment of the road and with the road reserve boundary
H	Native vegetation should not be cleared if the clearing of the vegetation is likely to have an impact on the environmental values of any adjacent or nearby conservation area.	The area to be cleared is not likely to be at variance with this principle: ▪ Nearby bushland areas are zoned parks and recreation (City of Kalamunda 2019) ▪ Not listed as a Bush Forever site ▪ Located outside the drinking water source protection area associated with Mundaring Weir
I	Native vegetation should not be cleared if the clearing of the vegetation is likely to cause deterioration in the quality of surface or underground water.	The area to be cleared is not likely to be at variance with this principle: ▪ No surface water courses were identified during the October 2019 survey by Natural Area botanists ▪ Any aquifers are likely to be fractured rock aquifers rather than unconfined or confined aquifers associated with the Swan Coastal Plain

J	Native vegetation should not be cleared if clearing the vegetation is likely to cause, or exacerbate, the incidence of flooding.	The area to be cleared is not likely to be at variance with this principle ▪ The area proposed to be cleared runs along the existing alignment of the road and is not expected to change or exacerbate the incidence of flooding ▪ Vegetation mitigates against flooding ▪ Road design will consider stormwater movement in proximity to the road
---	--	--

6.0 References

City of Kalamunda, (2019), *IntraMaps*, accessed October 2019 via <https://www.kalamunda.wa.gov.au/our-city/about-kalamunda/maps>

Department of Biodiversity, Conservation and Attractions, (2019a), *Conservation Codes*, viewed October 2018 via https://www.dpaw.wa.gov.au/images/documents/plants-animals/threatened-species/Listings/conservation_code_definitions.pdf.

Department of Biodiversity, Conservation and Attractions, (2019b), *FloraBase – The Western Australian Flora*, accessed October 2019 via <https://florabase.dpaw.wa.gov.au/>.

Department of Biodiversity, Conservation and Attractions, (2019d), *NatureMap*, viewed October 2019 <http://naturemap.dpaw.wa.gov.au/default.aspx>.

Department of Biodiversity, Conservation and Attractions, (2019e), *Threatened and Priority Flora and Ecological Communities Database Searches*, personal communication.

Department of Environment and Conservation, (2011), *Plants Used by Carnaby's Black Cockatoo*, viewed July 2019 via <https://www.dpaw.wa.gov.au/apps/plantsforcarnabys/index.html>.

Department of the Environment and Energy, (2019b) *Protected Matters Search Tool*, viewed October 2019 via <http://www.environment.gov.au/epbc/pmst/>.

Department of Primary Industries and Regional Development, (2019), *NRInfo for Western Australia: map application*, accessed August 2019 via <https://www.agric.wa.gov.au/resource-assessment/nrinfo-western-australia>.

Department of Sustainability, Environment, Water, Population and Communities, (2012), *EPBC Act Referral Guidelines for Three Threatened Black Cockatoo Species*, accessed July 2019 via <https://www.environment.gov.au/system/files/resources/895d4094-af63-4dd3-8dff-ad2b9b943312/files/referral-guidelines-wa-black-cockatoo.pdf>.

Environmental Protection Authority, (2016), *Technical Guidance: Flora and Vegetation survey for Environmental Impact Assessment*, accessed July 2019 via http://www.epa.wa.gov.au/sites/default/files/Policies_and_Guidance/EPA%20Technical%20Guidance%20-%20Flora%20and%20Vegetation%20survey_Dec13.pdf.

Government of Western Australian, (2000), *Bush Forever, Volume 2*, Government of Western Australia, Perth, Western Australia.

Hedde, E., Loneragan, O., and Havel, J, (1980), *Vegetation Complexes of the Darling System Western Australia*. In *Atlas of Natural Resources - Darling System, Western Australia* (pp. 37 - 72), Department of Conservation and Environment, Western Australia.

Mitchell, K., and Mitchell, D., (2001), Jarrah Forest 1 (*JF1 - Northern Jarrah Forest subregion*), accessed November 2018 via https://www.dpaw.wa.gov.au/images/documents/about/science/projects/waaudit/jarrah_forest01_p369-381.pdf

Western Australian Local Government Association, (2019), *Environmental Planning Tool – Environmental Considerations*, accessed October 2019 via <http://lbp.asn.au/module/enviro#map>.

Western Australian Local Government Association (WALGA), (2019), *Environmental Planning Tool – Vegetation Complexes*, accessed October 2019 via: <http://lbp.asn.au/module/enviro#map>.

Appendix 1: NatureMap Report

NatureMap Species Report

Created By Guest user on 14/10/2019

Current Names Only Yes
Core Datasets Only Yes
Method 'By Circle'
Centre 116° 07' 43" E, 32° 00' 28" S
Buffer 20km
Group By Species Group

Species Group	Species	Records
Alga	2	2
Amphibian	16	1474
Bird	273	93856
Bryopsid (Moss)	60	201
Dicotyledon	1402	16242
Fish	20	167
Fungus	127	505
Gymnosperm	6	61
Hepatic (Liverwort)	8	26
Invertebrate	725	3775
Lichen	56	161
Mammal	43	1734
Monocotyledon	720	7173
Pteridophyte (Fern)	22	112
Reptile	83	2315
Slime Mould	15	16
TOTAL	3578	127820

Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
Alga				
1.	26587 <i>Centroceras clavulatum</i>			
2.	27318 <i>Struvea plumosa</i>			
Amphibian				
3.	25398 <i>Crinia georgiana</i> (Quacking Frog)			
4.	25399 <i>Crinia glauerti</i> (Clicking Frog)			
5.	25400 <i>Crinia insignifera</i> (Squelching Froglet)			
6.	25401 <i>Crinia pseudinsignifera</i> (Bleating Froglet)			
7.	25404 <i>Geocrinia leai</i> (Ticking Frog)			
8.	25408 <i>Heleioporus albopunctatus</i> (Western Spotted Frog)			
9.	25409 <i>Heleioporus barycragus</i> (Hooting Frog)			
10.	25410 <i>Heleioporus eyrei</i> (Moaning Frog)			
11.	25411 <i>Heleioporus inornatus</i> (Whooping Frog)			
12.	25412 <i>Heleioporus psammophilus</i> (Sand Frog)			
13.	25415 <i>Limnodynastes dorsalis</i> (Western Banjo Frog)			
14.	25378 <i>Litoria adelaidensis</i> (Slender Tree Frog)			
15.	25388 <i>Litoria moorei</i> (Motorbike Frog)			
16.	25420 <i>Myobatrachus gouldii</i> (Turtle Frog)			
17.	25426 <i>Neobatrachus pelobatoides</i> (Humming Frog)			
18.	25433 <i>Pseudophryne guentheri</i> (Crawling Toadlet)			
Bird				
19.	24559 <i>Acanthagenys rufogularis</i> (Spiny-cheeked Honeyeater)			
20.	24260 <i>Acanthiza apicalis</i> (Broad-tailed Thornbill, Inland Thornbill)			
21.	24261 <i>Acanthiza chrysorrhoa</i> (Yellow-rumped Thornbill)			
22.	24262 <i>Acanthiza inornata</i> (Western Thornbill)			
23.	24265 <i>Acanthiza uropygialis</i> (Chestnut-rumped Thornbill)			
24.	24560 <i>Acanthorhynchus superciliosus</i> (Western Spinebill)			
25.	25535 <i>Accipiter cirrocephalus</i> (Collared Sparrowhawk)			
26.	24281 <i>Accipiter cirrocephalus</i> subsp. <i>cirrocephalus</i> (Collared Sparrowhawk)			
27.	25536 <i>Accipiter fasciatus</i> (Brown Goshawk)			
28.	24283 <i>Accipiter fasciatus</i> subsp. <i>didimus</i> (Brown Goshawk)			
29.	24282 <i>Accipiter fasciatus</i> subsp. <i>fasciatus</i> (Brown Goshawk)			
30.	25751 <i>Acridotheres tristis</i> (Common Myna)	Y		
31.	25755 <i>Acrocephalus australis</i> (Australian Reed Warbler)			

	Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
32.	24831	<i>Acrocephalus australis</i> subsp. <i>gouldi</i> (Australian Reed Warbler)			
33.	41323	<i>Actitis hypoleucos</i> (Common Sandpiper)		IA	
34.	25544	<i>Aegotheles cristatus</i> (Australian Owlet-nightjar)			
35.	24301	<i>Aegotheles cristatus</i> subsp. <i>cristatus</i> (Australian Owlet-nightjar)			
36.	24310	<i>Anas castanea</i> (Chestnut Teal)			
37.	24311	<i>Anas clypeata</i> (Northern Shoveler)			Y
38.	24312	<i>Anas gracilis</i> (Grey Teal)			
39.	24313	<i>Anas platyrhynchos</i> (Mallard)			
40.		<i>Anas platyrhynchos</i> subsp. <i>domesticus</i>			
41.	24315	<i>Anas rhynchotis</i> (Australasian Shoveler)			
42.	24316	<i>Anas superciliosa</i> (Pacific Black Duck)			
43.	47414	<i>Anhinga novaehollandiae</i> (Australasian Darter)			
44.	24506	<i>Anous tenuirostris</i> subsp. <i>melanops</i> (Australian Lesser Noddy)		T	
45.		<i>Anser anser</i>			
46.	24561	<i>Anthochaera carunculata</i> (Red Wattlebird)			
47.	24562	<i>Anthochaera lunulata</i> (Western Little Wattlebird)			
48.	25670	<i>Anthus australis</i> (Australian Pipit)			
49.	24599	<i>Anthus australis</i> subsp. <i>australis</i> (Australian Pipit)			
50.	25554	<i>Apus pacificus</i> (Fork-tailed Swift, Pacific Swift)		IA	
51.	24285	<i>Aquila audax</i> (Wedge-tailed Eagle)			
52.	25558	<i>Ardea ibis</i> (Cattle Egret)			
53.	25559	<i>Ardea intermedia</i> (Intermediate Egret)			
54.	41324	<i>Ardea modesta</i> (great egret, white egret)			
55.	24340	<i>Ardea novaehollandiae</i> (White-faced Heron)			
56.	24341	<i>Ardea pacifica</i> (White-necked Heron)			
57.	25566	<i>Artamus cinereus</i> (Black-faced Woodswallow)			
58.	24352	<i>Artamus cinereus</i> subsp. <i>melanops</i> (Black-faced Woodswallow)			
59.	24353	<i>Artamus cyanopterus</i> (Dusky Woodswallow)			
60.	24356	<i>Artamus personatus</i> (Masked Woodswallow)			
61.		<i>Artamus sordidus</i>			
62.	24318	<i>Aythya australis</i> (Hardhead)			
63.		<i>Barnardius zonarius</i>			
64.	24319	<i>Biziura lobata</i> (Musk Duck)			
65.	24345	<i>Botaurus poiciloptilus</i> (Australasian Bittern)		T	
66.	24359	<i>Burhinus grallarius</i> (Bush Stone-curlew)			
67.	25713	<i>Cacatua galerita</i> (Sulphur-crested Cockatoo)			
68.	24721	<i>Cacatua galerita</i> subsp. <i>galerita</i> (Sulphur-crested Cockatoo)	Y		
69.	24722	<i>Cacatua leadbeateri</i> (Major Mitchell's Cockatoo)			
70.	25714	<i>Cacatua pastinator</i> (Western Long-billed Corella)			
71.	24723	<i>Cacatua pastinator</i> subsp. <i>butleri</i> (Butler's Corella)			
72.	24724	<i>Cacatua pastinator</i> subsp. <i>pastinator</i> (Muir's Corella, Muir's Corella (Western Corella SW WA))		S	
73.	25715	<i>Cacatua roseicapilla</i> (Galah)			
74.	25716	<i>Cacatua sanguinea</i> (Little Corella)			
75.	24727	<i>Cacatua sanguinea</i> subsp. <i>westralensis</i> (Little Corella)			
76.		<i>Cacatua sulphurea</i> subsp. <i>galerita</i>			Y
77.	24729	<i>Cacatua tenuirostris</i> (Eastern Long-billed Corella)	Y		
78.	25598	<i>Cacomantis flabelliformis</i> (Fan-tailed Cuckoo)			
79.	24427	<i>Cacomantis flabelliformis</i> subsp. <i>flabelliformis</i> (Fan-tailed Cuckoo)			
80.	42307	<i>Cacomantis pallidus</i> (Pallid Cuckoo)			
81.	24779	<i>Calidris acuminata</i> (Sharp-tailed Sandpiper)		IA	
82.	25717	<i>Calyptorhynchus banksii</i> (Red-tailed Black-Cockatoo)			
83.	24731	<i>Calyptorhynchus banksii</i> subsp. <i>naso</i> (Forest Red-tailed Black Cockatoo)		T	
84.	24733	<i>Calyptorhynchus baudinii</i> (Baudin's Cockatoo, White-tailed Long-billed Black Cockatoo)		T	
85.	24734	<i>Calyptorhynchus latirostris</i> (Carnaby's Cockatoo, White-tailed Short-billed Black Cockatoo)		T	
86.	48400	<i>Calyptorhynchus</i> sp. (white-tailed black cockatoo)		T	
87.	25625	<i>Carduelis carduelis</i> (Goldfinch, European Goldfinch)	Y		
88.	24480	<i>Carduelis carduelis</i> subsp. <i>britannica</i> (Goldfinch)	Y		
89.	24377	<i>Charadrius ruficapillus</i> (Red-capped Plover)			
90.	24321	<i>Chenonetta jubata</i> (Australian Wood Duck, Wood Duck)			
91.	47909	<i>Cheramoea leucosterna</i> (White-backed Swallow)			
92.		<i>Chroicocephalus novaehollandiae</i>			
93.	24431	<i>Chrysococcyx basalis</i> (Horsfield's Bronze Cuckoo)			
94.	25601	<i>Chrysococcyx lucidus</i> (Shining Bronze Cuckoo)			
95.	24432	<i>Chrysococcyx lucidus</i> subsp. <i>plagosus</i> (Shining Bronze Cuckoo)			
96.	24288	<i>Circus approximans</i> (Swamp Harrier)			
97.	24289	<i>Circus assimilis</i> (Spotted Harrier)			
98.	24774	<i>Cladorhynchus leucocephalus</i> (Banded Stilt)			

Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
99.	25675 <i>Colluricincla harmonica</i> (Grey Shrike-thrush)			
100.	24613 <i>Colluricincla harmonica</i> subsp. <i>rufiventris</i> (Grey Shrike-thrush)			
101.	24399 <i>Columba livia</i> (Domestic Pigeon)	Y		
102.	24361 <i>Coracina maxima</i> (Ground Cuckoo-shrike)			
103.	25568 <i>Coracina novaehollandiae</i> (Black-faced Cuckoo-shrike)			
104.	24362 <i>Coracina novaehollandiae</i> subsp. <i>novaehollandiae</i> (Black-faced Cuckoo-shrike)			
105.	24416 <i>Corvus bennetti</i> (Little Crow)			
106.	25592 <i>Corvus coronoides</i> (Australian Raven)			
107.	24417 <i>Corvus coronoides</i> subsp. <i>perplexus</i> (Australian Raven)			
108.	24671 <i>Coturnix pectoralis</i> (Stubble Quail)			
109.	24420 <i>Cracticus nigrogularis</i> (Pied Butcherbird)			
110.	25595 <i>Cracticus tibicen</i> (Australian Magpie)			
111.	24422 <i>Cracticus tibicen</i> subsp. <i>dorsalis</i> (White-backed Magpie)			
112.	24423 <i>Cracticus tibicen</i> subsp. <i>tibicen</i> (Black-backed Magpie)			
113.	25596 <i>Cracticus torquatus</i> (Grey Butcherbird)			
114.	24424 <i>Cracticus torquatus</i> subsp. <i>torquatus</i> (Grey Butcherbird)			
115.	<i>Cyanorhamphus auriceps</i>			Y
116.	24322 <i>Cygnus atratus</i> (Black Swan)			
117.	24323 <i>Cygnus olor</i> (Mute Swan)	Y		
118.	30901 <i>Dacelo novaeguineae</i> (Laughing Kookaburra)	Y		
119.	30902 <i>Dacelo novaeguineae</i> subsp. <i>novaeguineae</i> (Laughing Kookaburra)	Y		
120.	25673 <i>Daphoenositta chrysoptera</i> (Varied Sittella)			
121.	24606 <i>Daphoenositta chrysoptera</i> subsp. <i>pileata</i> (Varied Sittella, Black-capped Sittella)			
122.	24325 <i>Dendrocygna eytoni</i> (Plumed Whistling Duck)			
123.	25607 <i>Dicaeum hirundinaceum</i> (Mistletoebird)			
124.	24470 <i>Dromaius novaehollandiae</i> (Emu)			
125.	<i>Egretta garzetta</i>			
126.	<i>Egretta novaehollandiae</i>			
127.	<i>Elanus axillaris</i>			
128.	24290 <i>Elanus caeruleus</i> subsp. <i>axillaris</i> (Australian Black-shouldered Kite)			
129.	47937 <i>Elseya melanops</i> (Black-fronted Dotterel)			
130.	<i>Eolophus roseicapillus</i>			
131.	25692 <i>Eopsaltria australis</i> (Yellow Robin)			
132.	24651 <i>Eopsaltria australis</i> subsp. <i>griseogularis</i> (Western Yellow Robin)			
133.	24652 <i>Eopsaltria georgiana</i> (White-breasted Robin)			
134.	24567 <i>Epthianura albifrons</i> (White-fronted Chat)			
135.	24379 <i>Erythronyx cinctus</i> (Red-kneed Dotterel)			
136.	24368 <i>Eurostopodus argus</i> (Spotted Nightjar)			
137.	25621 <i>Falco berigora</i> (Brown Falcon)			
138.	24471 <i>Falco berigora</i> subsp. <i>berigora</i> (Brown Falcon)			
139.	25622 <i>Falco cenchroides</i> (Australian Kestrel, Nankeen Kestrel)			
140.	24472 <i>Falco cenchroides</i> subsp. <i>cenchrus</i> (Australian Kestrel, Nankeen Kestrel)			
141.	25623 <i>Falco longipennis</i> (Australian Hobby)			
142.	24474 <i>Falco longipennis</i> subsp. <i>longipennis</i> (Australian Hobby)			
143.	25624 <i>Falco peregrinus</i> (Peregrine Falcon)		S	
144.	24475 <i>Falco peregrinus</i> subsp. <i>macropus</i> (Australian Peregrine Falcon)		S	
145.	25727 <i>Fulica atra</i> (Eurasian Coot)			
146.	24761 <i>Fulica atra</i> subsp. <i>australis</i> (Eurasian Coot)			
147.	25729 <i>Gallinula tenebrosa</i> (Dusky Moorhen)			
148.	24763 <i>Gallinula tenebrosa</i> subsp. <i>tenebrosa</i> (Dusky Moorhen)			
149.	25730 <i>Gallirallus philippensis</i> (Buff-banded Rail)			
150.	24765 <i>Gallirallus philippensis</i> subsp. <i>mellori</i> (Buff-banded Rail)			
151.	<i>Gallus gallus</i>			
152.	24401 <i>Geopelia cuneata</i> (Diamond Dove)			
153.	25530 <i>Gerygone fusca</i> (Western Gerygone)			
154.	24271 <i>Gerygone fusca</i> subsp. <i>fusca</i> (Western Gerygone)			
155.	47962 <i>Glyciphila melanops</i> (Tawny-crowned Honeyeater)			
156.	<i>Gracula religiosa</i>			
157.	24443 <i>Grallina cyanoleuca</i> (Magpie-lark)			
158.	24487 <i>Haematopus longirostris</i> (Pied Oystercatcher)			
159.	24293 <i>Haliaeetus leucogaster</i> (White-bellied Sea-Eagle)			
160.	24295 <i>Haliastur sphenurus</i> (Whistling Kite)			
161.	24689 <i>Halobaena caerulea</i> (Blue Petrel)			
162.	24296 <i>Hamirostra isura</i> (Square-tailed Kite)			
163.	47965 <i>Hieraaetus morphnoides</i> (Little Eagle)			
164.	25734 <i>Himantopus himantopus</i> (Black-winged Stilt)			
165.	24491 <i>Hirundo neoxena</i> (Welcome Swallow)			
166.	48587 <i>Hydroprogne caspia</i> (Caspian Tern)		IA	
167.	24347 <i>Ixobrychus flavicollis</i> subsp. <i>australis</i> (Black Bittern (southwest subpop.), Australian Black Bittern)		P2	

	Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
168.	24367	<i>Lalage tricolor</i> (White-winged Triller)			
169.	24511	<i>Larus novaehollandiae</i> subsp. <i>novaehollandiae</i> (Silver Gull)			
170.	24557	<i>Leipoa ocellata</i> (Malleefowl)		T	
171.	25659	<i>Lichenostomus leucotis</i> (White-eared Honeyeater)			
172.	25661	<i>Lichmera indistincta</i> (Brown Honeyeater)			
173.	24582	<i>Lichmera indistincta</i> subsp. <i>indistincta</i> (Brown Honeyeater)			
174.		<i>Lophochroa leadbeateri</i>			
175.		<i>Lophoictinia isura</i>			
176.	24326	<i>Malacorhynchus membranaceus</i> (Pink-eared Duck)			
177.	25650	<i>Malurus elegans</i> (Red-winged Fairy-wren)			
178.	25651	<i>Malurus lamberti</i> (Variegated Fairy-wren)			
179.	25652	<i>Malurus leucopterus</i> (White-winged Fairy-wren)			
180.	24551	<i>Malurus pulcherrimus</i> (Blue-breasted Fairy-wren)			
181.	25654	<i>Malurus splendens</i> (Splendid Fairy-wren)			
182.	24552	<i>Malurus splendens</i> subsp. <i>splendens</i> (Splendid Fairy-wren)			
183.	24583	<i>Manorina flavigula</i> (Yellow-throated Miner)			
184.	25758	<i>Megalurus gramineus</i> (Little Grassbird)			
185.	47997	<i>Melanodryas cucullata</i> (Hooded Robin)			
186.	25663	<i>Melithreptus brevirostris</i> (Brown-headed Honeyeater)			
187.	24587	<i>Melithreptus chloropsis</i> (Western White-naped Honeyeater)			
188.	24736	<i>Melopsittacus undulatus</i> (Budgerigar)			
189.	24598	<i>Merops ornatus</i> (Rainbow Bee-eater)			
190.		<i>Microcarbo melanoleucos</i>			
191.	25693	<i>Microeca fascians</i> (Jacky Winter)			
192.	25542	<i>Milvus migrans</i> (Black Kite)			
193.	25610	<i>Myiagra inquieta</i> (Restless Flycatcher)			
194.	25686	<i>Neochmia temporalis</i> (Red-browed Finch)	Y		
195.	24640	<i>Neochmia temporalis</i> subsp. <i>temporalis</i> (Red-browed Finch)	Y		Y
196.	24738	<i>Neophema elegans</i> (Elegant Parrot)			
197.	24739	<i>Neophema petrophila</i> (Rock Parrot)			
198.		<i>Neophema pulchella</i>			
199.	25747	<i>Ninox connivens</i> (Barking Owl)			
200.	25564	<i>Nycticorax caledonicus</i> (Rufous Night Heron)			
201.	24742	<i>Nymphicus hollandicus</i> (Cockatiel)			
202.	24407	<i>Ocyphaps lophotes</i> (Crested Pigeon)			
203.	24328	<i>Oxyura australis</i> (Blue-billed Duck)		P4	
204.	48046	<i>Pachycephala occidentalis</i> (Western Golden Whistler, Western Whistler)			
205.	25680	<i>Pachycephala rufiventris</i> (Rufous Whistler)			
206.	24624	<i>Pachycephala rufiventris</i> subsp. <i>rufiventris</i> (Rufous Whistler)			
207.	48591	<i>Pandion cristatus</i> (Osprey, Eastern Osprey)		IA	
208.	25681	<i>Pardalotus punctatus</i> (Spotted Pardalote)			
209.	24625	<i>Pardalotus punctatus</i> subsp. <i>punctatus</i> (Spotted Pardalote)			
210.	24626	<i>Pardalotus punctatus</i> subsp. <i>xanthopyge</i> (Yellow-rumped Pardalote)			
211.	25682	<i>Pardalotus striatus</i> (Striated Pardalote)			
212.	24630	<i>Pardalotus striatus</i> subsp. <i>westraliensis</i> (Striated Pardalote)			
213.	25687	<i>Passer domesticus</i> (House Sparrow)	Y		
214.	24674	<i>Pavo cristatus</i> (Common Peafowl, Indian Peafowl)	Y		
215.	24648	<i>Pelecanus conspicillatus</i> (Australian Pelican)			
216.	48060	<i>Petrochelidon ariel</i> (Fairy Martin)			
217.	48061	<i>Petrochelidon nigricans</i> (Tree Martin)			
218.	48066	<i>Petroica boodang</i> (Scarlet Robin)			
219.	24659	<i>Petroica goodenovii</i> (Red-capped Robin)			
220.	25697	<i>Phalacrocorax carbo</i> (Great Cormorant)			
221.	25698	<i>Phalacrocorax melanoleucos</i> (Little Pied Cormorant)			
222.	24667	<i>Phalacrocorax sulcirostris</i> (Little Black Cormorant)			
223.	25699	<i>Phalacrocorax varius</i> (Pied Cormorant)			
224.	24409	<i>Phaps chalcoptera</i> (Common Bronzewing)			
225.	25587	<i>Phaps elegans</i> (Brush Bronzewing)			
226.	48071	<i>Phylidonyris niger</i> (White-cheeked Honeyeater)			
227.	24596	<i>Phylidonyris novaehollandiae</i> (New Holland Honeyeater)			
228.	24841	<i>Platalea flavipes</i> (Yellow-billed Spoonbill)			
229.	24842	<i>Platalea regia</i> (Royal Spoonbill)			
230.	25720	<i>Platycercus icterotis</i> (Western Rosella)			
231.	24745	<i>Platycercus icterotis</i> subsp. <i>icterotis</i> (Western Rosella)			
232.	24747	<i>Platycercus spurius</i> (Red-capped Parrot)			
233.	25721	<i>Platycercus zonarius</i> (Australian Ringneck, Ring-necked Parrot)			
234.	24750	<i>Platycercus zonarius</i> subsp. <i>semitorquatus</i> (Twenty-eight Parrot)			
235.	24751	<i>Platycercus zonarius</i> subsp. <i>zonarius</i> (Port Lincoln Parrot)			
236.	24843	<i>Plegadis falcinellus</i> (Glossy Ibis)		IA	
237.	25703	<i>Podargus strigoides</i> (Tawny Frogmouth)			

Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
238.	24679 <i>Podargus strigoides</i> subsp. <i>brachypterus</i> (Tawny Frogmouth)			
239.	25704 <i>Podiceps cristatus</i> (Great Crested Grebe)			
240.	24680 <i>Podiceps cristatus</i> subsp. <i>australis</i> (Great Crested Grebe)			
241.	24681 <i>Poliiocephalus poliocephalus</i> (Hoary-headed Grebe)			
242.	25722 <i>Polytelis anthopeplus</i> (Regent Parrot)			
243.	24683 <i>Pomatostomus superciliosus</i> (White-browed Babbler)			
244.	25731 <i>Porphyrio porphyrio</i> (Purple Swamphen)			
245.	24767 <i>Porphyrio porphyrio</i> subsp. <i>bellus</i> (Purple Swamphen)			
246.	24769 <i>Porzana fluminea</i> (Australian Spotted Crake)			
247.	25732 <i>Porzana pusilla</i> (Baillon's Crake)			
248.	24770 <i>Porzana pusilla</i> subsp. <i>palustris</i> (Baillon's Crake)			
249.	24771 <i>Porzana tabuensis</i> (Spotless Crake)			
250.	24702 <i>Pterodroma brevirostris</i> (Kerguelen Petrel)			
251.	24703 <i>Pterodroma lessonii</i> (White-headed Petrel)			
252.	25710 <i>Pterodroma macroptera</i> (Great-winged Petrel)			
253.	<i>Purpureicephalus spurius</i>			
254.	24776 <i>Recurvirostra novaehollandiae</i> (Red-necked Avocet)			
255.	48096 <i>Rhipidura albiscapa</i> (Grey Fantail)			
256.	25614 <i>Rhipidura leucophrys</i> (Willie Wagtail)			
257.	24454 <i>Rhipidura leucophrys</i> subsp. <i>leucophrys</i> (Willie Wagtail)			
258.	25534 <i>Sericornis frontalis</i> (White-browed Scrubwren)			
259.	24279 <i>Sericornis frontalis</i> subsp. <i>maculatus</i> (White-browed Scrubwren)			
260.	30948 <i>Smicronis brevirostris</i> (Weebill)			
261.	24645 <i>Stagonopleura oculata</i> (Red-eared Firetail)			
262.	24525 <i>Sterna fuscata</i> subsp. <i>nubilosa</i> (Sooty Tern)			
263.	24329 <i>Stictonetta naevosa</i> (Freckled Duck)			
264.	25655 <i>Stipiturus malachurus</i> (Southern Emu-wren)			
265.	25597 <i>Strepera versicolor</i> (Grey Currawong)			
266.	25589 <i>Streptopelia chinensis</i> (Spotted Turtle-Dove)	Y		
267.	30951 <i>Streptopelia chinensis</i> subsp. <i>tigrina</i> (Spotted Turtle-Dove)	Y		
268.	25590 <i>Streptopelia senegalensis</i> (Laughing Turtle-Dove)	Y		
269.	30950 <i>Streptopelia senegalensis</i> subsp. <i>senegalensis</i> (Laughing Turtle-Dove)	Y		
270.	25705 <i>Tachybaptus novaehollandiae</i> (Australasian Grebe, Black-throated Grebe)			
271.	24682 <i>Tachybaptus novaehollandiae</i> subsp. <i>novaehollandiae</i> (Australasian Grebe, Black-throated Grebe)			
272.	24331 <i>Tadorna tadornoides</i> (Australian Shelduck, Mountain Duck)			
273.	48597 <i>Thalasseus bergii</i> (Crested Tern)		IA	
274.	48136 <i>Threskiornis moluccus</i> (Australian White Ibis)			
275.	24845 <i>Threskiornis spinicollis</i> (Straw-necked Ibis)			
276.	25549 <i>Todiramphus sanctus</i> (Sacred Kingfisher)			
277.	24309 <i>Todiramphus sanctus</i> subsp. <i>sanctus</i> (Sacred Kingfisher)			
278.	48141 <i>Tribonyx ventralis</i> (Black-tailed Native-hen)			
279.	25723 <i>Trichoglossus haematodus</i> (Rainbow Lorikeet)			
280.	24755 <i>Trichoglossus haematodus</i> subsp. <i>moluccanus</i> (Rainbow Lorikeet)	Y		
281.	24754 <i>Trichoglossus haematodus</i> subsp. <i>rubritorquis</i> (Red-collared Lorikeet)			
282.	24806 <i>Tringa glareola</i> (Wood Sandpiper)		IA	
283.	24808 <i>Tringa nebularia</i> (Common Greenshank, greenshank)		IA	
284.	48147 <i>Turnix varius</i> (Painted Button-quail)			
285.	24851 <i>Turnix velox</i> (Little Button-quail)			
286.	25762 <i>Tyto alba</i> (Barn Owl)			
287.	24852 <i>Tyto alba</i> subsp. <i>delicatula</i> (Barn Owl)			
288.	25764 <i>Tyto novaehollandiae</i> (Masked Owl)			
289.	25577 <i>Vanellus miles</i> (Masked Lapwing)			
290.	24386 <i>Vanellus tricolor</i> (Banded Lapwing)			
291.	25765 <i>Zosterops lateralis</i> (Grey-breasted White-eye, Silvereye)			

Bryopsid (Moss)

292.	32314 <i>Archidium rehmannii</i>			
293.	32315 <i>Barbula calycina</i>			
294.	32318 <i>Barbula indica</i>			
295.	32321 <i>Bartramia breutelii</i>			
296.	32459 <i>Bartramia hampeana</i> subsp. <i>hampei</i>			
297.	32323 <i>Bartramia pseudostricta</i>			
298.	44532 <i>Bryoerythrophyllum dubium</i>			
299.	32330 <i>Bryum argenteum</i>			
300.	32331 <i>Bryum lanatum</i>			
301.	32460 <i>Campylopus acuminatus</i> var. <i>kirkii</i>			
302.	32334 <i>Campylopus australis</i>			
303.	32461 <i>Campylopus bicolor</i> var. <i>bicolor</i>			
304.	32337 <i>Campylopus flindersii</i>			
305.	32338 <i>Campylopus introflexus</i>			

Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
		Y		
306.	32462 <i>Ceratodon purpureus</i> subsp. <i>convolutus</i>			
307.	32345 <i>Didymodon australasiae</i>			
308.	32346 <i>Didymodon torquatus</i>			
309.	32347 <i>Ditrichum difficile</i>			
310.	32348 <i>Eccremidium arcuatum</i>			
311.	32350 <i>Eccremidium minutum</i>			Y
312.	32351 <i>Eccremidium pulchellum</i>			
313.	32353 <i>Entosthodon apophysatus</i>			
314.	32354 <i>Entosthodon productus</i>			
315.	32463 <i>Entosthodon subnudus</i> var. <i>gracilis</i>			
316.	32367 <i>Fissidens megalotis</i>			
317.	32368 <i>Fissidens taylorii</i>			
318.	32469 <i>Fissidens taylorii</i> var. <i>taylorii</i>			
319.	32370 <i>Funaria hygrometrica</i>			
320.	32374 <i>Gemmabryum cheelii</i>			
321.	32375 <i>Gemmabryum chrysoneuron</i>			
322.	32376 <i>Gemmabryum dichotomum</i>			
323.	32379 <i>Gemmabryum inaequale</i>			
324.	32380 <i>Gemmabryum pachythecum</i>			
325.	32381 <i>Gemmabryum preissianum</i>			
326.	32383 <i>Gemmabryum sullivanii</i>			
327.	32384 <i>Gigaspermum repens</i>			
328.	32386 <i>Grimmia laevigata</i>			
329.	32409 <i>Philonotis australiensis</i>			
330.	32411 <i>Philonotis tenuis</i>			
331.	32413 <i>Pleuridium ecklonii</i>			
332.	32478 <i>Pleuridium nervosum</i> var. <i>nervosum</i>			
333.	32417 <i>Ptychostomum angustifolium</i>			
334.	32424 <i>Rosulabryum albolimbatum</i>			
335.	44608 <i>Rosulabryum billardieri</i>			
336.	32426 <i>Rosulabryum campylothecium</i>			
337.	32427 <i>Rosulabryum capillare</i>			
338.	32428 <i>Rosulabryum submentosum</i>			
339.	32429 <i>Rosulabryum torquescens</i>			
340.	32432 <i>Schizymenium bryoides</i>			
341.	32433 <i>Sematophyllum homomallum</i>			
342.	32483 <i>Sematophyllum subhumile</i> var. <i>contiguum</i>			
343.	32437 <i>Syntrichia antarctica</i>			
344.	32438 <i>Syntrichia pagorum</i>			
345.	32440 <i>Tayloria octoblepharum</i>			
346.	32441 <i>Tetrapterum cylindricum</i>			
347.	32445 <i>Tortula muralis</i>			
348.	<i>Tortula recurvata</i>			
349.	46394 <i>Triquetrella paradoxa</i>			
350.	32455 <i>Weissia controversa</i>			
351.	32456 <i>Weissia rutilans</i>			

Dicotyledon

352.	19708 <i>Abutilon grandifolium</i>	Y		
353.	3207 <i>Acacia alata</i> (Winged Wattle)			
354.	15429 <i>Acacia alata</i> var. <i>alata</i>			
355.	3219 <i>Acacia anomala</i> (Grass Wattle)		T	
356.	3220 <i>Acacia aphylla</i> (Leafless Rock Wattle)		T	
357.	15466 <i>Acacia applanata</i>			
358.	3231 <i>Acacia auronitens</i>			
359.	18285 <i>Acacia baileyana</i>	Y		
360.	3233 <i>Acacia barbinervis</i>			
361.	15469 <i>Acacia barbinervis</i> subsp. <i>barbinervis</i>			
362.	3237 <i>Acacia benthamii</i>		P2	
363.	3254 <i>Acacia celastrifolia</i> (Glowing Wattle)			
364.	3271 <i>Acacia costata</i>			
365.	3282 <i>Acacia cyclops</i> (Coastal Wattle)			
366.	17858 <i>Acacia dealbata</i>	Y		
367.	16975 <i>Acacia decurrens</i>	Y		
368.	3294 <i>Acacia dentifera</i>			
369.	3307 <i>Acacia divergens</i>			
370.	11926 <i>Acacia drewiana</i> subsp. <i>drewiana</i>			
371.	3311 <i>Acacia drummondii</i> (Drummond's Wattle)			
372.	11229 <i>Acacia drummondii</i> subsp. <i>affinis</i>		P3	
373.	11661 <i>Acacia drummondii</i> subsp. <i>drummondii</i>			

	Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
374.	11192	<i>Acacia drummondii</i> subsp. <i>elegans</i>			
375.	18287	<i>Acacia elata</i>	Y		
376.	3320	<i>Acacia ephedroides</i>			
377.	3323	<i>Acacia ericifolia</i>			
378.	3331	<i>Acacia extensa</i> (Wiry Wattle)			
379.	3373	<i>Acacia horridula</i>		P3	
380.	3374	<i>Acacia huegelii</i>			
381.	3382	<i>Acacia incrassata</i>			
382.	3383	<i>Acacia incurva</i>			
383.	18217	<i>Acacia iteaphylla</i>	Y		
384.	3409	<i>Acacia lasiocarpa</i> (Panjang)			
385.	14932	<i>Acacia lasiocarpa</i> var. <i>bracteolata</i> long peduncle variant (G.J. Keighery 5026)		P1	
386.	11611	<i>Acacia lasiocarpa</i> var. <i>lasiocarpa</i>			
387.	15721	<i>Acacia lasiocarpa</i> var. <i>sedifolia</i>			
388.	3410	<i>Acacia lateriticola</i>			
389.	15476	<i>Acacia latipes</i> subsp. <i>latipes</i>			
390.	17861	<i>Acacia longifolia</i>	Y		
391.	17464	<i>Acacia longifolia</i> subsp. <i>longifolia</i>	Y		
392.	18597	<i>Acacia longifolia</i> subsp. <i>sophorae</i>	Y		
393.	3442	<i>Acacia microbotrya</i> (Manna Wattle, Kalyang)			
394.	3454	<i>Acacia nervosa</i> (Rib Wattle)			
395.	3464	<i>Acacia obovata</i>			
396.	3469	<i>Acacia oncinophylla</i>			Y
397.	14129	<i>Acacia oncinophylla</i> subsp. <i>oncinophylla</i>		P3	
398.	14131	<i>Acacia oncinophylla</i> subsp. <i>patulifolia</i>		P4	
399.	3482	<i>Acacia paradoxa</i> (Kangaroo Thorn)	Y		
400.		<i>Acacia parramattensis</i>			
401.	17860	<i>Acacia podalyriifolia</i>	Y		
402.	3502	<i>Acacia pulchella</i> (Prickly Moses)			
403.	15481	<i>Acacia pulchella</i> var. <i>glaberrima</i>			
404.	15482	<i>Acacia pulchella</i> var. <i>goadbyi</i>			
405.	15483	<i>Acacia pulchella</i> var. <i>pulchella</i>			
406.	3504	<i>Acacia pycnantha</i> (Golden Wattle)	Y		
407.	3527	<i>Acacia saligna</i> (Orange Wattle, Kudjong)			
408.	30033	<i>Acacia saligna</i> subsp. <i>lindleyi</i>			
409.	30034	<i>Acacia saligna</i> subsp. <i>pruinescens</i>			
410.	30032	<i>Acacia saligna</i> subsp. <i>saligna</i>			
411.	3541	<i>Acacia sessilis</i>			
412.	3557	<i>Acacia stenoptera</i> (Narrow Winged Wattle)			
413.	16151	<i>Acacia subflexuosa</i> subsp. <i>subflexuosa</i>			
414.	3574	<i>Acacia teretifolia</i>			
415.	3591	<i>Acacia urophylla</i>			
416.	3602	<i>Acacia willdenowiana</i> (Grass Wattle)			
417.	3184	<i>Acaena echinata</i> (Sheep's Burr)			
418.	7811	<i>Acanthospermum hispidum</i> (Starburr)	Y		
419.	6203	<i>Actinotus glomeratus</i>			
420.	6205	<i>Actinotus leucocephalus</i> (Flannel Flower)			
421.	14970	<i>Adenanthos barbiger</i>			
422.	1775	<i>Adenanthos cygnorum</i> (Common Woollybush)			
423.	11336	<i>Adenanthos cygnorum</i> subsp. <i>chamaephyton</i>		P3	
424.	11837	<i>Adenanthos cygnorum</i> subsp. <i>cygnorum</i> (Common Woollybush)			
425.	1791	<i>Adenanthos obovatus</i> (Basket Flower)			
426.	18396	<i>Aeonium haworthii</i>	Y		
427.	5316	<i>Agonis flexuosa</i> (Peppermint, Wonil)			
428.	48513	<i>Aizoon pubescens</i>	Y		
429.	1728	<i>Allocasuarina fraseriana</i> (Sheoak, Kondil)			
430.	1729	<i>Allocasuarina grevilleoides</i>		P3	
431.	1731	<i>Allocasuarina huegeliana</i> (Rock Sheoak, Kwowl)			
432.	1732	<i>Allocasuarina humilis</i> (Dwarf Sheoak)			
433.		<i>Allocasuarina littoralis</i>			Y
434.	1734	<i>Allocasuarina microstachya</i>			
435.	1739	<i>Allocasuarina thuyoides</i> (Horned Sheoak)			
436.	2648	<i>Alternanthera denticulata</i> (Lesser Joyweed)			
437.	2652	<i>Alternanthera nodiflora</i> (Common Joyweed)			
438.	2655	<i>Amaranthus albus</i> (Tumbleweed)	Y		
439.	2656	<i>Amaranthus caudatus</i> (Love Lies Bleeding)	Y		
440.	2668	<i>Amaranthus powellii</i> (Powell's Amaranth)	Y		
441.	7820	<i>Ambrosia artemisiifolia</i> (Annual Ragweed, Bitterweed, Hay-feverweed, Hog-weed)	Y		
442.	7821	<i>Ambrosia psilostachya</i> (Perennial Ragweed)	Y		
443.	6209	<i>Ammi majus</i> (Bishop's Weed)	Y		

	Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
444.	13267	<i>Amyema linophylla</i> subsp. <i>linophylla</i>			
445.	2380	<i>Amyema miquelii</i> (Stalked Mistletoe)			
446.	2383	<i>Amyema preissii</i> (Wireleaf Mistletoe)			
447.	6300	<i>Andersonia aristata</i> (Rice Flower)			
448.	6309	<i>Andersonia gracilis</i>		T	
449.	6311	<i>Andersonia heterophylla</i>			
450.	6312	<i>Andersonia involucrata</i>			
451.	6314	<i>Andersonia lehmanniana</i>			
452.	11471	<i>Andersonia lehmanniana</i> subsp. <i>lehmanniana</i>			
453.	11606	<i>Andersonia lehmanniana</i> subsp. <i>pubescens</i>			
454.	6317	<i>Andersonia micrantha</i>			
455.	41732	<i>Andersonia</i> sp. <i>Blepharifolia</i> (F. & J. Hort 1919)		P2	Y
456.	7833	<i>Angianthus preissianus</i>			
457.	17455	<i>Anredera cordifolia</i>	Y		
458.	11454	<i>Anthocercis anisantha</i> subsp. <i>anisantha</i>			
459.	6946	<i>Anthocercis gracilis</i> (Slender Tailflower)		T	
460.	12724	<i>Anthotium junciforme</i>			
461.	3686	<i>Aotus cordifolia</i>			
462.	3688	<i>Aotus gracillima</i>			
463.	3692	<i>Aotus procumbens</i>			
464.	12040	<i>Apium prostratum</i> subsp. <i>prostratum</i> var. <i>prostratum</i> (Sea Celery)			
465.	17355	<i>Araujia sericifera</i>	Y		
466.	7838	<i>Arctotheca calendula</i> (Cape Weed, African Marigold)	Y		
467.	19718	<i>Aristolochia grandiflora</i>	Y		Y
468.	28288	<i>Artemisia arborescens</i> (Silver Wormwood)	Y		
469.		<i>Astartea</i> aff. <i>fascicularis</i> sthst			
470.	20350	<i>Astartea affinis</i> (West-coast Astartea)			
471.	20249	<i>Astartea leptophylla</i> (River-bank Astartea)			
472.	20283	<i>Astartea scoparia</i> (Common Astartea)			
473.	7849	<i>Asteridea gracilis</i>		P3	
474.	7851	<i>Asteridea pulverulenta</i> (Common Bristle Daisy)			
475.	4400	<i>Asterolasia pallida</i>			
476.	6323	<i>Astroloma ciliatum</i> (Candle Cranberry)			
477.	6327	<i>Astroloma foliosum</i> (Candle Cranberry)			Y
478.	6328	<i>Astroloma glaucescens</i>			
479.	6330	<i>Astroloma macrocalyx</i> (Swan Berry)			
480.	6334	<i>Astroloma pallidum</i> (Kick Bush)			
481.	6336	<i>Astroloma serratifolium</i> (Kondrung)			
482.	6337	<i>Astroloma stomarrhena</i> (Red Swamp Cranberry)			
483.	6339	<i>Astroloma xerophyllum</i>			
484.	2457	<i>Atriplex exilifolia</i>			
485.	2462	<i>Atriplex hypoleuca</i>			
486.	2471	<i>Atriplex prostrata</i> (Hastate Orache)	Y		
487.	36441	<i>Babingtonia camphorosmae</i> (Camphor Myrtle)			
488.	45403	<i>Babingtonia pelloeae</i> (Pelloe's Babingtonia)			
489.	45402	<i>Babingtonia urbana</i> (Coastal Plain Babingtonia)		P3	
490.	32682	<i>Banksia armata</i> var. <i>armata</i>			
491.	1800	<i>Banksia attenuata</i> (Slender Banksia, Piara)			
492.	32678	<i>Banksia bipinnatifida</i> subsp. <i>bipinnatifida</i>			
493.	32576	<i>Banksia dallanneyi</i> (Couch Honeypot)			
494.	32580	<i>Banksia dallanneyi</i> subsp. <i>dallanneyi</i> var. <i>dallanneyi</i>			
495.	32577	<i>Banksia dallanneyi</i> subsp. <i>dallanneyi</i> var. <i>mellicula</i>			
496.	32616	<i>Banksia dallanneyi</i> subsp. <i>sylvestris</i>			
497.	32523	<i>Banksia fraseri</i> var. <i>fraseri</i>			
498.	1819	<i>Banksia grandis</i> (Bull Banksia, Pulgarla)			
499.	1822	<i>Banksia ilicifolia</i> (Holly-leaved Banksia)			
500.	1823	<i>Banksia incana</i>			
501.	33399	<i>Banksia incana</i> var. <i>incana</i>			
502.	32214	<i>Banksia kippistiana</i>			
503.	32216	<i>Banksia kippistiana</i> var. <i>paenepeccata</i>		P3	
504.	1830	<i>Banksia littoralis</i> (Swamp Banksia, Pungura)			
505.	1834	<i>Banksia menziesii</i> (Firewood Banksia)			
506.	32211	<i>Banksia mimica</i> (Summer Honeypot)		T	
507.	32202	<i>Banksia nivea</i> (Honeypot Dryandra, Pudjarn)			
508.	1842	<i>Banksia prionotes</i> (Acorn Banksia)			
509.	32138	<i>Banksia pteridifolia</i> subsp. <i>vernalis</i>		P3	
510.	32080	<i>Banksia sessilis</i> var. <i>sessilis</i>			
511.	12111	<i>Banksia sphaerocarpa</i> var. <i>sphaerocarpa</i> (Fox Banksia)			
512.	32045	<i>Banksia squarrosa</i> subsp. <i>squarrosa</i>			
513.	1852	<i>Banksia telmatiaea</i> (Swamp Fox Banksia)			

	Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
514.	32054	<i>Banksia undata</i> var. <i>undata</i>			
515.	32031	<i>Banksia vestita</i> (Summer Dryandra)			
516.	1855	<i>Banksia victoriae</i> (Woolly Orange Banksia)			
517.	5385	<i>Beaufortia incana</i> (Grey-leaved Beaufortia)			
518.	5387	<i>Beaufortia macrostemon</i> (Darling Range Beaufortia)			
519.	5390	<i>Beaufortia purpurea</i> (Purple Beaufortia)		P3	
520.	5393	<i>Beaufortia squarrosa</i> (Sand Beaufortia, Sand Bottlebrush, Puno)			
521.	7046	<i>Bellardia trixago</i> (Bellardia)	Y		
522.	48868	<i>Bellardia viscosa</i>	Y		
523.	4598	<i>Beyeria lechenaultii</i> (Pale Turpentine Bush)			
524.	7855	<i>Bidens pilosa</i> (Cobbler's Pegs)	Y		
525.	3157	<i>Billardiera floribunda</i> (White-flowered Billardiera)			
526.	25788	<i>Billardiera fraseri</i> (Elegant Pronaya)			
527.	25798	<i>Billardiera fusiformis</i> (Australian Bluebell)			
528.	25796	<i>Billardiera heterophylla</i> (Australian Bluebell)			
529.	3165	<i>Billardiera variifolia</i>			
530.	4406	<i>Boronia busselliana</i>			
531.	4413	<i>Boronia crenulata</i> (Aniseed Boronia)			
532.	11503	<i>Boronia crenulata</i> subsp. <i>crenulata</i> var. <i>crenulata</i>			
533.	16636	<i>Boronia crenulata</i> subsp. <i>viminea</i>			
534.	4414	<i>Boronia cymosa</i> (Granite Boronia)			
535.	4415	<i>Boronia defoliata</i>			
536.	4417	<i>Boronia dichotoma</i>			
537.	4420	<i>Boronia fastigiata</i> (Bushy Boronia)			
538.	16618	<i>Boronia humifusa</i>		P1	
539.	4432	<i>Boronia ovata</i>			
540.	17665	<i>Boronia purdieana</i> subsp. <i>purdieana</i>			
541.	4438	<i>Boronia ramosa</i>			
542.	11381	<i>Boronia ramosa</i> subsp. <i>anethifolia</i>			
543.	11564	<i>Boronia ramosa</i> subsp. <i>ramosa</i>			
544.	4441	<i>Boronia spathulata</i> (Boronia)			
545.	4443	<i>Boronia subsessilis</i>			
546.	4444	<i>Boronia tenuis</i> (Blue Boronia)		P4	
547.	48782	<i>Bossiaea angustifolia</i>			
548.	3704	<i>Bossiaea aquifolium</i> (Water Bush, Nedik)			
549.	14396	<i>Bossiaea aquifolium</i> subsp. <i>aquifolium</i>			
550.	3710	<i>Bossiaea eriocarpa</i> (Common Brown Pea)			
551.	14290	<i>Bossiaea modesta</i>		P2	
552.	3714	<i>Bossiaea ornata</i> (Broad Leaved Brown Pea)			
553.	3717	<i>Bossiaea pulchella</i>			
554.	3718	<i>Bossiaea rufa</i>			
555.	3719	<i>Bossiaea spinescens</i>			
556.	6341	<i>Brachyloma preissii</i> (Globe Heath)			
557.	7867	<i>Brachyscome bellidioides</i>			
558.	7875	<i>Brachyscome glandulosa</i>			
559.	7878	<i>Brachyscome iberidifolia</i>			
560.	7882	<i>Brachyscome perpusilla</i>			
561.	7883	<i>Brachyscome pusilla</i>			
562.	2993	<i>Brassica fruticulosa</i> (Twiggy Turnip)	Y		
563.	2997	<i>Brassica oleracea</i>	Y		
564.	3000	<i>Brassica tournefortii</i> (Mediterranean Turnip)	Y		
565.	3178	<i>Byblis gigantea</i> (Rainbow Plant)		P3	
566.	2846	<i>Calandrinia calyptata</i> (Pink Purslane)			
567.	2848	<i>Calandrinia corrigioloides</i> (Strap Purslane)			
568.	2854	<i>Calandrinia granulifera</i> (Pygmy Purslane)			
569.	2856	<i>Calandrinia liniflora</i> (Parakeelya)			
570.	16365	<i>Calandrinia</i> sp. <i>Kenwick</i> (G.J. Keighery 10905)			
571.	20096	<i>Calandrinia</i> sp. <i>Piawaning</i> (A.C. Beaglehole 12257)		P1	
572.	10861	<i>Callistachys lanceolata</i> (Wonnich)			
573.	5395	<i>Callistemon phoeniceus</i> (Lesser Bottlebrush, Dubarda)			
574.	4717	<i>Callitriche stagnalis</i> (Common Starwort)	Y		
575.	5396	<i>Calothamnus accedens</i>		P4	
576.	11333	<i>Calothamnus graniticus</i> subsp. <i>leptophyllus</i>		P4	
577.	5411	<i>Calothamnus hirsutus</i>			
578.	5415	<i>Calothamnus lateralis</i>			
579.	5425	<i>Calothamnus preissii</i>			
580.	5426	<i>Calothamnus quadrifidus</i> (One-sided Bottlebrush, Kwoondjard)			
581.	35816	<i>Calothamnus quadrifidus</i> subsp. <i>quadrifidus</i>			
582.	5428	<i>Calothamnus rupestris</i> (Mouse Ears)			
583.	5429	<i>Calothamnus sanguineus</i> (Silky-leaved Blood flower, Pindak)			

	Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
584.	5431	<i>Calothamnus torulosus</i>			
585.	5434	<i>Calothamnus villosus</i>			
586.	7902	<i>Calotis erinacea</i> (Tangled Burr-daisy)			
587.	16492	<i>Calycopeplus paucifolius</i>			
588.	5437	<i>Calytrix acutifolia</i>			
589.	5439	<i>Calytrix angulata</i> (Yellow Starflower)			
590.	5441	<i>Calytrix aurea</i>			
591.	13653	<i>Calytrix breviseta</i> subsp. <i>breviseta</i>		T	Y
592.	5450	<i>Calytrix depressa</i>			
593.	5458	<i>Calytrix flavescens</i> (Summer Starflower)			
594.	5460	<i>Calytrix fraseri</i> (Pink Summer Calytrix)			
595.	5461	<i>Calytrix glutinosa</i>			
596.	5465	<i>Calytrix leschenaultii</i>			
597.	5476	<i>Calytrix sapphirina</i>			
598.	13656	<i>Calytrix simplex</i> subsp. <i>simplex</i>		P1	
599.	13655	<i>Calytrix simplex</i> subsp. <i>suboppositifolia</i>			
600.		<i>Calytrix</i> sp.			
601.	5485	<i>Calytrix variabilis</i>			
602.	19713	<i>Campsis radicans</i>	Y		
603.	7909	<i>Carduus pycnocephalus</i> (Slender Thistle)	Y		
604.	11351	<i>Cassytha aurea</i> var. <i>hirta</i>			
605.	2951	<i>Cassytha flava</i> (Dodder Laurel)			
606.	2952	<i>Cassytha glabella</i> (Tangled Dodder Laurel)			
607.	11501	<i>Cassytha glabella</i> forma <i>casuarinae</i>			
608.	11211	<i>Cassytha glabella</i> forma <i>dispar</i>			
609.	11857	<i>Cassytha glabella</i> forma <i>glabella</i>			
610.	2954	<i>Cassytha micrantha</i>			
611.	2956	<i>Cassytha pomiformis</i> (Dodder Laurel)			
612.	2957	<i>Cassytha racemosa</i> (Dodder Laurel)			
613.	11242	<i>Cassytha racemosa</i> forma <i>pilosa</i>			
614.	11799	<i>Cassytha racemosa</i> forma <i>racemosa</i>			
615.		<i>Cassytha</i> sp. <i>scps</i>			Y
616.	18314	<i>Casuarina cunninghamiana</i> subsp. <i>cunninghamiana</i>	Y		
617.	18321	<i>Casuarina glauca</i>	Y		
618.	1742	<i>Casuarina obesa</i> (Swamp Sheoak, Kuli)			
619.	7916	<i>Centaurea melitensis</i> (Maltese Cockspur, Malta Thistle)	Y		
620.	7917	<i>Centaurea solstitialis</i> (St Barnaby's Thistle, Yellow Star Thistle)	Y		
621.	6539	<i>Centaureum erythraea</i> (Common Centaury)	Y		
622.	6542	<i>Centaureum tenuiflorum</i>	Y		
623.	6214	<i>Centella asiatica</i>			
624.	7918	<i>Centipeda cunninghamii</i> (Common Sneezewood, Gukwonderuk, Old Man Weed)			
625.	7366	<i>Centranthus macrosiphon</i>	Y		
626.	35322	<i>Centranthus ruber</i> subsp. <i>ruber</i>	Y		
627.		<i>Centratherum punctatum</i>			
628.	2889	<i>Cerastium glomeratum</i> (Mouse Ear Chickweed)	Y		
629.	18156	<i>Chamaecytisus palmensis</i> (Tagasaste)	Y		
630.	5498	<i>Chamelaucium uncinatum</i> (Geraldton Wax)			
631.	3169	<i>Cheiranthra preissiana</i>			
632.	2483	<i>Chenopodium album</i> (Fat Hen)	Y		
633.	8971	<i>Chorizema cordatum</i>			
634.	3753	<i>Chorizema dicksonii</i> (Yellow-eyed Flame Pea)			
635.	12765	<i>Chorizema nanum</i>			
636.	3761	<i>Chorizema rhombeum</i>			
637.	11900	<i>Chrysanthemoides monilifera</i> subsp. <i>monilifera</i>	Y		
638.	7933	<i>Chthonocephalus pseudevax</i> (Woolly Groundheads)			
639.	6543	<i>Cicendia filiformis</i> (Slender Cicendia)	Y		
640.	7935	<i>Cichorium intybus</i> (Chicory)	Y		
641.	18303	<i>Cinnamomum camphora</i>	Y		
642.	7937	<i>Cirsium vulgare</i> (Spear Thistle, Scotch Thistle)	Y		
643.	48838	<i>Citrullus amarus</i>	Y		
644.	2929	<i>Clematis pubescens</i> (Common Clematis)			
645.	4550	<i>Comesperma calymega</i> (Blue-spike Milkwort)			
646.	4551	<i>Comesperma ciliatum</i>			
647.	4554	<i>Comesperma flavum</i>			
648.	14663	<i>Comesperma griffinii</i>		P2	
649.	4559	<i>Comesperma polygaloides</i> (Small Milkwort)			
650.	4560	<i>Comesperma rhadinocarpum</i> (Slender-fruited Comesperma)		P3	
651.		<i>Comesperma</i> sp. <i>Brix1R</i> (possibly <i>virigatum</i>)			Y
652.	4564	<i>Comesperma virgatum</i> (Milkwort)			
653.	4566	<i>Comesperma volubile</i> (Love Creeper)			

	Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
654.	48634	<i>Commersonia corniculata</i>			
655.	1857	<i>Conospermum acerosum</i> (Needle-leaved Smokebush)			
656.	15607	<i>Conospermum acerosum</i> subsp. <i>acerosum</i>			
657.	1858	<i>Conospermum amoenum</i> (Blue Smokebush)			
658.	16857	<i>Conospermum amoenum</i> subsp. <i>amoenum</i>			
659.	15513	<i>Conospermum boreale</i> subsp. <i>boreale</i>			
660.	15041	<i>Conospermum canaliculatum</i>			
661.	15516	<i>Conospermum canaliculatum</i> subsp. <i>canaliculatum</i>			
662.	16853	<i>Conospermum capitatum</i> subsp. <i>glabratum</i>			
663.	15044	<i>Conospermum cinereum</i>			
664.	1874	<i>Conospermum glumaceum</i> (Hooded Smokebush)			
665.	1875	<i>Conospermum huegelii</i> (Slender Smokebush)			
666.	1876	<i>Conospermum incurvum</i> (Plume Smokebush)			
667.	1882	<i>Conospermum stoechadis</i> (Common Smokebush)			
668.	15520	<i>Conospermum stoechadis</i> subsp. <i>sclerophyllum</i>			
669.	15611	<i>Conospermum stoechadis</i> subsp. <i>stoechadis</i> (Common Smokebush)			
670.	1885	<i>Conospermum triplinervium</i> (Tree Smokebush)			
671.	13999	<i>Conospermum undulatum</i>		T	Y
672.	6347	<i>Conostephium minus</i> (Pink-tipped Pearl flower)			
673.	6348	<i>Conostephium pendulum</i> (Pearl Flower)			
674.	6349	<i>Conostephium preissii</i>			
675.	5502	<i>Conothamnus trinervis</i>			
676.	6611	<i>Convolvulus arvensis</i> (Field Bindweed)	Y		
677.	6614	<i>Convolvulus remotus</i>			
678.	7939	<i>Conyza bonariensis</i> (Flaxleaf Fleabane)	Y		
679.	7941	<i>Conyza parva</i>	Y		
680.		<i>Conyza</i> sp.			
681.		<i>Conyza</i> sp. <i>Brix1R</i>			Y
682.		<i>Conyza</i> sp. <i>Brix4</i>			Y
683.	20074	<i>Conyza sumatrensis</i>	Y		
684.	44528	<i>Coreopsis lanceolata</i> (Common Tickseed, Showy Tickseed, Garden Coreopsis)	Y		
685.	2891	<i>Corrigiola litoralis</i> (Strapwort)	Y		
686.	17104	<i>Corymbia calophylla</i> (Marri)			
687.	44790	<i>Corymbia citriodora</i>	Y		
688.	18320	<i>Cotoneaster pannosus</i>	Y		
689.	7943	<i>Cotula australis</i> (Common Cotula)			
690.	7944	<i>Cotula bipinnata</i> (Ferny Cotula)	Y		
691.	7945	<i>Cotula coronopifolia</i> (Waterbuttons)	Y		
692.	7946	<i>Cotula cotuloides</i> (Smooth Cotula)			
693.	7947	<i>Cotula turbinata</i> (Funnel Weed)	Y		
694.	13354	<i>Craspedia variabilis</i>			
695.	17701	<i>Crassula closiana</i>			
696.	3137	<i>Crassula colorata</i> (Dense Stonecrop)			
697.	11709	<i>Crassula colorata</i> var. <i>acuminata</i>			
698.	11563	<i>Crassula colorata</i> var. <i>colorata</i>			
699.	3138	<i>Crassula decumbens</i> (Rufous Stonecrop)			
700.	11349	<i>Crassula decumbens</i> var. <i>decumbens</i>			
701.	3139	<i>Crassula exserta</i>			
702.	20271	<i>Crassula extrorsa</i>			
703.	3142	<i>Crassula natans</i>	Y		
704.	15706	<i>Crassula natans</i> var. <i>minus</i>	Y		
705.	3144	<i>Crassula peduncularis</i> (Purple Stonecrop)			
706.	18397	<i>Crassula tetragona</i> subsp. <i>robusta</i>	Y		
707.	7953	<i>Crepis foetida</i> (Foetid Hawksbeard)	Y		
708.	29054	<i>Crepis foetida</i> subsp. <i>foetida</i> (Stinking Hawksbeard)	Y		
709.	19861	<i>Cristonia biloba</i>			
710.	35838	<i>Cristonia biloba</i> subsp. <i>biloba</i>			
711.	13527	<i>Croninia kingiana</i>			
712.	17368	<i>Crotalaria agatiflora</i> subsp. <i>agatiflora</i>	Y		
713.	15545	<i>Cryptandra apetala</i> var. <i>anomala</i>			
714.	4792	<i>Cryptandra arbutiflora</i> (Waxy Cryptandra)			
715.	13470	<i>Cryptandra arbutiflora</i> var. <i>arbutiflora</i>			
716.	13484	<i>Cryptandra arbutiflora</i> var. <i>tubulosa</i>			
717.	4802	<i>Cryptandra mutila</i>			
718.	9076	<i>Cryptandra myriantha</i>			
719.	4804	<i>Cryptandra nutans</i>			
720.	4809	<i>Cryptandra pungens</i>			
721.	4810	<i>Cryptandra scoparia</i>			
722.	48865	<i>Cucumis myriocarpus</i> subsp. <i>myriocarpus</i>	Y		
723.	6663	<i>Cuscuta epithymum</i> (Lesser Dodder, Greater Dodder)	Y		

	Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
724.	11021	<i>Cuscuta planiflora</i>	Y		
725.	7420	<i>Dampiera alata</i> (Winged-stem Dampiera)			
726.	7428	<i>Dampiera coronata</i> (Wedge-leaved Dampiera)			
727.	7451	<i>Dampiera lavandulacea</i>			
728.	7453	<i>Dampiera lindleyi</i>			
729.	7454	<i>Dampiera linearis</i> (Common Dampiera)			
730.	7462	<i>Dampiera pedunculata</i>			
731.	7484	<i>Dampiera trigona</i> (Angled-stem Dampiera)			
732.	5505	<i>Darwinia apiculata</i> (Scarp Darwinia)		T	Y
733.	5508	<i>Darwinia citriodora</i> (Lemon-scented Darwinia)			
734.	5519	<i>Darwinia oederoides</i>			
735.	5523	<i>Darwinia pimelioides</i>		P4	
736.	5531	<i>Darwinia thymoides</i>			
737.	18193	<i>Darwinia thymoides</i> subsp. <i>thymoides</i>			
738.	6218	<i>Daucus glochidiatus</i> (Australian Carrot)			
739.	3793	<i>Daviesia angulata</i>			
740.	3799	<i>Daviesia cordata</i> (Bookleaf)			
741.	3800	<i>Daviesia costata</i>			
742.	3805	<i>Daviesia decurrens</i> (Prickly Bitter-pea)			
743.	19747	<i>Daviesia decurrens</i> subsp. <i>decurrens</i>			
744.	3807	<i>Daviesia divaricata</i> (Marno)			
745.	18560	<i>Daviesia divaricata</i> subsp. <i>divaricata</i>			
746.	11879	<i>Daviesia hakeoides</i> subsp. <i>hakeoides</i>			
747.	12326	<i>Daviesia hakeoides</i> subsp. <i>subnuda</i>			
748.	3815	<i>Daviesia horrida</i> (Prickly Bitter-pea)			
749.	3819	<i>Daviesia longifolia</i>			
750.	3824	<i>Daviesia nudiflora</i>			
751.	16585	<i>Daviesia nudiflora</i> subsp. <i>nudiflora</i>			
752.	3831	<i>Daviesia pedunculata</i>			
753.	3832	<i>Daviesia physodes</i>			
754.	3833	<i>Daviesia podophylla</i>			
755.	3834	<i>Daviesia polyphylla</i>			
756.	3835	<i>Daviesia preissii</i>			
757.	3839	<i>Daviesia rhombifolia</i>			
758.	3845	<i>Daviesia triflora</i>			
759.	6616	<i>Dichondra repens</i> (Kidney Weed)			
760.	20367	<i>Dillwynia laxiflora</i>			
761.	4452	<i>Diplolaena andrewsii</i>		T	
762.	9027	<i>Diplolaena drummondii</i>			
763.	4746	<i>Diplopeltis huegelii</i>			
764.	18589	<i>Diplopeltis huegelii</i> subsp. <i>lehmannii</i>			
765.	3867	<i>Dipogon lignosus</i> (Dolichos Pea)	Y		
766.	7055	<i>Dischisma capitatum</i> (Woolly-headed Dischisma)	Y		
767.	7961	<i>Dittrichia graveolens</i> (Stinkwort)	Y		
768.	4752	<i>Dodonaea adenophora</i>			
769.	4757	<i>Dodonaea ceratocarpa</i>			
770.	4761	<i>Dodonaea ericoides</i>			
771.	4775	<i>Dodonaea pinifolia</i>			
772.	4782	<i>Dodonaea viscosa</i> (Sticky Hopbush)			
773.	3091	<i>Drosera bulbigena</i> (Midget Sundew)			
774.	3092	<i>Drosera bulbosa</i> (Red-leaved Sundew)			
775.	13219	<i>Drosera bulbosa</i> subsp. <i>bulbosa</i>			
776.	13204	<i>Drosera callistos</i>			
777.	48724	<i>Drosera collina</i>			
778.	48751	<i>Drosera drummondii</i>			
779.	13218	<i>Drosera erythrogyne</i>			
780.	3095	<i>Drosera erythrorhiza</i> (Red Ink Sundew)			
781.	3097	<i>Drosera gigantea</i> (Giant Sundew)			
782.	3098	<i>Drosera glanduligera</i> (Pimpernel Sundew)			
783.	13195	<i>Drosera helodes</i>			
784.	3101	<i>Drosera heterophylla</i> (Swamp Rainbow)			
785.	48768	<i>Drosera hirsuta</i>			
786.	13197	<i>Drosera hyperostigma</i>			
787.	3105	<i>Drosera leucoblata</i> (Wheel Sundew)			
788.	3106	<i>Drosera macrantha</i> (Bridal Rainbow)			
789.	48767	<i>Drosera magna</i>			
790.	12243	<i>Drosera mannii</i>			
791.	3108	<i>Drosera marchantii</i>			
792.	3109	<i>Drosera menziesii</i> (Pink Rainbow)			
793.	3110	<i>Drosera microphylla</i> (Golden Rainbow)			

	Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
794.	15710	<i>Drosera miniata</i> (Orange Sundew)			
795.	48709	<i>Drosera minutiflora</i>			
796.	3113	<i>Drosera neesii</i> (Jewel Rainbow)			
797.	3114	<i>Drosera nitidula</i> (Shining Sundew)			
798.	3115	<i>Drosera occidentalis</i> (Western Sundew)		P4	
799.	13189	<i>Drosera oreopodium</i>			
800.	3118	<i>Drosera pallida</i> (Pale Rainbow)			
801.	3123	<i>Drosera platystigma</i> (Black-eyed Sundew)			
802.	29178	<i>Drosera porrecta</i>			
803.	3124	<i>Drosera pulchella</i> (Pretty Sundew)			
804.	3125	<i>Drosera pycnoblata</i> (Pearly Sundew)			
805.	3128	<i>Drosera ramellosa</i> (Branched Sundew)			
806.	8911	<i>Drosera rosulata</i>			
807.		<i>Drosera</i> sp.			
808.	49090	<i>Drosera</i> sp. Branched styles (S.C. Coffey 193)			
809.	3131	<i>Drosera stolonifera</i> (Leafy Sundew)			
810.	3132	<i>Drosera stricticaulis</i> (Erect Sundew)			
811.	13205	<i>Drosera tubaestylis</i>			
812.	13184	<i>Drosera walyunga</i>			
813.	3135	<i>Drosera zonaria</i> (Painted Sundew)			
814.	33500	<i>Dysphania ambrosioides</i> (Mexican Tea)	Y		
815.	11368	<i>Dysphania glomulifera</i> subsp. <i>glomulifera</i>			
816.	33480	<i>Dysphania pumilio</i> (Clammy Goosefoot)			
817.	7374	<i>Ecballium elaterium</i> (Squirting Cucumber)	Y		
818.	6681	<i>Echium plantagineum</i> (Paterson's Curse)	Y		
819.	8450	<i>Eclipta prostrata</i>	Y		
820.	5187	<i>Elatine gratioloides</i> (Waterwort)			
821.	6132	<i>Epilobium ciliatum</i>	Y		
822.	6133	<i>Epilobium hirtigerum</i> (Hairy Willow Herb)			
823.	14289	<i>Epilobium tetragonum</i> subsp. <i>tetragonum</i>	Y		
824.	13950	<i>Eremaea asterocarpa</i> subsp. <i>asterocarpa</i>			
825.	14097	<i>Eremaea asterocarpa</i> subsp. <i>brachyclada</i>			
826.	5540	<i>Eremaea fimbriata</i>			
827.	5541	<i>Eremaea pauciflora</i>			
828.	14103	<i>Eremaea pauciflora</i> var. <i>calyptra</i>			
829.	14104	<i>Eremaea pauciflora</i> var. <i>pauciflora</i>			
830.	17150	<i>Eremophila glabra</i> subsp. <i>chlorella</i>		T	
831.	45244	<i>Ericomyrtus serpyllifolia</i>			
832.	45215	<i>Ericomyrtus tenuior</i>			
833.	4332	<i>Erodium botrys</i> (Long Storksbill)	Y		
834.	4335	<i>Erodium cygnorum</i> (Blue Heronsbill)			
835.	4336	<i>Erodium moschatum</i> (Musky Crowfoot)	Y		
836.	6219	<i>Eryngium pinnatifidum</i> (Blue Devils)			
837.	41801	<i>Eryngium pinnatifidum</i> subsp. <i>Palustre</i> (G.J. Keighery 13459)		P3	
838.	15446	<i>Eryngium pinnatifidum</i> subsp. <i>pinnatifidum</i>			
839.	41810	<i>Eryngium</i> sp. <i>Subdecumbens</i> (G.J. Keighery 5390)		P3	
840.	48633	<i>Erythrina crista-galli</i>	Y		Y
841.	18299	<i>Erythrina x sykesii</i>	Y		
842.	5545	<i>Eucalyptus accedens</i> (Powderbark Wandoo)			
843.	17359	<i>Eucalyptus botryoides</i>	Y		
844.	5580	<i>Eucalyptus camaldulensis</i> (River Gum, Yabalyinyba)			
845.	5615	<i>Eucalyptus decipiens</i> (Limestone Marlock, Moit)			
846.	48440	<i>Eucalyptus grandis</i>	Y		
847.	5688	<i>Eucalyptus laeliae</i> (Darling Range Ghost Gum)			
848.	5690	<i>Eucalyptus lane-poolei</i> (Salmon White Gum)			
849.	5708	<i>Eucalyptus marginata</i> (Jarrah, Djara)			
850.	13547	<i>Eucalyptus marginata</i> subsp. <i>marginata</i> (Jarrah)			
851.	13548	<i>Eucalyptus marginata</i> subsp. <i>thalassica</i> (Blue-leaved Jarrah)			
852.	5739	<i>Eucalyptus patens</i> (Swan River Blackbutt, Dwuda)			
853.	5763	<i>Eucalyptus rudis</i> (Flooded Gum, Kulurda)			
854.	13511	<i>Eucalyptus rudis</i> subsp. <i>rudis</i>			
855.	5790	<i>Eucalyptus todtiana</i> (Coastal Blackbutt)			
856.	5797	<i>Eucalyptus wandoo</i> (Wandoo, Wondu)			
857.	12905	<i>Eucalyptus wandoo</i> subsp. <i>pulverea</i>			
858.	12906	<i>Eucalyptus wandoo</i> subsp. <i>wandoo</i>			
859.	3872	<i>Euchilopsis linearis</i> (Swamp Pea)			
860.	15137	<i>Euchiton sphaericus</i>			
861.	4624	<i>Euphorbia dendroides</i>	Y		
862.	4626	<i>Euphorbia drummondii</i> (Caustic Weed, Piwi)			
863.	29940	<i>Euphorbia maculata</i>	Y		

	Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
864.	4638	<i>Euphorbia peplus</i> (Petty Spurge)	Y		
865.	34757	<i>Euphorbia prostrata</i>	Y		
866.	4648	<i>Euphorbia terracina</i> (Geraldton Carnation Weed)	Y		
867.	3880	<i>Eutaxia virgata</i>			
868.	1747	<i>Ficus carica</i> (Common Fig)	Y		
869.	40241	<i>Fraxinus angustifolia</i>	Y		
870.	8365	<i>Fumaria bastardii</i>	Y		
871.	2969	<i>Fumaria capreolata</i> (Whiteflower Fumitory)	Y		
872.	2971	<i>Fumaria muralis</i> (Wall Fumitory)	Y		
873.	31532	<i>Fumaria muralis</i> subsp. <i>muralis</i>	Y		
874.		<i>Fumaria</i> sp.			
875.	7976	<i>Galinsoga parviflora</i> (Potato Weed)	Y		
876.	17348	<i>Galium aparine</i> (Goosegrass)	Y		
877.	7321	<i>Galium divaricatum</i>	Y		
878.	19195	<i>Gamochaeta pensylvanica</i>	Y		
879.	3887	<i>Gastrolobium acutum</i>			
880.	20484	<i>Gastrolobium alternifolium</i>			
881.	3891	<i>Gastrolobium bilobum</i> (Heart Leaf Poison)			
882.	3895	<i>Gastrolobium calycinum</i> (York Road Poison)			
883.	20475	<i>Gastrolobium capitatum</i>			
884.	20505	<i>Gastrolobium celsianum</i>			
885.	20513	<i>Gastrolobium dilatatum</i>			
886.	20473	<i>Gastrolobium ebracteolatum</i>			
887.	3899	<i>Gastrolobium epacridoides</i>			
888.	3905	<i>Gastrolobium hookeri</i>			
889.	20483	<i>Gastrolobium linearifolium</i>			
890.	20482	<i>Gastrolobium nervosum</i>			
891.	3912	<i>Gastrolobium oxylobioides</i> (Champion Bay Poison)			
892.	10981	<i>Gastrolobium parviflorum</i>			
893.	19733	<i>Gastrolobium retusum</i>			
894.	3923	<i>Gastrolobium spathulatum</i> (Poison Bush)			
895.	3924	<i>Gastrolobium spinosum</i> (Prickly Poison)			
896.	3933	<i>Gastrolobium villosum</i> (Crinkle-leaved Poison)			
897.	16311	<i>Gazania linearis</i>	Y		
898.	3936	<i>Genista linifolia</i> (Flaxleaf Broom)	Y		
899.	18143	<i>Genista monspessulana</i>	Y		
900.	4340	<i>Geranium retrorsum</i>			
901.	4341	<i>Geranium solanderi</i> (Native Geranium)			
902.	2835	<i>Glinus lotoides</i> (Hairy Carpet Weed)			
903.	33620	<i>Glischrocaryon angustifolium</i>			
904.	6143	<i>Glischrocaryon aureum</i> (Common Popflower)			
905.	6144	<i>Glischrocaryon flavescens</i>			
906.	7061	<i>Glossostigma drummondii</i> (Mudmat)			
907.	7991	<i>Gnephosis drummondii</i>			
908.	8002	<i>Gnephosis tenuissima</i>			
909.		<i>Gnephosis tenuissima</i> - <i>drummondii</i> complex			
910.		<i>Gnephosis tenuissima</i> - <i>drummondii</i> complex			
911.	6587	<i>Gomphocarpus fruticosus</i> (Narrowleaf Cottonbush)	Y		
912.	11051	<i>Gomphocarpus physocarpus</i>	Y		
913.	3945	<i>Gompholobium aristatum</i>			
914.	3948	<i>Gompholobium capitatum</i>			
915.	10909	<i>Gompholobium confertum</i>			
916.	3950	<i>Gompholobium knightianum</i>			
917.	3951	<i>Gompholobium marginatum</i>			
918.	3953	<i>Gompholobium ovatum</i>			
919.	3954	<i>Gompholobium polymorphum</i>			
920.	3955	<i>Gompholobium preissii</i>			
921.	11083	<i>Gompholobium scabrum</i>			
922.	3956	<i>Gompholobium shuttleworthii</i>			
923.	3957	<i>Gompholobium tomentosum</i> (Hairy Yellow Pea)			
924.	16746	<i>Gonocarpus benthamii</i> subsp. <i>benthamii</i>			
925.	6149	<i>Gonocarpus cordiger</i>			
926.	6150	<i>Gonocarpus diffusus</i>			
927.	6159	<i>Gonocarpus nodulosus</i>			
928.	6160	<i>Gonocarpus paniculatus</i>			
929.	6161	<i>Gonocarpus pthyoides</i>			
930.	6163	<i>Gonocarpus pycnostachyus</i>		P3	
931.	7491	<i>Goodenia arthrotricha</i>		T	
932.	8614	<i>Goodenia claytoniacea</i>			
933.	29362	<i>Goodenia coerulea</i>			

	Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
934.	17805	<i>Goodenia drummondii</i> subsp. <i>megaphylla</i>			
935.	12520	<i>Goodenia fasciculata</i>			
936.	7517	<i>Goodenia incana</i> (Hoary Goodenia)			
937.	12551	<i>Goodenia micrantha</i>			
938.	7538	<i>Goodenia pulchella</i>			
939.	19286	<i>Goodenia pulchella</i> subsp. Coastal Plain A (M. Hislop 634)			
940.	19284	<i>Goodenia pulchella</i> subsp. Coastal Plain B (L.W. Sage 2336)			
941.	13165	<i>Goodenia pusilla</i>			
942.	37500	<i>Grammatotheca bergiana</i> var. <i>bergiana</i>	Y		
943.	14282	<i>Gratiola pubescens</i>			
944.	1964	<i>Grevillea bipinnatifida</i> (Fuchsia Grevillea)			
945.	19628	<i>Grevillea bipinnatifida</i> subsp. <i>bipinnatifida</i>			
946.	1965	<i>Grevillea biternata</i>			
947.	14409	<i>Grevillea curviloba</i> subsp. <i>incurva</i>		T	
948.	13429	<i>Grevillea diversifolia</i> subsp. <i>diversifolia</i>			
949.	1997	<i>Grevillea endlicheriana</i> (Spindly Grevillea)			
950.	2007	<i>Grevillea flexuosa</i> (Tangled Grevillea)		T	
951.	33557	<i>Grevillea hislopii</i>		P2	
952.	19314	<i>Grevillea hookeriana</i> subsp. <i>apiculoba</i>			
953.	2029	<i>Grevillea leptobotrys</i>			
954.	2032	<i>Grevillea leucopteris</i> (White Plume Grevillea)			
955.	13449	<i>Grevillea manglesii</i>			
956.	13451	<i>Grevillea manglesii</i> subsp. <i>dissectifolia</i>		P3	
957.	13450	<i>Grevillea manglesii</i> subsp. <i>manglesii</i>			
958.	13452	<i>Grevillea manglesii</i> subsp. <i>ornithopoda</i>		P2	
959.	8836	<i>Grevillea obtusifolia</i> (Obtuse Leaved Grevillea)			
960.	2056	<i>Grevillea paniculata</i>			
961.	2066	<i>Grevillea pilulifera</i> (Woolly-flowered Grevillea)			
962.	13086	<i>Grevillea pimeleoides</i>		P4	
963.	15839	<i>Grevillea preissii</i> subsp. <i>preissii</i>			
964.	15990	<i>Grevillea pulchella</i> subsp. <i>ascendens</i>			
965.	2080	<i>Grevillea quercifolia</i> (Oak-leaf Grevillea)			
966.	2101	<i>Grevillea synapheae</i> (Catkin Grevillea)			
967.	14421	<i>Grevillea synapheae</i> subsp. <i>synapheae</i>			
968.	2102	<i>Grevillea tenuiflora</i> (Tassel Grevillea)			
969.	2107	<i>Grevillea thelemanniana</i> (Spider Net Grevillea)		T	
970.	12824	<i>Grevillea vestita</i> subsp. <i>vestita</i>			
971.	2122	<i>Grevillea wilsonii</i> (Native Fuchsia)			
972.	5013	<i>Guichenotia micrantha</i> (Small Flowered Guichenotia)			
973.	5014	<i>Guichenotia sarotes</i>			
974.	2128	<i>Hakea amplexicaulis</i> (Prickly Hakea)			
975.	2131	<i>Hakea auriculata</i>			
976.	2136	<i>Hakea candolleana</i>			
977.	2137	<i>Hakea ceratophylla</i> (Horned Leaf Hakea)			
978.	2143	<i>Hakea conchifolia</i> (Shell-leaved Hakea)			
979.	2149	<i>Hakea cristata</i> (Snail Hakea)			
980.	2152	<i>Hakea cyclocarpa</i> (Ramshorn)			
981.	2158	<i>Hakea erinacea</i> (Hedge-hog Hakea)			
982.	2166	<i>Hakea incrassata</i> (Marble Hakea)			
983.	2171	<i>Hakea laurina</i> (Pincushion Hakea, Kodjet)			
984.	2175	<i>Hakea lissocarpha</i> (Honey Bush)			
985.	2185	<i>Hakea myrtoidea</i> (Myrtle Hakea)			
986.	45333	<i>Hakea neospathulata</i>			
987.	2194	<i>Hakea petiolaris</i> (Sea Urchin Hakea)			
988.	16900	<i>Hakea petiolaris</i> subsp. <i>petiolaris</i>			
989.	2197	<i>Hakea prostrata</i> (Harsh Hakea)			
990.	2203	<i>Hakea ruscifolia</i> (Candle Hakea)			
991.	31793	<i>Hakea</i> sp. Eastern coastal plain (G.J. Keighery 8014)			
992.	2206	<i>Hakea stenocarpa</i> (Narrow-fruited Hakea)			
993.	2212	<i>Hakea sulcata</i> (Furrowed Hakea)			
994.	2214	<i>Hakea trifurcata</i> (Two-leaf Hakea)			
995.	2215	<i>Hakea undulata</i> (Wavy-leaved Hakea)			
996.	2216	<i>Hakea varia</i> (Variable-leaved Hakea)			
997.	6686	<i>Halgania corymbosa</i>		P3	
998.	3961	<i>Hardenbergia comptoniana</i> (Native Wisteria)			
999.		<i>Hardenbergia violacea</i>			
1000.	8008	<i>Helianthus annuus</i> (Sunflower, Common Sunflower)	Y		
1001.	8010	<i>Helianthus tuberosus</i> (Jerusalem Artichoke)	Y		
1002.	3016	<i>Heliphila pusilla</i>	Y		
1003.	16933	<i>Hemiandra glabra</i>			

	Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
1004.	6836	<i>Hemandra incana</i>			
1005.	6838	<i>Hemandra linearis</i> (Speckled Snakebush)			
1006.	6839	<i>Hemandra pungens</i> (Snakebush)			
1007.	38320	<i>Hemandra</i> sp. Jurien (B.J. Conn & M.E. Tozer BJC 3885)			
1008.	33277	<i>Hemigenia argentea</i>			
1009.	6855	<i>Hemigenia humilis</i>			
1010.	6856	<i>Hemigenia incana</i> (Silky Hemigenia)			
1011.	29632	<i>Hemigenia parviflora</i>			
1012.	6866	<i>Hemigenia pritzelii</i>			
1013.	6871	<i>Hemigenia sericea</i> (Silky Hemigenia)			
1014.	33796	<i>Hemigenia wandooana</i>			
1015.	41020	<i>Hemiphora bartlingii</i> (Woolly Dragon)			
1016.	41042	<i>Hemiphora uncinata</i>			
1017.	5108	<i>Hibbertia acerosa</i> (Needle Leaved Guinea Flower)			
1018.	5109	<i>Hibbertia amplexicaulis</i>			
1019.	5112	<i>Hibbertia aurea</i>			
1020.	5114	<i>Hibbertia commutata</i>			
1021.	5116	<i>Hibbertia crassifolia</i>			
1022.	20051	<i>Hibbertia diamesogenos</i>			
1023.	19778	<i>Hibbertia glomerata</i> subsp. <i>darlingensis</i>			
1024.	20059	<i>Hibbertia hemignosta</i>			
1025.	5134	<i>Hibbertia huegelii</i>			
1026.	5135	<i>Hibbertia hypericoides</i> (Yellow Buttercups)			
1027.	45534	<i>Hibbertia hypericoides</i> subsp. <i>hypericoides</i>			
1028.	5139	<i>Hibbertia lasiopus</i> (Large Hibbertia)			
1029.	5146	<i>Hibbertia montana</i>		P4	
1030.	5148	<i>Hibbertia mylnei</i>			
1031.	5150	<i>Hibbertia nymphaea</i>			
1032.	5152	<i>Hibbertia ovata</i>			
1033.	5154	<i>Hibbertia perfoliata</i>			
1034.	5155	<i>Hibbertia pilosa</i> (Hairy Guinea Flower)			
1035.	5157	<i>Hibbertia polystachya</i>			
1036.	5161	<i>Hibbertia quadricolor</i>			
1037.	5162	<i>Hibbertia racemosa</i> (Stalked Guinea Flower)			
1038.	5169	<i>Hibbertia serrata</i> (Serrate Leaved Guinea Flower)			
1039.		<i>Hibbertia</i> sp.			
1040.	5171	<i>Hibbertia spicata</i>			
1041.	11481	<i>Hibbertia spicata</i> subsp. <i>spicata</i>			
1042.	5172	<i>Hibbertia stellaris</i> (Orange Stars)			
1043.	48381	<i>Hibbertia striata</i>			
1044.	5173	<i>Hibbertia subvaginata</i>			
1045.	5176	<i>Hibbertia vaginata</i>			
1046.	4926	<i>Hibiscus diversifolius</i>	Y		Y
1047.	48241	<i>Hibiscus diversifolius</i> subsp. <i>diversifolius</i>	Y		
1048.	9051	<i>Homalanthus novo-guineensis</i>			
1049.	6222	<i>Homalosciadium homalocarpum</i>			
1050.	3964	<i>Hovea chorizemifolia</i> (Holly-leaved Hovea)			
1051.	3966	<i>Hovea pungens</i> (Devil's Pins, Puyenak)			
1052.	3968	<i>Hovea trisperma</i> (Common Hovea)			
1053.	12907	<i>Hovea trisperma</i> var. <i>grandiflora</i>			
1054.	12859	<i>Hovea trisperma</i> var. <i>trisperma</i>			
1055.	18296	<i>Humulus lupulus</i>	Y		
1056.	12741	<i>Hyalosperma cotula</i>			
1057.	12742	<i>Hyalosperma demissum</i>			
1058.	16759	<i>Hyalosperma simplex</i> subsp. <i>simplex</i>			
1059.	5216	<i>Hybanthus calycinus</i> (Wild Violet)			
1060.	5221	<i>Hybanthus floribundus</i>			
1061.	12007	<i>Hybanthus floribundus</i> subsp. <i>floribundus</i>			
1062.	6223	<i>Hydrocotyle alata</i>			
1063.	6226	<i>Hydrocotyle callicarpa</i> (Small Pennywort)			
1064.	6229	<i>Hydrocotyle diantha</i>			
1065.	6233	<i>Hydrocotyle lemnoides</i> (Aquatic Pennywort)		P4	
1066.	6236	<i>Hydrocotyle pilifera</i>			
1067.	11847	<i>Hydrocotyle pilifera</i> var. <i>pilifera</i>			
1068.	6238	<i>Hydrocotyle ranunculoides</i>	Y		
1069.	11074	<i>Hydrocotyle striata</i>		P1	
1070.	5180	<i>Hypericum gramineum</i> (Small St John's Wort)			
1071.	5817	<i>Hypocalymma angustifolium</i> (White Myrtle, Kudjid)			
1072.	35074	<i>Hypocalymma angustifolium</i> subsp. <i>Dandaragan plateau</i> (S. Patrick 702A)			
1073.	35070	<i>Hypocalymma angustifolium</i> subsp. <i>Swan Coastal Plain</i> (G.J. Keighery 16777)			

	Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
1074.	5825	<i>Hypocalymma robustum</i> (Swan River Myrtle)			
1075.	8086	<i>Hypochoeris glabra</i> (Smooth Catsear)	Y		
1076.	9352	<i>Hypochoeris radicata</i> (Flat Weed, Cats-ear)	Y		
1077.	3973	<i>Indigofera colutea</i> (Sticky Indigo)			
1078.	6620	<i>Ipomoea cairica</i> (Coast Morning Glory)	Y		
1079.	6630	<i>Ipomoea indica</i> (Morning Glory)	Y		
1080.		<i>Ipomoea</i> sp.			
1081.	2221	<i>Isopogon asper</i>			
1082.	2227	<i>Isopogon divergens</i> (Spreading Coneflower)			
1083.	29775	<i>Isopogon drummondii</i>		P3	
1084.	2229	<i>Isopogon dubius</i> (Pincushion Coneflower)			
1085.	2237	<i>Isopogon sphaerocephalus</i> (Drumstick Isopogon)			
1086.	7396	<i>Isotoma hypocrateriformis</i> (Woodbridge Poison)			
1087.	7398	<i>Isotoma pusilla</i> (Small Isotome)			
1088.	7399	<i>Isotoma scapigera</i> (Long-scaped Isotome)			
1089.	3992	<i>Isotropis cuneifolia</i> (Granny Bonnets)			
1090.	19700	<i>Isotropis cuneifolia</i> subsp. <i>cuneifolia</i>			
1091.	16317	<i>Isotropis cuneifolia</i> subsp. <i>glabra</i>		P3	
1092.	8092	<i>Ixiolaena viscosa</i> (Sticky Ixiolaena)			
1093.		<i>Jacaranda mimosifolia</i>			Y
1094.	3997	<i>Jacksonia alata</i>			
1095.	3998	<i>Jacksonia angulata</i>			
1096.	14783	<i>Jacksonia calcicola</i>			
1097.	4005	<i>Jacksonia condensata</i>			
1098.	4010	<i>Jacksonia floribunda</i> (Holly Pea)			
1099.	4012	<i>Jacksonia furcellata</i> (Grey Stinkwood)			
1100.	20462	<i>Jacksonia gracillima</i>		P3	
1101.	4018	<i>Jacksonia lehmannii</i>			
1102.	4025	<i>Jacksonia restioides</i>			
1103.	4027	<i>Jacksonia sericea</i> (Waldjumi)		P4	
1104.	4029	<i>Jacksonia sternbergiana</i> (Stinkwood, Kapur)			
1105.	4036	<i>Kennedia carinata</i>			
1106.	4037	<i>Kennedia coccinea</i> (Coral Vine)			
1107.	37940	<i>Kennedia coccinea</i> subsp. <i>coccinea</i>			
1108.	4044	<i>Kennedia prostrata</i> (Scarlet Runner)			
1109.	4045	<i>Kennedia stirlingii</i> (Bushy Kennedia)			
1110.	7067	<i>Kickxia elatine</i> (Pointed Toadflax)	Y		Y
1111.	12008	<i>Kickxia elatine</i> subsp. <i>crinita</i>	Y		
1112.	11898	<i>Kickxia elatine</i> subsp. <i>elatine</i>	Y		
1113.	7068	<i>Kickxia spuria</i> (Roundleaf Toadflax)	Y		
1114.	5832	<i>Kunzea ericifolia</i> (Spearwood, Pondil)			
1115.	15498	<i>Kunzea glabrescens</i> (Spearwood)			
1116.	5835	<i>Kunzea micrantha</i>			
1117.	17461	<i>Kunzea micrantha</i> subsp. <i>micrantha</i>			
1118.	17785	<i>Kunzea micrantha</i> subsp. <i>petiolata</i>			
1119.	17505	<i>Kunzea praestans</i>			
1120.	5840	<i>Kunzea pulchella</i> (Granite Kunzea, Silky Kunzea)			
1121.	5841	<i>Kunzea recurva</i>			
1122.	3667	<i>Labichea lanceolata</i> (Tall Labichea)			
1123.	11289	<i>Labichea lanceolata</i> subsp. <i>lanceolata</i>			
1124.	3669	<i>Labichea punctata</i> (Lance-leaved Cassia)			
1125.	17209	<i>Lachnostachys verbascifolia</i> var. <i>verbascifolia</i>			
1126.	8096	<i>Lactuca serriola</i> (Prickly Lettuce)	Y		
1127.	29046	<i>Lactuca serriola</i> forma <i>serriola</i>	Y		
1128.	18585	<i>Lagenophora huegelii</i>			
1129.	14646	<i>Lagunaria patersonia</i>	Y		
1130.	2249	<i>Lambertia multiflora</i> (Many-flowered Honeysuckle)			
1131.	14083	<i>Lambertia multiflora</i> var. <i>darlingensis</i>			
1132.	6733	<i>Lantana camara</i> (Common Lantana)	Y		
1133.	5025	<i>Lasiopetalum bracteatum</i> (Helena Velvet Bush)		P4	
1134.	5033	<i>Lasiopetalum floribundum</i> (Free Flowering Lasiopetalum)			
1135.	5034	<i>Lasiopetalum glabratum</i>			
1136.	45081	<i>Lasiopetalum glutinosum</i> subsp. <i>glutinosum</i>		P3	
1137.	45082	<i>Lasiopetalum glutinosum</i> subsp. <i>latifolium</i>			
1138.	4047	<i>Lathyrus tingitanus</i> (Tangier Pea)	Y		
1139.	4052	<i>Latrobea tenella</i>			
1140.	38324	<i>Lavandula dentata</i> var. <i>candicans</i>	Y		
1141.	38323	<i>Lavandula stoechas</i> subsp. <i>stoechas</i>	Y		
1142.	13284	<i>Lawrencella rosea</i>			
1143.	4959	<i>Lawrencia squamata</i>			

	Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
1144.	7568	<i>Lechenaultia biloba</i> (Blue Leschenaultia)			
1145.	7572	<i>Lechenaultia expansa</i>			
1146.	7574	<i>Lechenaultia floribunda</i> (Free-flowering Leschenaultia)			
1147.	44490	<i>Leontodon rhagadioloides</i>	Y		
1148.	8099	<i>Leontodon saxatilis</i> (Hairy Hawkbit)	Y		
1149.	19989	<i>Lepidium didymum</i>	Y		
1150.	2342	<i>Leptomeria cunninghamii</i>			
1151.	2344	<i>Leptomeria empetriformis</i>			
1152.	2350	<i>Leptomeria pauciflora</i> (Sparse-flowered Currant Bush)			
1153.	5847	<i>Leptospermum erubescens</i> (Roadside Teatree)			
1154.	5850	<i>Leptospermum laevigatum</i> (Coast Teatree)	Y		
1155.	5856	<i>Leptospermum sericeum</i> (Silver Teatree)			
1156.	5857	<i>Leptospermum spinescens</i>			
1157.	6360	<i>Leucopogon australis</i> (Spiked Beard-heath)			
1158.	6367	<i>Leucopogon capitellatus</i>			
1159.	6374	<i>Leucopogon conostephioides</i>			
1160.	44227	<i>Leucopogon darlingensis</i> subsp. <i>darlingensis</i>			
1161.	6396	<i>Leucopogon glabellus</i>			
1162.	6397	<i>Leucopogon glaucifolius</i>			
1163.	6400	<i>Leucopogon gracillimus</i>			
1164.	6416	<i>Leucopogon nutans</i> (Drooping Leucopogon)			
1165.	6425	<i>Leucopogon oxycedrus</i>			
1166.	6427	<i>Leucopogon parviflorus</i> (Coast Beard-heath)			
1167.	6434	<i>Leucopogon polymorphus</i>			
1168.	6436	<i>Leucopogon propinquus</i>			
1169.	6439	<i>Leucopogon pulchellus</i> (Beard-heath)			
1170.	6440	<i>Leucopogon racemulosus</i>			
1171.	28311	<i>Leucopogon</i> sp. Great Southern (R.S. Cowan A 586)			
1172.	28302	<i>Leucopogon</i> sp. Parkerville (A. Meebold 11654)			
1173.	6444	<i>Leucopogon sprengelioides</i>			
1174.	6445	<i>Leucopogon squarrosus</i>			
1175.	40803	<i>Leucopogon squarrosus</i> subsp. <i>squarrosus</i>			
1176.	6447	<i>Leucopogon strictus</i>			
1177.	6451	<i>Leucopogon tenuis</i>			
1178.	6454	<i>Leucopogon verticillatus</i> (Tassel Flower)			
1179.	7670	<i>Levenhookia dubia</i> (Hairy Stylewort)			
1180.	7674	<i>Levenhookia preissii</i> (Preiss's Stylewort)			
1181.	7676	<i>Levenhookia pusilla</i> (Midget Stylewort)			
1182.	7677	<i>Levenhookia stipitata</i> (Common Stylewort)			
1183.	31894	<i>Ligustrum ovalifolium</i>	Y		
1184.	7075	<i>Linaria maroccana</i>	Y		
1185.	4362	<i>Linum marginale</i> (Wild Flax)			
1186.	4363	<i>Linum trigynum</i> (French Flax)	Y		
1187.	4364	<i>Linum usitatissimum</i> (Flax)	Y		
1188.	36160	<i>Liparophyllum capitatum</i>			
1189.	36180	<i>Liparophyllum latifolium</i>			
1190.	36179	<i>Liparophyllum violifolium</i>			
1191.	9289	<i>Lobelia anceps</i> (Angled Lobelia)			
1192.	7402	<i>Lobelia gibbosa</i> (Tall Lobelia)			
1193.	7403	<i>Lobelia heterophylla</i> (Wing-seeded Lobelia)			
1194.	7406	<i>Lobelia rhombifolia</i> (Tufted Lobelia)			
1195.	7407	<i>Lobelia rhytidosperra</i> (Wrinkled-seeded Lobelia)			
1196.	7408	<i>Lobelia tenuior</i> (Slender Lobelia)			
1197.	3048	<i>Lobularia maritima</i> (Sweet Alyssum)	Y		
1198.	6504	<i>Logania buxifolia</i>			
1199.	9356	<i>Logfia gallica</i>	Y		
1200.	7365	<i>Lonicera japonica</i> (Japanese Honeysuckle)	Y		
1201.	4059	<i>Lotus angustissimus</i> (Narrowleaf Trefoil)	Y		
1202.	8564	<i>Lotus subbiflorus</i>	Y		
1203.	4063	<i>Lotus uliginosus</i> (Greater Lotus)	Y		
1204.	44680	<i>Ludwigia repens</i>	Y		
1205.	4065	<i>Lupinus angustifolius</i> (Narrowleaf Lupin)	Y		
1206.	4066	<i>Lupinus cosentinii</i>	Y		
1207.	4067	<i>Lupinus luteus</i> (Yellow Lupin)	Y		
1208.	2396	<i>Lysiana casuarinae</i>			
1209.	36375	<i>Lysimachia arvensis</i> (Pimpernel)	Y		
1210.	36373	<i>Lysimachia minima</i>	Y		
1211.	6456	<i>Lysinema ciliatum</i> (Curry Flower)			
1212.	34736	<i>Lysinema pentapetalum</i>			
1213.	5281	<i>Lythrum hyssopifolia</i> (Lesser Loosestrife)	Y		

Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
1214.	2838 <i>Macarthuria apetala</i>			
1215.	2839 <i>Macarthuria australis</i>			
1216.	17106 <i>Macarthuria keigheryi</i>		T	
1217.	4070 <i>Macroptilium atropurpureum</i> (Purple Bean)	Y		
1218.	4961 <i>Malva parviflora</i> (Marshmallow)	Y		
1219.	19421 <i>Marianthus bicolor</i> (Painted Marianthus)			
1220.	17637 <i>Marianthus candidus</i> (White Marianthus)			
1221.	17636 <i>Marianthus coeruleopunctatus</i> (Blue-spotted Marianthus)			
1222.	17635 <i>Marianthus drummondianus</i>			
1223.	17633 <i>Marianthus erubescens</i>			
1224.	25822 <i>Marianthus sylvaticus</i>			
1225.	4072 <i>Medicago arabica</i> (Spotted Medic)	Y		
1226.	4079 <i>Medicago polymorpha</i> (Burr Medic)	Y		
1227.	4080 <i>Medicago sativa</i> (Alfalfa)	Y		
1228.	34676 <i>Meionectes brownii</i> (Swamp Raspwort)			
1229.	33638 <i>Meionectes tenuifolia</i>		P3	
1230.	37580 <i>Melaleuca acutifolia</i>			
1231.	19721 <i>Melaleuca armillaris</i>	Y		
1232.	36296 <i>Melaleuca armillaris</i> subsp. <i>armillaris</i>	Y		
1233.	5876 <i>Melaleuca aspalathoides</i>			
1234.	5881 <i>Melaleuca brevifolia</i>			
1235.	18527 <i>Melaleuca brophyi</i>			
1236.	40780 <i>Melaleuca citrina</i>	Y		
1237.	5912 <i>Melaleuca fulgens</i> (Scarlet Honeymyrtle)			
1238.	5921 <i>Melaleuca incana</i> (Grey Honeymyrtle)			
1239.	13273 <i>Melaleuca incana</i> subsp. <i>incana</i>			
1240.	5922 <i>Melaleuca lanceolata</i> (Rottnest Teatree, Moonah)			
1241.	5926 <i>Melaleuca lateritia</i> (Robin Redbreast Bush)			
1242.	5932 <i>Melaleuca leucadendra</i>			
1243.	5943 <i>Melaleuca nesophila</i> (Mindiyed)			
1244.	20297 <i>Melaleuca osullivanii</i>			
1245.	18394 <i>Melaleuca parviceps</i>			
1246.	5952 <i>Melaleuca preissiana</i> (Moonah)			
1247.	48990 <i>Melaleuca quinquenervia</i>	Y		
1248.	5958 <i>Melaleuca radula</i> (Graceful Honeymyrtle)			
1249.	5959 <i>Melaleuca raphiophylla</i> (Swamp Paperbark)			
1250.	5961 <i>Melaleuca scabra</i> (Rough Honeymyrtle, Wurru Bush)			
1251.	5964 <i>Melaleuca seriata</i>			
1252.	5975 <i>Melaleuca subtrigona</i>			
1253.	5978 <i>Melaleuca teretifolia</i> (Banbar)			
1254.	5980 <i>Melaleuca thymoides</i>			
1255.	5983 <i>Melaleuca trichophylla</i>			
1256.	37683 <i>Melaleuca viminalis</i>		P2	
1257.	5987 <i>Melaleuca viminea</i> (Mohan)			
1258.	13280 <i>Melaleuca viminea</i> subsp. <i>viminea</i>			
1259.	4516 <i>Melia azedarach</i> (White Cedar)			
1260.	4085 <i>Melilotus indicus</i>	Y		
1261.	6885 <i>Mentha suaveolens</i> (Apple Mint)	Y		
1262.	6897 <i>Microcorys longifolia</i>			
1263.	8105 <i>Millotia myosotidifolia</i>			
1264.	8106 <i>Millotia tenuifolia</i> (Soft Millotia)			
1265.	14344 <i>Millotia tenuifolia</i> var. <i>tenuifolia</i> (Soft Millotia)			
1266.	4090 <i>Mirbelia dilatata</i> (Holly-leaved Mirbelia)			
1267.	4091 <i>Mirbelia floribunda</i> (Purple Mirbelia)			
1268.	4097 <i>Mirbelia ramulosa</i>			
1269.	4100 <i>Mirbelia spinosa</i>			
1270.	7085 <i>Misopates orontium</i> (Lesser Snapdragon)	Y		
1271.	4963 <i>Modiola caroliniana</i>	Y		
1272.	7378 <i>Momordica balsamina</i> (Balsam Apple)	Y		
1273.	29418 <i>Monoculus monstrosus</i>	Y		
1274.	7410 <i>Monopsis debilis</i>	Y		
1275.	37440 <i>Monopsis debilis</i> var. <i>depressa</i>	Y		
1276.	4662 <i>Monotaxis grandiflora</i> (Diamond of the Desert)			
1277.	19585 <i>Monotaxis grandiflora</i> var. <i>grandiflora</i>			
1278.	4666 <i>Monotaxis occidentalis</i>			
1279.	2412 <i>Muehlenbeckia adpressa</i> (Climbing Lignum)			
1280.	2415 <i>Muehlenbeckia polybotrya</i>			
1281.	8114 <i>Myriocephalus appendiculatus</i> (White-tip Myriocephalus)			
1282.	14187 <i>Myriocephalus occidentalis</i>			
1283.	6189 <i>Myriophyllum crispatum</i>			

Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
1284.	6192 <i>Myriophyllum drummondii</i>			
1285.	6193 <i>Myriophyllum echinatum</i>		P3	
1286.	6195 <i>Myriophyllum limnophilum</i>			
1287.	6199 <i>Myriophyllum tillaeoides</i>			
1288.	6464 <i>Needhamiella pumilio</i>			
1289.	6970 <i>Nicandra physalodes</i> (Apple of Peru)	Y		
1290.	6978 <i>Nicotiana rotundifolia</i> (Round-leaved Tobacco)			
1291.	2401 <i>Nuytsia floribunda</i> (Christmas Tree, Mudja)			
1292.	2923 <i>Nymphaea odorata</i> (Fragrant Waterlily)	Y		
1293.	6138 <i>Oenothera drummondii</i> (Beach Evening Primrose)	Y		
1294.	16390 <i>Oenothera drummondii</i> subsp. <i>drummondii</i>	Y		
1295.	6139 <i>Oenothera glazioviana</i> (Evening Primrose)	Y		
1296.	20052 <i>Oenothera jamesii</i>	Y		
1297.	16347 <i>Oenothera laciniata</i>	Y		
1298.	6140 <i>Oenothera mollissima</i>	Y		
1299.	6142 <i>Oenothera stricta</i> (Common Evening Primrose)	Y		
1300.	14292 <i>Oenothera stricta</i> subsp. <i>stricta</i>	Y		
1301.	2365 <i>Olax benthamiana</i>			
1302.	2367 <i>Olax scalariformis</i>			
1303.	11937 <i>Olea europaea</i> subsp. <i>europaea</i>	Y		
1304.	8127 <i>Olearia axillaris</i> (Coastal Daisybush)			
1305.	8133 <i>Olearia elaeophila</i>			
1306.	8143 <i>Olearia paucidentata</i> (Autumn Scrub Daisy)			
1307.	18254 <i>Opercularia apiciflora</i>			
1308.	7346 <i>Opercularia echinocephala</i> (Bristly Headed Stink Weed)			
1309.	7348 <i>Opercularia hispidula</i> (Hispid Stinkweed)			
1310.	18255 <i>Opercularia vaginata</i> (Dog Weed)			
1311.	44779 <i>Opuntia ficus-indica</i>	Y		
1312.	29276 <i>Opuntia monacantha</i> (Barbary Fig)	Y		
1313.	5227 <i>Opuntia stricta</i> (Common Prickly Pear)	Y		
1314.	46207 <i>Opuntia tomentosa</i>	Y		
1315.	46255 <i>Orianthera campanulata</i>			
1316.	46313 <i>Orianthera flaviflora</i>			
1317.	46316 <i>Orianthera serpyllifolia</i> subsp. <i>angustifolia</i>			
1318.	36177 <i>Ornduffia albiflora</i>			
1319.	36200 <i>Ornduffia submersa</i>		P4	
1320.	4113 <i>Ornithopus compressus</i> (Yellow Serradella)	Y		
1321.	4115 <i>Ornithopus sativus</i> (French Serradella)	Y		
1322.	7122 <i>Orobancha minor</i> (Lesser Broomrape)	Y		
1323.	17756 <i>Osteospermum ecklonis</i>	Y		
1324.	4348 <i>Oxalis caprina</i>	Y		
1325.	4349 <i>Oxalis corniculata</i> (Yellow Wood Sorrel)	Y		
1326.	18331 <i>Oxalis debilis</i> var. <i>corymbosa</i> (Pink Shamrock)	Y		
1327.	30375 <i>Oxalis exilis</i>			
1328.	4352 <i>Oxalis glabra</i>	Y		
1329.	4354 <i>Oxalis incarnata</i>	Y		
1330.	4355 <i>Oxalis perennans</i>			
1331.	4356 <i>Oxalis pes-caprae</i> (Soursob)	Y		
1332.	4358 <i>Oxalis purpurea</i> (Largeflower Wood Sorrel)	Y		
1333.	7117 <i>Pandorea pandorana</i>			
1334.	2966 <i>Papaver somniferum</i> (Opium Poppy)	Y		
1335.	20101 <i>Paragonis grandiflora</i>			
1336.	3618 <i>Paraserianthes lophantha</i> (Albizia)			
1337.	17114 <i>Paraserianthes lophantha</i> subsp. <i>lophantha</i>			
1338.	7089 <i>Parentucellia latifolia</i> (Common Bartsia)	Y		
1339.	1762 <i>Parietaria debilis</i> (Pellitory)			
1340.	3673 <i>Parkinsonia aculeata</i> (Parkinsonia)	Y		
1341.	5225 <i>Passiflora filamentosa</i>	Y		
1342.	10828 <i>Pavonia hastata</i>	Y		
1343.	4343 <i>Pelargonium capitatum</i> (Rose Pelargonium)	Y		
1344.	4346 <i>Pelargonium littorale</i>			
1345.	6245 <i>Pentapeltis peltigera</i>			
1346.	6006 <i>Pericalymma ellipticum</i> (Swamp Teatree)			
1347.	16477 <i>Pericalymma ellipticum</i> var. <i>ellipticum</i>			
1348.	16478 <i>Pericalymma ellipticum</i> var. <i>floridum</i>			
1349.	13911 <i>Persicaria decipiens</i>			
1350.	11020 <i>Persicaria hydropiper</i>			
1351.	16984 <i>Persicaria lapathifolia</i>	Y		
1352.	16983 <i>Persicaria maculosa</i>	Y		
1353.	11052 <i>Persicaria prostrata</i>			

Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
1354.	2255 <i>Persoonia angustiflora</i>			
1355.	2262 <i>Persoonia elliptica</i> (Spreading Snottygobble)			
1356.	2267 <i>Persoonia longifolia</i> (Snottygobble)			
1357.	2270 <i>Persoonia quinquenervis</i>			
1358.	2273 <i>Persoonia saccata</i> (Snottygobble)			
1359.	2278 <i>Persoonia sulcata</i>		P4	
1360.	2284 <i>Petrophile biloba</i> (Granite Petrophile)			
1361.	2297 <i>Petrophile heterophylla</i> (Variable-leaved Cone Bush)			
1362.	20391 <i>Petrophile juncifolia</i>			
1363.	2299 <i>Petrophile linearis</i> (Pixie Mops)			
1364.	2301 <i>Petrophile macrostachya</i>			
1365.	2306 <i>Petrophile rigida</i>			
1366.	2308 <i>Petrophile seminuda</i>			
1367.	20053 <i>Petrophile squamata</i> subsp. northern (J. Monks 40)			
1368.	2312 <i>Petrophile striata</i>			
1369.	19825 <i>Petrorhagia dubia</i>	Y		
1370.	18529 <i>Philotheca spicata</i> (Pepper and Salt)			
1371.	16825 <i>Phyllangium divergens</i>			
1372.	17366 <i>Phyllangium palustre</i>		P2	
1373.	16177 <i>Phyllangium paradoxum</i>			
1374.	4675 <i>Phyllanthus calycinus</i> (False Boronia)			
1375.	4685 <i>Phyllanthus scaber</i>			
1376.	17794 <i>Phyllanthus tenellus</i>	Y		
1377.	13405 <i>Phyllopodium cordatum</i>	Y		
1378.	6983 <i>Physalis peruviana</i> (Cape Gooseberry)	Y		
1379.	2793 <i>Phytolacca octandra</i> (Red Ink Plant)	Y		
1380.	2408 <i>Pilosyles hamiltonii</i>			
1381.	5231 <i>Pimelea angustifolia</i> (Narrow-leaved Pimelea)			
1382.	5232 <i>Pimelea argentea</i> (Silvery Leaved Pimelea)			
1383.	5236 <i>Pimelea brevistyla</i>			Y
1384.	11667 <i>Pimelea brevistyla</i> subsp. <i>brevistyla</i>			
1385.	5238 <i>Pimelea ciliata</i> (White Banjine)			
1386.	11928 <i>Pimelea ciliata</i> subsp. <i>ciliata</i>			
1387.	11404 <i>Pimelea imbricata</i> var. <i>major</i>			
1388.	11402 <i>Pimelea imbricata</i> var. <i>piligera</i>			
1389.	5252 <i>Pimelea lanata</i>			
1390.	11182 <i>Pimelea lehmanniana</i> subsp. <i>nervosa</i>			
1391.	5259 <i>Pimelea preissii</i>			
1392.	5260 <i>Pimelea rara</i> (Summer Pimelea)		P4	
1393.	18117 <i>Pimelea rosea</i> subsp. <i>rosea</i>			
1394.	5264 <i>Pimelea spectabilis</i> (Bunjong)			
1395.	5266 <i>Pimelea suaveolens</i> (Scented Banjine)			
1396.	12041 <i>Pimelea suaveolens</i> subsp. <i>suaveolens</i>			
1397.	5268 <i>Pimelea sulphurea</i> (Yellow Banjine)			
1398.	5269 <i>Pimelea sylvestris</i>			
1399.	8163 <i>Pithocarpa corymbulosa</i> (Corymbose Pithocarpa)		P3	
1400.	8165 <i>Pithocarpa pulchella</i> (Beautiful Pithocarpa)			
1401.	18352 <i>Pithocarpa pulchella</i> var. <i>melanostigma</i>			
1402.	7301 <i>Plantago exilis</i>			
1403.	7303 <i>Plantago lanceolata</i> (Ribwort Plantain)	Y		
1404.	6249 <i>Platysace compressa</i> (Tapeworm Plant)			
1405.	6253 <i>Platysace filiformis</i>			
1406.	6255 <i>Platysace juncea</i>			
1407.	11132 <i>Platysace ramosissima</i>		P3	
1408.	6259 <i>Platysace tenuissima</i>			
1409.	4524 <i>Platytheca galioides</i>			
1410.	17016 <i>Podalyria sericea</i>	Y		
1411.	45237 <i>Podolepis aristata</i> subsp. <i>aristata</i>			
1412.	8173 <i>Podolepis capillaris</i> (Wiry Podolepis)			
1413.	8175 <i>Podolepis gracilis</i> (Slender Podolepis)			
1414.	8177 <i>Podolepis lessonii</i>			
1415.	8179 <i>Podolepis nutans</i> (Nodding Podolepis)			
1416.	8182 <i>Podotheca angustifolia</i> (Sticky Longheads)			
1417.	8183 <i>Podotheca chrysantha</i> (Yellow Podotheca)			
1418.	8184 <i>Podotheca gnaphalioides</i> (Golden Long-heads)			
1419.	8188 <i>Pogonolepis stricta</i>			
1420.	2905 <i>Polycarpon tetraphyllum</i> (Fourleaf Allseed)	Y		
1421.	8395 <i>Polygala myrtifolia</i> (Myrtleleaf Milkwort)	Y		
1422.	4578 <i>Polygala virgata</i>	Y		
1423.	2416 <i>Polygonum arenastrum</i> (Sand Wireweed)	Y		

Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
1424.	2419 <i>Polygonum aviculare</i> (Wireweed)	Y		
1425.	<i>Polypompholyx tenella</i> scps			
1426.	31695 <i>Populus nigra</i> cv. <i>italica</i>	Y		
1427.	4688 <i>Poranthera drummondii</i>			
1428.	4690 <i>Poranthera huegelii</i>			
1429.	4691 <i>Poranthera microphylla</i> (Small Poranthera)			
1430.	2884 <i>Portulaca oleracea</i> (Purslane, Wakati)			
1431.	43303 <i>Protea repens</i>	Y		Y
1432.	17211 <i>Prunus cerasifera</i>	Y		
1433.	8189 <i>Pseudognaphalium luteoalbum</i> (Jersey Cudweed)			
1434.	4155 <i>Psoralea pinnata</i> (African Scurfpea)	Y		
1435.	13255 <i>Pterochaeta paniculata</i>			
1436.	2716 <i>Ptilotus declinatus</i> (Curved Mulla Mulla)			
1437.	11260 <i>Ptilotus drummondii</i> var. <i>drummondii</i> (Pussytail)			
1438.	11797 <i>Ptilotus drummondii</i> var. <i>minor</i>			
1439.	2720 <i>Ptilotus esquamatus</i>			
1440.	2727 <i>Ptilotus gaudichaudii</i>			
1441.	2742 <i>Ptilotus manglesii</i> (Pom Poms, Mulamula)			
1442.	2751 <i>Ptilotus polystachyus</i> (Prince of Wales Feather)			
1443.	2753 <i>Ptilotus pyramidatus</i>		T	Y
1444.	11615 <i>Ptilotus sericostachyus</i> subsp. <i>roseus</i>		P1	
1445.	2763 <i>Ptilotus stirlingii</i> (Stirling's Mulla Mulla)			
1446.	40841 <i>Ptilotus stirlingii</i> subsp. <i>stirlingii</i>			
1447.	4172 <i>Pultenaea ericifolia</i>			
1448.	4181 <i>Pultenaea reticulata</i>			
1449.	48566 <i>Quercus robur</i>	Y		
1450.	8195 <i>Quinetia urvillei</i>			
1451.	2932 <i>Ranunculus colonorum</i> (Common Buttercup)			
1452.	2933 <i>Ranunculus muricatus</i> (Sharp Buttercup)	Y		
1453.	11927 <i>Ranunculus sessiliflorus</i> var. <i>sessiliflorus</i>			
1454.	3061 <i>Raphanus raphanistrum</i> (Wild Radish)	Y		
1455.	6012 <i>Regelia ciliata</i>			
1456.	6014 <i>Regelia inops</i>			
1457.	19183 <i>Retama raetam</i>	Y		
1458.	4822 <i>Rhamnus alaternus</i> (Buckthorn)	Y		
1459.	13300 <i>Rhodanthe citrina</i>			
1460.	15035 <i>Rhodanthe corymbosa</i>			
1461.	13234 <i>Rhodanthe manglesii</i>			
1462.	13312 <i>Rhodanthe pyrethrum</i>			
1463.	13309 <i>Rhodanthe spicata</i>			
1464.	19942 <i>Ricinocarpos undulatus</i>			
1465.	4705 <i>Ricinus communis</i> (Castor Oil Plant)	Y		
1466.	6019 <i>Rinzia communis</i> (Mallee Rinzia)			
1467.	6020 <i>Rinzia crassifolia</i> (Darling Range Rinzia)			
1468.	17020 <i>Robinia pseudoacacia</i>	Y		
1469.	3066 <i>Rorippa nasturtium-aquaticum</i> (Watercress)	Y		
1470.	10931 <i>Rosa chinensis</i> x <i>moschata</i>	Y		
1471.	20506 <i>Rubus anglocandicans</i>	Y		
1472.	20496 <i>Rubus laudatus</i>	Y		
1473.	17718 <i>Rubus rugosus</i>	Y		
1474.	3191 <i>Rubus ulmifolius</i> (Blackberry)	Y		
1475.	23990 <i>Rubus ulmifolius</i> var. <i>ulmifolius</i>	Y		
1476.	2429 <i>Rumex acetosella</i> (Sorrel)	Y		
1477.	2432 <i>Rumex conglomeratus</i> (Clustered Dock)	Y		
1478.	2433 <i>Rumex crispus</i> (Curled Dock)	Y		
1479.	2440 <i>Rumex pulcher</i> (Fiddle Dock)	Y		
1480.	2443 <i>Rumex vesicarius</i> (Ruby Dock)	Y		
1481.	2906 <i>Sagina apetala</i> (Annual Pearlwort)	Y		
1482.	2907 <i>Sagina procumbens</i> (Spreading Pearlwort)	Y		
1483.	48430 <i>Salicornia quinqueflora</i>			
1484.	20063 <i>Salix babylonica</i>	Y		
1485.	43840 <i>Salix matsudana</i>	Y		
1486.	6483 <i>Samolus junceus</i>			
1487.	6484 <i>Samolus repens</i> (Creeping Brookweed)			
1488.	2356 <i>Santalum acuminatum</i> (Quandong, Warnga)			
1489.	7368 <i>Scabiosa atropurpurea</i> (Purple Pincushion)	Y		
1490.	7602 <i>Scaevola calliptera</i>			
1491.	7603 <i>Scaevola canescens</i> (Grey Scaevola)			
1492.	7613 <i>Scaevola glandulifera</i> (Viscid Hand-flower)			
1493.	7619 <i>Scaevola lanceolata</i> (Long-leaved Scaevola)			

	Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
1494.	7634	<i>Scaevola phlebopetala</i> (Velvet Fanflower)			
1495.	7635	<i>Scaevola pilosa</i> (Hairy Fan-flower)			
1496.	7636	<i>Scaevola platyphylla</i> (Broad-leaved Fanflower)			
1497.	12585	<i>Scaevola repens</i>			
1498.	13182	<i>Scaevola repens</i> var. <i>repens</i>			
1499.	7646	<i>Scaevola striata</i> (Royal Robe)			
1500.	48834	<i>Schinus terebinthifolia</i>	Y		
1501.	6263	<i>Schoenolaena juncea</i>			
1502.	6029	<i>Scholtzia capitata</i> (Pom-pom Scholtzia)			
1503.	6033	<i>Scholtzia involucrata</i> (Spiked Scholtzia)			
1504.	6034	<i>Scholtzia laxiflora</i>			
1505.	20093	<i>Scholtzia</i> sp. <i>Bickley</i> (W.H. Loaring s.n. PERTH 06165184)		X	Y
1506.	8203	<i>Senecio diaschides</i>			
1507.	8205	<i>Senecio gilbertii</i>		P1	
1508.	8212	<i>Senecio leucoglossus</i>		P4	
1509.	20663	<i>Senecio multicaulis</i> subsp. <i>multicaulis</i>			
1510.	20161	<i>Senecio pinnatifolius</i>			
1511.	25884	<i>Senecio pinnatifolius</i> var. <i>latilobus</i>			
1512.	8220	<i>Senecio vulgaris</i> (Common Groundsel)	Y		
1513.	4980	<i>Sida hookeriana</i>			
1514.	2909	<i>Silene gallica</i> (French Catchfly)	Y		
1515.	15972	<i>Silene gallica</i> var. <i>gallica</i>	Y		
1516.	11803	<i>Silene gallica</i> var. <i>quinquevulnera</i>	Y		
1517.	2910	<i>Silene nocturna</i> (Mediterranean Catchfly)	Y		
1518.	2911	<i>Silene vulgaris</i> (Bladder Campion)	Y		
1519.	8224	<i>Siloxerus filifolius</i>			
1520.	8225	<i>Siloxerus humifusus</i> (Procumbent Siloxerus)			
1521.	14583	<i>Siloxerus multiflorus</i>			
1522.	6988	<i>Solanum americanum</i> (Glossy Nightshade)	Y		
1523.	11114	<i>Solanum giganteum</i>	Y		
1524.	7020	<i>Solanum linnaeanum</i> (Apple of Sodom)	Y		
1525.	7022	<i>Solanum nigrum</i> (Black Berry Nightshade)	Y		
1526.	7035	<i>Solanum sisymbriifolium</i> (Viscid Nightshade)	Y		
1527.	45036	<i>Solidago chilensis</i>	Y		
1528.	8230	<i>Sonchus asper</i> (Rough Sowthistle)	Y		
1529.	8231	<i>Sonchus oleraceus</i> (Common Sowthistle)	Y		
1530.	2912	<i>Spergula arvensis</i> (Corn Spurry)	Y		
1531.	4205	<i>Sphaerolobium linophyllum</i>			
1532.	4206	<i>Sphaerolobium macranthum</i>			
1533.	4207	<i>Sphaerolobium medium</i>			
1534.	4211	<i>Sphaerolobium vimineum</i> (Leafless Globe Pea)			
1535.	4828	<i>Spyridium globulosum</i> (Basket Bush)			
1536.	6930	<i>Stachys arvensis</i> (Staggerweed)	Y		
1537.	4716	<i>Stachystemon vermicularis</i>			
1538.	4733	<i>Stackhousia monogyna</i>			
1539.	9070	<i>Stackhousia pubescens</i> (Downy Stackhousia)			
1540.	4735	<i>Stackhousia scoparia</i>			
1541.	43540	<i>Stackhousia</i> sp. <i>Red-blotched corolla</i> (A. Markey 911)		P3	
1542.	16197	<i>Stenanthemum emarginatum</i>			
1543.	13475	<i>Stenanthemum humile</i>			
1544.	14798	<i>Stenanthemum nanum</i>			
1545.	19704	<i>Stenanthemum sublineare</i>		P2	
1546.	3076	<i>Stenopetalum filifolium</i>			
1547.	19403	<i>Stenopetalum gracile</i>			
1548.	2316	<i>Stirlingia latifolia</i> (Blueboy)			
1549.	2317	<i>Stirlingia simplex</i>			
1550.	18564	<i>Stylidium aceratum</i>		P3	
1551.	7679	<i>Stylidium adpressum</i> (Trigger-on-stilts)			
1552.	7681	<i>Stylidium affine</i> (Queen Triggerplant)			
1553.	7684	<i>Stylidium amoenum</i> (Lovely Triggerplant)			
1554.	17666	<i>Stylidium amoenum</i> var. <i>amoenum</i>			
1555.	17669	<i>Stylidium amoenum</i> var. <i>caulescens</i>			
1556.	30278	<i>Stylidium androsaceum</i>			
1557.	25831	<i>Stylidium araeophyllum</i> (Stilt Walker)			
1558.	30276	<i>Stylidium bicolor</i>			
1559.	48457	<i>Stylidium bindoon</i>			
1560.	7692	<i>Stylidium breviscapum</i> (Boomerang Triggerplant)			
1561.	7693	<i>Stylidium brunonianum</i> (Pink Fountain Triggerplant)			
1562.	7694	<i>Stylidium bulbiferum</i> (Circus Triggerplant)			
1563.	7696	<i>Stylidium calcaratum</i> (Book Triggerplant)			

Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
1564.	7698 <i>Stylidium caricifolium</i> (Milkmaids)			
1565.	7699 <i>Stylidium carnosum</i> (Fleshy-leaved Triggerplant)			
1566.	7702 <i>Stylidium ciliatum</i> (Golden Triggerplant)			
1567.	7708 <i>Stylidium crassifolium</i> (Thick-leaved Triggerplant)			
1568.	7712 <i>Stylidium despectum</i> (Dwarf Triggerplant)			
1569.	7713 <i>Stylidium dichotomum</i> (Pins-and-needles)			
1570.	7716 <i>Stylidium diuroides</i> (Donkey Triggerplant)			
1571.	11808 <i>Stylidium diuroides</i> subsp. <i>diuroides</i>			
1572.	7717 <i>Stylidium divaricatum</i> (Daddy-long-legs)			
1573.	7719 <i>Stylidium ecorne</i> (Foot Triggerplant)			
1574.	7721 <i>Stylidium emarginatum</i> (Biddy-four-legs)			
1575.	19251 <i>Stylidium eriopodum</i>			
1576.	7734 <i>Stylidium guttatum</i> (Dotted Triggerplant)			
1577.	7736 <i>Stylidium hispidum</i> (White Butterfly Triggerplant)			
1578.	7742 <i>Stylidium inundatum</i> (Hundreds and Thousands)			
1579.	7745 <i>Stylidium junceum</i> (Reed Triggerplant)			
1580.	13083 <i>Stylidium lateriticola</i>			
1581.	7749 <i>Stylidium leptophyllum</i> (Needle-leaved Triggerplant)			
1582.	7752 <i>Stylidium lineatum</i> (Sunny Triggerplant)			
1583.	7756 <i>Stylidium longitubum</i> (Jumping Jacks)		P4	
1584.	25829 <i>Stylidium neurophyllum</i> (Coastal Plain Triggerplant)			
1585.	7768 <i>Stylidium obtusatum</i> (Pinafore Triggerplant)			
1586.	7771 <i>Stylidium periscelanthum</i> (Pantaloon Triggerplant)		P3	
1587.	7772 <i>Stylidium perpusillum</i> (Tiny Triggerplant)			
1588.	7773 <i>Stylidium petiolare</i> (Horn Triggerplant)			
1589.	7774 <i>Stylidium piliferum</i> (Common Butterfly Triggerplant)			
1590.	7781 <i>Stylidium pubigerum</i> (Yellow Butterfly Triggerplant)			
1591.	7782 <i>Stylidium pulchellum</i> (Thumbelina Triggerplant)			
1592.	7783 <i>Stylidium pycnostachyum</i> (Downy Triggerplant)			
1593.	33106 <i>Stylidium recurvum</i>			
1594.	7785 <i>Stylidium repens</i> (Matted Triggerplant)			
1595.	7787 <i>Stylidium rhynchocarpum</i> (Black-beaked Triggerplant)			
1596.	<i>Stylidium roseo-alatum</i>			
1597.	7790 <i>Stylidium roseoalatum</i> (Pink-wing Triggerplant)			
1598.	25806 <i>Stylidium scariosum</i>			
1599.	7798 <i>Stylidium schoenoides</i> (Cow Kicks)			
1600.	<i>Stylidium</i> sp.			
1601.	14736 <i>Stylidium</i> sp. Boulder Rock (A.H. Burbidge 2536)			
1602.	7803 <i>Stylidium striatum</i> (Fan-leaved Triggerplant)		P4	
1603.	25845 <i>Stylidium tenue</i>			
1604.	45594 <i>Stylidium tenue</i> subsp. <i>majusculum</i> (Showy Fountain Triggerplant)			
1605.	45593 <i>Stylidium tenue</i> subsp. <i>tenue</i> (Little Fountain Triggerplant)			
1606.	23511 <i>Stylidium thesioides</i> (Delicate Triggerplant)			
1607.	7806 <i>Stylidium utricularioides</i> (Pink Fan Triggerplant)			
1608.	40947 <i>Stylidium xanthellum</i>			
1609.	48297 <i>Styphelia filifolia</i>		P3	
1610.	6476 <i>Styphelia tenuiflora</i> (Common Pinheath)			
1611.	2639 <i>Suaeda australis</i> (Seablite)			
1612.	25902 <i>Symphyotrichum squamatum</i> (Bushy Starwort)	Y		
1613.	2321 <i>Synaphea acutiloba</i> (Granite Synaphea)			
1614.	12914 <i>Synaphea decorticans</i>			
1615.	2323 <i>Synaphea gracillima</i>			
1616.	2324 <i>Synaphea petiolaris</i> (Synaphea)			
1617.	16864 <i>Synaphea petiolaris</i> subsp. <i>petiolaris</i>			
1618.	2325 <i>Synaphea pinnata</i> (Helena Synaphea)			
1619.	18590 <i>Synaphea</i> sp. Fairbridge Farm (D. Papenfus 696)		T	
1620.	30751 <i>Synaphea</i> sp. Pinjarra Plain (A.S. George 17182)		T	
1621.	29186 <i>Synaphea</i> sp. Udumung (A.S. George 17058)			
1622.	2329 <i>Synaphea spinulosa</i>			
1623.	15532 <i>Synaphea spinulosa</i> subsp. <i>spinulosa</i>			
1624.	16839 <i>Syringa vulgaris</i>	Y		Y
1625.	20024 <i>Tagetes erecta</i> (Marigold)	Y		
1626.	20135 <i>Taxandria linearifolia</i>			
1627.	33236 <i>Tecticornia halocnemoides</i> (Shrubby Samphire)			
1628.	33237 <i>Tecticornia halocnemoides</i> subsp. <i>halocnemoides</i>			
1629.	33319 <i>Tecticornia indica</i> subsp. <i>bidens</i>			
1630.	31718 <i>Tecticornia lepidosperma</i>			
1631.	4251 <i>Templetonia drummondii</i>			
1632.	4528 <i>Tetralthea confertifolia</i>			
1633.	4535 <i>Tetralthea hirsuta</i> (Black Eyed Susan)			

	Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
1634.	48342	<i>Tetradlea hirsuta</i> subsp. <i>hirsuta</i>			
1635.	48341	<i>Tetradlea hirsuta</i> subsp. <i>viminea</i>			
1636.	4537	<i>Tetradlea nuda</i>			
1637.	4540	<i>Tetradlea pilifera</i>		P3	
1638.	4543	<i>Tetradlea retrorsa</i>		P3	
1639.	4544	<i>Tetradlea setigera</i>			
1640.	4546	<i>Tetradlea virgata</i>			
1641.	5080	<i>Thomasia foliosa</i>			
1642.	5084	<i>Thomasia grandiflora</i> (Large Flowered Thomasia)			
1643.	5087	<i>Thomasia macrocarpa</i> (Large Fruited Thomasia)			
1644.	5091	<i>Thomasia paniculata</i>			
1645.	5105	<i>Thomasia triphylla</i>			
1646.	19698	<i>Thryptomene australis</i> subsp. <i>australis</i>			
1647.	19716	<i>Thunbergia alata</i>	Y		
1648.	8248	<i>Tolpis barbata</i> (Yellow Hawkweed)	Y		
1649.	6266	<i>Trachymene coerulea</i> (Blue Lace Flower)			
1650.	19041	<i>Trachymene coerulea</i> subsp. <i>coerulea</i>			
1651.	19045	<i>Trachymene grandis</i>			
1652.	6280	<i>Trachymene pilosa</i> (Native Parsnip)			
1653.	8250	<i>Tragopogon porriifolius</i>	Y		
1654.	4383	<i>Tribulus terrestris</i> (Caltrop)	Y		
1655.	8251	<i>Trichocline spathulata</i> (Native Gerbera)			
1656.	4289	<i>Trifolium angustifolium</i> (Narrowleaf Clover)	Y		
1657.	17145	<i>Trifolium angustifolium</i> var. <i>angustifolium</i>	Y		
1658.	4291	<i>Trifolium arvense</i> (Hare's Foot Clover)	Y		
1659.	17542	<i>Trifolium arvense</i> var. <i>arvense</i>	Y		
1660.	4292	<i>Trifolium campestre</i> (Hop Clover)	Y		
1661.	17763	<i>Trifolium campestre</i> var. <i>campestre</i> (Hop Clover)	Y		
1662.	4295	<i>Trifolium dubium</i> (Suckling Clover)	Y		
1663.	17759	<i>Trifolium fragiferum</i> var. <i>fragiferum</i>	Y		
1664.	4297	<i>Trifolium glomeratum</i> (Cluster Clover)	Y		
1665.	4298	<i>Trifolium hirtum</i> (Rose Clover)	Y		
1666.	17758	<i>Trifolium hybridum</i> var. <i>hybridum</i>	Y		
1667.	4300	<i>Trifolium incarnatum</i> (Crimson Clover)	Y		
1668.	17541	<i>Trifolium incarnatum</i> var. <i>incarnatum</i>	Y		
1669.	4302	<i>Trifolium ligusticum</i> (Ligurian Clover)	Y		
1670.	4303	<i>Trifolium micranthum</i> (Slender Suckling Clover)	Y		
1671.	17788	<i>Trifolium pratense</i> var. <i>sativum</i>	Y		
1672.	19970	<i>Trifolium resupinatum</i> var. <i>majus</i>	Y		
1673.	4309	<i>Trifolium scabrum</i> (Rough Clover)	Y		
1674.	4312	<i>Trifolium striatum</i> (Knotted Clover)	Y		
1675.	4313	<i>Trifolium subterraneum</i> (Subterranean Clover)	Y		
1676.	4315	<i>Trifolium tomentosum</i> (Woolly Clover)	Y		
1677.	15509	<i>Trifolium tomentosum</i> var. <i>tomentosum</i>	Y		
1678.	35016	<i>Trihaloragis hexandra</i> subsp. <i>integrifolia</i>			
1679.	4737	<i>Tripterococcus brunonis</i> (Winged Stackhousia)			
1680.	1139	<i>Trithuria bibracteata</i>			
1681.	32658	<i>Trithuria occidentalis</i> (Swan Hydatella)		T	
1682.	1141	<i>Trithuria submersa</i>			
1683.	4839	<i>Trymalium angustifolium</i>			
1684.	4842	<i>Trymalium ledifolium</i>			
1685.	11665	<i>Trymalium ledifolium</i> var. <i>ledifolium</i>			
1686.	13479	<i>Trymalium ledifolium</i> var. <i>rosmarinifolium</i>			
1687.	33418	<i>Trymalium odoratissimum</i> subsp. <i>odoratissimum</i>			
1688.	8254	<i>Urospermum picroides</i> (False Hawkbit)	Y		
1689.	8255	<i>Ursinia anthemoides</i> (Ursinia)	Y		
1690.	38388	<i>Ursinia anthemoides</i> subsp. <i>anthemoides</i>	Y		
1691.	12493	<i>Utricularia gibba</i>			
1692.	7138	<i>Utricularia inaequalis</i>			
1693.	7145	<i>Utricularia menziesii</i> (Redcoats)			
1694.	7148	<i>Utricularia multifida</i>			
1695.	7153	<i>Utricularia tenella</i>			
1696.	7157	<i>Utricularia violacea</i> (Violet Bladderwort)			
1697.	34772	<i>Vachellia karroo</i>	Y		
1698.	7665	<i>Velleia trinervis</i>			
1699.	8257	<i>Vellereophyton dealbatum</i> (White Cudweed)	Y		
1700.	7107	<i>Verbascum virgatum</i> (Twiggy Mullein)	Y		
1701.	19511	<i>Verbena officinalis</i>	Y		
1702.	15725	<i>Verbesina encelioides</i>	Y		
1703.	7111	<i>Veronica persica</i> (Creeping Speedwell)	Y		

	Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
1704.	6070	<i>Verticordia acerosa</i>			
1705.	15431	<i>Verticordia acerosa</i> var. <i>acerosa</i>			
1706.	12388	<i>Verticordia acerosa</i> var. <i>preissii</i>			
1707.	12395	<i>Verticordia bifimbriata</i>			
1708.	6076	<i>Verticordia densiflora</i> (Compacted Featherflower)			
1709.	12411	<i>Verticordia densiflora</i> var. <i>cespitosa</i>			
1710.	15432	<i>Verticordia densiflora</i> var. <i>densiflora</i>			
1711.	6077	<i>Verticordia drummondii</i> (Drummond's Featherflower)			
1712.	6088	<i>Verticordia huegelii</i> (Variegated Featherflower)			
1713.	12429	<i>Verticordia huegelii</i> var. <i>decumbens</i>			
1714.	15433	<i>Verticordia huegelii</i> var. <i>huegelii</i>			
1715.	12430	<i>Verticordia huegelii</i> var. <i>stylosa</i>			
1716.	15434	<i>Verticordia insignis</i> subsp. <i>insignis</i>			
1717.	14714	<i>Verticordia lindleyi</i> subsp. <i>lindleyi</i>		P4	
1718.	6101	<i>Verticordia nitens</i> (Morrison Featherflower, Kodjeningara)			
1719.	6107	<i>Verticordia pennigera</i>			
1720.	6109	<i>Verticordia picta</i> (Painted Featherflower)			
1721.	6110	<i>Verticordia plumosa</i> (Plumed Featherflower)			
1722.	12449	<i>Verticordia plumosa</i> var. <i>brachyphylla</i>			
1723.	15618	<i>Verticordia plumosa</i> var. <i>plumosa</i>			
1724.	12458	<i>Verticordia serrata</i> var. <i>ciliata</i>			
1725.	12460	<i>Verticordia serrata</i> var. <i>linearis</i>		P3	
1726.	4319	<i>Vicia benghalensis</i> (Purple Vetch)	Y		
1727.	4320	<i>Vicia hirsuta</i> (Hairy Vetch)	Y		
1728.	4322	<i>Vicia sativa</i> (Common Vetch)	Y		
1729.	17285	<i>Vicia sativa</i> subsp. <i>cordata</i>	Y		
1730.	11474	<i>Vicia sativa</i> subsp. <i>nigra</i>	Y		
1731.	12070	<i>Vicia sativa</i> subsp. <i>sativa</i>	Y		
1732.	29491	<i>Vicia tetrasperma</i>	Y		Y
1733.	4325	<i>Viminaria juncea</i> (Swishbush, Koweda)			
1734.	6575	<i>Vinca major</i> (Blue Periwinkle)	Y		
1735.	17042	<i>Vitis vinifera</i>	Y		
1736.	7384	<i>Wahlenbergia capensis</i> (Cape Bluebell)	Y		
1737.	7386	<i>Wahlenbergia gracilentia</i> (Annual Bluebell)			
1738.	7388	<i>Wahlenbergia multicaulis</i>			
1739.	7389	<i>Wahlenbergia preissii</i>			
1740.	13328	<i>Waitzia nitida</i>			
1741.	8281	<i>Waitzia podolepis</i>			
1742.	8282	<i>Waitzia suaveolens</i> (Fragrant Waitzia)			
1743.	13333	<i>Waitzia suaveolens</i> var. <i>suaveolens</i>			
1744.	6658	<i>Wilsonia backhousei</i> (Narrow-leaf Wilsonia)			
1745.	8287	<i>Xanthium spinosum</i> (Bathurst Burr, Common Cocklebur, Spiny Cocklebur, Spiny Clotbur)	Y		
1746.	6283	<i>Xanthosia atkinsoniana</i>			
1747.	6284	<i>Xanthosia candida</i>			
1748.	6285	<i>Xanthosia ciliata</i>			
1749.	6289	<i>Xanthosia huegelii</i>			
1750.	6293	<i>Xanthosia singuliflora</i>			
1751.	44861	<i>Xerochrysum macranthum</i>			
1752.	2331	<i>Xylomelum occidentale</i> (Woody Pear, Djandin)			
1753.	7113	<i>Zaluzianskya divaricata</i> (Spreading Night Phlox)	Y		

Fish

1754.	??				
1755.		<i>Acentrogobius bifrenatus</i>			
1756.		<i>Afurcagobius suppositus</i>			
1757.		<i>Aldrichetta forsteri</i>			
1758.		<i>Atherinosoma wallacei</i>			
1759.		<i>Bostockia porosa</i>			
1760.		<i>Carassius auratus</i>			
1761.		<i>Engraulis australis</i>			
1762.		<i>Favonigobius</i> sp.			
1763.	34028	<i>Galaxias occidentalis</i> (Western Minnow)			
1764.		<i>Gambusia affinis</i>			
1765.	34030	<i>Geotria australis</i> (Pouched Lamprey)		P3	
1766.		<i>Leiopotherapon unicolor</i>			
1767.		<i>Nannoperca vittata</i>			
1768.		<i>Neatypus obliquus</i>			
1769.		<i>Papillogobius punctatus</i>			
1770.		<i>Phalloceros caudimaculatus</i>			
1771.		<i>Rhabdosargus sarba</i>			

Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
1772.	<i>Tandanus bostocki</i>			
1773.	<i>Urocampus carinirostris</i>			
Fungus				
1774.	38752 <i>Agaricus campestris</i>			
1775.	<i>Agaricus</i> sp.			
1776.	48636 <i>Amanita djarilmari</i>			
1777.	43543 <i>Amanita fibrilloses</i>		P3	
1778.	48786 <i>Amanita hiltonii</i>			
1779.	46334 <i>Amanita kalamundae</i> (<i>Kalamunda Lepidella</i>)		P3	
1780.	38755 <i>Amanita ochroterrea</i>			
1781.	48332 <i>Amanita preissii</i> (<i>Cinnamon-ring Lepidella</i>)		P3	
1782.	45014 <i>Amanita quenda</i>		P1	
1783.	38756 <i>Amanita umbrinella</i>			
1784.	43542 <i>Amanita wadjukiorum</i>		P3	
1785.	38757 <i>Amanita xanthocephala</i>			
1786.	<i>Anthracoibia muelleri</i>			
1787.	38760 <i>Arcangeliiella daucina</i>			
1788.	<i>Armillaria luteobubalina</i>			
1789.	48560 <i>Auritella chamaecephala</i>			
1790.	<i>Austroboletus occidentalis</i>			
1791.	<i>Austrogautieria manjimupana</i>			
1792.	38764 <i>Austropaxillus muelleri</i>			
1793.	<i>Boletellus obscurecoccineus</i>			
1794.	<i>Boletus</i> sp.			
1795.	<i>Botrytis cinerea</i>			
1796.	<i>Byssomerulius corium</i>			
1797.	<i>Colletotrichum gloeosporioides</i>			
1798.	<i>Coltricia cinnamomea</i>			
1799.	38771 <i>Coltriciella dependens</i>			
1800.	<i>Colus pusillus</i>			
1801.	38774 <i>Cortinarius archeri</i>			
1802.	<i>Cortinarius australiensis</i>			
1803.	<i>Cortinarius basirubescens</i>			
1804.	<i>Cortinarius erythraeus</i>			
1805.	38874 <i>Cortinarius globuliformis</i>			
1806.	41683 <i>Cortinarius sebosus</i>			
1807.	<i>Cortinarius sublargus</i>			
1808.	38780 <i>Crepidotus eucalyptorum</i>			
1809.	<i>Crepidotus nephrodes</i>			
1810.	<i>Dermocybe clelandii</i>			
1811.	38783 <i>Dermocybe splendida</i>			
1812.	38784 <i>Descomyces albus</i>			
1813.	47215 <i>Entoloma byssisedum</i>			
1814.	<i>Fistulina hepatica</i>			
1815.	<i>Fomitopsis lilacinogilva</i>			
1816.	<i>Ganoderma applanatum</i>			
1817.	<i>Geastrum</i> sp.			
1818.	<i>Gloeophyllum sepiarium</i>			Y
1819.	<i>Gymnopilus allantopus</i>			
1820.	<i>Gymnopilus purpuratus</i>			
1821.	<i>Gyroporus cyanescens</i>			
1822.	49045 <i>Gyroporus mcnabbii</i>			Y
1823.	<i>Hebeloma aminophilum</i>			
1824.	38791 <i>Hebeloma crustuliniforme</i>			
1825.	<i>Hexagonia vesparia</i>			
1826.	<i>Hohenbuehelia atrocoerulea</i>			Y
1827.	<i>Hydnangium carneum</i>			
1828.	38794 <i>Hydnum repandum</i>			
1829.	<i>Hygrocybe astatogala</i>			
1830.	38796 <i>Hypholoma australe</i>			
1831.	44926 <i>Ileodictyon gracile</i>			
1832.	48489 <i>Inocybe australiensis</i>			
1833.	48517 <i>Inocybe fibrillosibrunnea</i>			
1834.	48488 <i>Inocybe sindonia</i>	Y		
1835.	48550 <i>Inocybe subflavosporea</i>			
1836.	48552 <i>Inocybe tomentipes</i>			
1837.	38800 <i>Labyrinthomyces varius</i>			
1838.	<i>Laccaria lateritia</i>			
1839.	38802 <i>Laccocephalum tumulosum</i>			
1840.	<i>Lactarius clarkeae</i>			

Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
1841.	38804 <i>Lactarius eucalypti</i>			
1842.	38805 <i>Lentinellus pulvinulus</i>			
1843.	46454 <i>Leucoagaricus leucothites</i>			
1844.	38807 <i>Leucopaxillus lilacinus</i>			
1845.	31333 <i>Lichenomphalia umbellifera</i>			
1846.	<i>Macrolepiota clelandii</i>			
1847.	49003 <i>Macrolepiota turbinata</i>			
1848.	47234 <i>Mesophellia glauca</i>			
1849.	38811 <i>Mycena clarkeana</i>			
1850.	38813 <i>Mycena subgalericulata</i>			
1851.	<i>Mycena yuulongicola</i>			
1852.	38816 <i>Omphalotus nidiformis</i>			
1853.	<i>Panus fasciatus</i>			
1854.	<i>Paxillus involutus</i>			
1855.	<i>Peziza</i> sp.			
1856.	48853 <i>Phaeotrametes decipiens</i>			
1857.	38820 <i>Phallus hadriani</i>			
1858.	<i>Phellinus gilvus</i>			
1859.	<i>Phlebia subceracea</i>			
1860.	<i>Pholiota communis</i>			
1861.	<i>Pholiota highlandensis</i>			
1862.	<i>Pholiota multicingulata</i>			
1863.	38821 <i>Phyllachora amplexicaulis</i>			
1864.	<i>Phytophthora cinnamomi</i>			
1865.	<i>Pisolithus</i> sp.			
1866.	<i>Placoasterella baileyi</i>			
1867.	38824 <i>Pleurotus australis</i>			
1868.	<i>Pluteus atromarginatus</i>			
1869.	38825 <i>Pluteus pauperculus</i>			
1870.	44729 <i>Porostereum crassum</i>			
1871.	41832 <i>Protoglossum luteum</i>			
1872.	<i>Punctularia strigosozonata</i>			
1873.	48835 <i>Pycnoporus coccineus</i>			
1874.	45074 <i>Pyronema omphalodes</i>			
1875.	49072 <i>Ramaria gracilis</i>			
1876.	38832 <i>Resupinatus cinerascens</i>			
1877.	38833 <i>Resupinatus subapplicatus</i>			
1878.	38834 <i>Rhizopogon roseolus</i>			
1879.	48909 <i>Russula clelandii</i>			
1880.	48906 <i>Russula delica</i>			
1881.	38836 <i>Russula erumpens</i>			
1882.	38837 <i>Russula flocktoniae</i>			
1883.	48861 <i>Russula pumicoidea</i>			
1884.	<i>Schizophyllum commune</i>			
1885.	38839 <i>Schizopora paradoxa</i>			
1886.	<i>Scleroderma cepa</i>			
1887.	38840 <i>Stereum hirsutum</i>			
1888.	<i>Stereum illudens</i>			
1889.	<i>Stropharia semiglobata</i>			
1890.	38843 <i>Tapinella panuoides</i>			
1891.	45845 <i>Tilletia viennotii</i>			
1892.	<i>Tomentella pilosa</i>			
1893.	38844 <i>Trametes versicolor</i>			
1894.	<i>Tricholoma saponaceum</i>			
1895.	<i>Tubaria rufofulva</i>			
1896.	<i>Uromycladium tepperianum</i>			
1897.	45895 <i>Ustilago avenae</i>			
1898.	45896 <i>Ustilago bromivora</i>			
1899.	45902 <i>Ustilago nuda</i>			
1900.	45906 <i>Ustilago tepperi</i>			

Gymnosperm

1901.	36520 <i>Callitris acuminata</i> (Dwarf Cypress)			
1902.	8466 <i>Callitris columellaris</i> (White Cypress Pine)			
1903.	36600 <i>Callitris pyramidalis</i> (Swamp Cypress)			
1904.	18119 <i>Macrozamia fraseri</i>			
1905.	85 <i>Macrozamia riedlei</i> (Zamia, Djiridji)			
1906.	87 <i>Pinus pinaster</i> (Pinaster Pine)	Y		

Hepatic (Liverwort)

1907.	<i>Asterella drummondii</i>			
-------	-----------------------------	--	--	--

Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
1908.	<i>Cephaloziella exiliflora</i>			
1909.	<i>Cephaloziella varians</i>			
1910.	<i>Chiloscyphus semiteres</i> var. <i>semiteres</i>			
1911.	<i>Jamesoniella colorata</i>			
1912.	<i>Lethocolea pansa</i>			
1913.	<i>Riccia bifurca</i>			
1914.	<i>Riccia multifida</i>			
Invertebrate				
1915.	<i>Acantholophus</i> sp. fc1523			
1916.	<i>Acariformes</i> sp.			
1917.	<i>Acroaspis olarina</i>			Y
1918.	<i>Adelium</i> sp. fc904			
1919.	<i>Adoxotoma chionopogon</i>			
1920.	<i>Adreppus</i> sp. fc868			
1921.	<i>Adversaeschna brevistyla</i>			
1922.	<i>Aganippe cupulifex</i>			Y
1923.	<i>Agraptocorixa</i> sp.			
1924.	<i>Agrotis munda</i>			
1925.	<i>Agrotis</i> sp. fc844			
1926.	<i>Akamptogonus novarae</i>			
1927.	<i>Allothreua maculata</i>			
1928.	<i>Allotrochosina karri</i>			
1929.	<i>Ambicodamus kochi</i>			
1930.	<i>Ambicodamus marae</i>			
1931.	<i>Amblyomma albolimbatum</i>			
1932.	<i>Amblyomma fimbriatum</i>			
1933.	<i>Amblyomma triguttatum</i>			
1934.	<i>Amorbus bispinus</i>			
1935.	<i>Amphisopodidae</i> sp.			
1936.	<i>Aname mainae</i>			
1937.	<i>Aname tepperi</i>			
1938.	<i>Ancita</i> sp. fc476			
1939.	<i>Ancylidae</i> sp.			
1940.	<i>Anisops hyperion</i>			
1941.	<i>Anisops</i> sp.			
1942.	<i>Anthela canescens</i>			
1943.	<i>Anthela ferruginosa</i>			
1944.	<i>Anthela</i> sp. fc381			
1945.	<i>Antichiopus variabilis</i>			Y
1946.	<i>Antiporus</i> sp.			
1947.	<i>Aphyctoschaema vultuosum</i>			Y
1948.	<i>Apis mellifera</i>			
1949.	<i>Arachnura higginsi</i>			
1950.	<i>Araneus cyphoxis</i>			
1951.	<i>Araneus eburneiventris</i>			
1952.	<i>Araneus eburnus</i>			
1953.	<i>Araneus ginninderranus</i>			
1954.	<i>Araneus senicaudatus</i>			
1955.	<i>Araneus talipedatus</i>			
1956.	<i>Archaeosynthemis occidentalis</i>			
1957.	<i>Archargiolestes pusillus</i>			
1958.	<i>Argiope protensa</i>			
1959.	<i>Argiope trifasciata</i>			
1960.	<i>Arhodia</i> sp. fc2			
1961.	<i>Arhodia</i> sp. fc320			
1962.	<i>Arhodia</i> sp. fc79			
1963.	<i>Arrenuridae</i> sp.			
1964.	<i>Artema atlanta</i>			
1965.	<i>Artoria flavimana</i>			
1966.	<i>Artoria impedita</i>			
1967.	<i>Artoria linnaei</i>			
1968.	<i>Artoriopsis eccentrica</i>			
1969.	<i>Artoriopsis expolita</i>			
1970.	<i>Artoriopsis joergi</i>			
1971.	<i>Asadipus kunderang</i>			
1972.	<i>Aturidae</i> sp.			
1973.	<i>Austracantha minax</i>			
1974.	<i>Australomimetes aurioculatus</i>			
1975.	<i>Australomimetes ovidi</i>			
1976.	48574 <i>Australotomurus morbidus</i> (cemetery springtail, Guildford springtail)			

Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
			P3	
1977.	<i>Austroagrimon coeruleum</i>			
1978.	<i>Austrochthonius australis</i>			
1979.	<i>Austrochthonius muchmorei</i>			
1980.	33971 <i>Austroconops mcmillani</i> (McMillan's biting midge (Swan Coastal Plain), biting midge (southwest))		P2	
1981.	<i>Austrogomphus collaris</i>			
1982.	<i>Austrolestes analis</i>			
1983.	<i>Austrolestes</i> sp. fc1005			Y
1984.	33972 <i>Austromerope poultoni</i> (earwigfly (southwest), scorpionfly)			
1985.	<i>Backobourkia brounii</i>			
1986.	<i>Backobourkia heroine</i>			
1987.	<i>Badumna insignis</i>			
1988.	<i>Baetidae</i> sp.			
1989.	<i>Baiami</i> sp. fc732			
1990.	<i>Baiami volucripes</i>			
1991.	<i>Ballarra longipalpus</i>			
1992.	<i>Bibulmena kadjina</i>			
1993.	<i>Bigenditia zuytdorp</i>			
1994.	<i>Blackburnium reichei</i>			Y
1995.	<i>Botryocladus freemani</i>			
1996.	<i>Botryocladus petrophilus</i>			
1997.	<i>Brentidae</i> sp.			
1998.	<i>Caenidae</i> sp.			
1999.	<i>Calanoida</i> sp.			
2000.	<i>Calolampra</i> sp. fc147			
2001.	<i>Camponotus</i> sp. fc3324			
2002.	<i>Camponotus</i> sp. fc423			
2003.	<i>Carabidae</i> sp.			
2004.	<i>Carthaea saturnioides</i>			
2005.	<i>Cedarinia</i> sp. fc690			
2006.	<i>Cedarinia</i> sp. fc890			
2007.	<i>Cedarinia</i> sp. fc892			
2008.	<i>Ceinidae</i> sp.			
2009.	<i>Celaenia excavata</i>			
2010.	<i>Ceratopogonidae</i> sp.			
2011.	<i>Cercophonius granulosus</i>			
2012.	<i>Cercophonius squama</i>			
2013.	<i>Cercophonius sulcatus</i>			
2014.	<i>Ceryerda cursitans</i>			
2015.	<i>Cethegus fugax</i>			
2016.	<i>Chenistonia</i> sp. fc581			
2017.	<i>Chenistonia</i> sp. fc721			
2018.	33939 <i>Cherax cainii</i> (Marron)			
2019.	<i>Cherax destructor</i>			
2020.	<i>Cherax preissii</i>			
2021.	<i>Cherax quinquecarinatus</i>			
2022.	<i>Chironominae</i> sp.			
2023.	<i>Chironomus</i> aff. <i>alternans</i> (V24) (CB)			
2024.	<i>Chironomus occidentalis</i>			
2025.	<i>Chironomus tepperi</i>			
2026.	<i>Chlorocoma dicloraria</i>			
2027.	<i>Chlorocoma</i> sp. fc22			
2028.	<i>Chrostus</i> sp. fc2186			
2029.	<i>Chrysopa</i> sp. fc822			
2030.	<i>Cladocera</i> (unident.)			
2031.	<i>Cladopelma curtivalva</i>			
2032.	<i>Cladotanytarsus</i> sp. A (SAP)			
2033.	<i>Clilopocha</i> sp. fc1846			
2034.	<i>Clynotis severus</i>			
2035.	<i>Coccinella repanda</i>			
2036.	<i>Coenagrionidae</i> sp.			
2037.	<i>Colpochila antennalis</i>			
2038.	<i>Colpochila major</i>			
2039.	<i>Condocerus aptus</i>			
2040.	<i>Conoderus</i> sp. fc1109			
2041.	<i>Conoderus</i> sp. fc1819			
2042.	<i>Conoderus</i> sp. fc26			
2043.	<i>Conoderus</i> sp. fc2871			
2044.	<i>Conoderus</i> sp. fc444			

Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
2045.	<i>Conoderus</i> sp. fc595			
2046.	<i>Copepoda</i> sp.			
2047.	<i>Corduliidae</i> sp.			
2048.	<i>Corixidae</i> sp.			
2049.	<i>Cormocephalus aurantiipes</i>			
2050.	<i>Cormocephalus novaehollandiae</i>			
2051.	<i>Cormocephalus rubriceps</i>			
2052.	<i>Cormocephalus strigosus</i>			
2053.	<i>Cormocephalus turneri</i>			
2054.	<i>Corynoneura</i> sp. (V49) (SAP)			
2055.	<i>Coryphistes</i> sp. fc231			
2056.	<i>Cricotopus</i> 'parbicinctus'			
2057.	<i>Crypsiphona ocellaria</i>			
2058.	<i>Cryptodus</i> sp. fc1160			
2059.	<i>Cryptodus</i> sp. fc189			
2060.	<i>Cryptoerithus quobba</i>			
2061.	<i>Culicidae</i> sp.			
2062.	<i>Curculionidae</i> sp.			
2063.	<i>Cyclosa trilobata</i>			
2064.	<i>Cyrtophora parnasia</i>			
2065.	<i>Dasyptodia selenophora</i>			
2066.	<i>Dasyurochirus tapoatafa</i>			Y
2067.	<i>Delena cancerides</i>			
2068.	<i>Destolmia</i> sp. fc4			
2069.	<i>Dichelobius flavens</i>			
2070.	<i>Dicrotendipes</i> sp. A (V47) (SAP)			
2071.	<i>Dingosa murata</i>			
2072.	<i>Dingosa serrata</i>			
2073.	<i>Dinocambala ingens</i>			
2074.	<i>Doratifera</i> sp. fc398			
2075.	<i>Dugesidae</i> sp.			
2076.	<i>Dytiscidae</i> sp.			
2077.	<i>Enchytraeidae</i> sp.			
2078.	<i>Enochrus</i> sp.			
2079.	<i>Entometa</i> sp. fc426			
2080.	<i>Eodelena lapidicola</i>			
2081.	<i>Epicoma melanostica</i>			
2082.	<i>Eriophora biapicata</i>			
2083.	<i>Eriophora pustulosa</i>			
2084.	<i>Ethmostigmus rubripes</i>			
2085.	<i>Ethmostigmus</i> sp. fc223			
2086.	<i>Ethmostigmus</i> sp. fc224			
2087.	<i>Eucyrtops latior</i>			
2088.	<i>Eulimnadia</i> sp.			
2089.	48579 <i>Euoplos inornatus</i> (inornate trapdoor spider (northern Jarrah Forest))		P3	
2090.	<i>Eupograptus kottae</i>			
2091.	<i>Eurytion incisunguis</i>			Y
2092.	<i>Exocelina ater</i>			
2093.	<i>Eylaidae</i> sp.			
2094.	<i>Gea theridioides</i>			
2095.	<i>Genus fc1001</i> sp. fc1001			
2096.	<i>Genus fc1002</i> sp. fc1002			
2097.	<i>Genus fc1004</i> sp. fc1004			Y
2098.	<i>Genus fc1006</i> sp. fc1006			Y
2099.	<i>Genus fc1008</i> sp. fc1008			
2100.	<i>Genus fc1015</i> sp. fc1015			Y
2101.	<i>Genus fc1017</i> sp. fc1017			
2102.	<i>Genus fc1020</i> sp. fc1020			
2103.	<i>Genus fc1029</i> sp. fc1029			
2104.	<i>Genus fc1036</i> sp. fc1036			
2105.	<i>Genus fc1051</i> sp. fc1051			
2106.	<i>Genus fc1056</i> sp. fc1056			
2107.	<i>Genus fc1084</i> sp. fc1084			
2108.	<i>Genus fc1090</i> sp. fc1090			
2109.	<i>Genus fc1101</i> sp. fc1101			
2110.	<i>Genus fc1115</i> sp. fc1115			
2111.	<i>Genus fc1155</i> sp. fc1155			
2112.	<i>Genus fc1258</i> sp. fc1258			
2113.	<i>Genus fc129</i> sp. fc129			
2114.	<i>Genus fc132</i> sp. fc132			

Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
2115.	Genus fc1385 sp. fc1385			
2116.	Genus fc14 sp. fc14			
2117.	Genus fc1424 sp. fc1424			
2118.	Genus fc1426 sp. fc1426			
2119.	Genus fc144 sp. fc144			
2120.	Genus fc145 sp. fc145			
2121.	Genus fc146 sp. fc146			
2122.	Genus fc148 sp. fc148			
2123.	Genus fc1503 sp. fc1503			
2124.	Genus fc151 sp. fc151			
2125.	Genus fc1517 sp. fc1517			
2126.	Genus fc1589 sp. fc1589			
2127.	Genus fc16 sp. fc16			
2128.	Genus fc163 sp. fc163			
2129.	Genus fc1657 sp. fc1657			
2130.	Genus fc183 sp. fc183			
2131.	Genus fc1832 sp. fc1832			
2132.	Genus fc1840 sp. fc1840			
2133.	Genus fc1852 sp. fc1852			
2134.	Genus fc1876 sp. fc1876			
2135.	Genus fc1882 sp. fc1882			
2136.	Genus fc200 sp. fc200			
2137.	Genus fc203 sp. fc203			
2138.	Genus fc2050 sp. fc2050			
2139.	Genus fc217 sp. fc217			
2140.	Genus fc221 sp. fc221			
2141.	Genus fc225 sp. fc225			
2142.	Genus fc251 sp. fc251			
2143.	Genus fc260 sp. fc260			
2144.	Genus fc2635 sp. fc2635			
2145.	Genus fc283 sp. fc283			
2146.	Genus fc2890 sp. fc2890			
2147.	Genus fc2895 sp. fc2895			
2148.	Genus fc2903 sp. fc2903			
2149.	Genus fc313 sp. fc313			
2150.	Genus fc3136 sp. fc3136			
2151.	Genus fc3152 sp. fc3152			
2152.	Genus fc3162 sp. fc3162			
2153.	Genus fc3237 sp. fc3237			
2154.	Genus fc324 sp. fc324			
2155.	Genus fc326 sp. fc326			
2156.	Genus fc3370 sp. fc3370			
2157.	Genus fc3375 sp. fc3375			
2158.	Genus fc3381 sp. fc3381			Y
2159.	Genus fc3382 sp. fc3382			Y
2160.	Genus fc3390 sp. fc3390			Y
2161.	Genus fc3397 sp. fc3397			Y
2162.	Genus fc3398 sp. fc3398			
2163.	Genus fc3399 sp. fc3399			Y
2164.	Genus fc3401 sp. fc3401			
2165.	Genus fc3404 sp. fc3404			Y
2166.	Genus fc3405 sp. fc3405			Y
2167.	Genus fc3406 sp. fc3406			
2168.	Genus fc3407 sp. fc3407			Y
2169.	Genus fc3411 sp. fc3411			Y
2170.	Genus fc3412 sp. fc3412			Y
2171.	Genus fc342 sp. fc342			
2172.	Genus fc3426 sp. fc3426			
2173.	Genus fc3427 sp. fc3427			
2174.	Genus fc3428 sp. fc3428			
2175.	Genus fc3432 sp. fc3432			Y
2176.	Genus fc3433 sp. fc3433			Y
2177.	Genus fc3437 sp. fc3437			Y
2178.	Genus fc360 sp. fc360			
2179.	Genus fc374 sp. fc374			
2180.	Genus fc38 sp. fc38			
2181.	Genus fc382 sp. fc382			
2182.	Genus fc383 sp. fc383			
2183.	Genus fc386 sp. fc386			
2184.	Genus fc392 sp. fc392			

Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
2185.	Genus fc396 sp. fc396			
2186.	Genus fc397 sp. fc397			
2187.	Genus fc400 sp. fc400			
2188.	Genus fc403 sp. fc403			
2189.	Genus fc41 sp. fc41			
2190.	Genus fc410 sp. fc410			
2191.	Genus fc411 sp. fc411			
2192.	Genus fc414 sp. fc414			
2193.	Genus fc417 sp. fc417			
2194.	Genus fc421 sp. fc421			
2195.	Genus fc424 sp. fc424			
2196.	Genus fc433 sp. fc433			
2197.	Genus fc436 sp. fc436			
2198.	Genus fc441 sp. fc441			
2199.	Genus fc446 sp. fc446			
2200.	Genus fc449 sp. fc449			
2201.	Genus fc454 sp. fc454			
2202.	Genus fc460 sp. fc460			
2203.	Genus fc466 sp. fc466			
2204.	Genus fc48 sp. fc48			
2205.	Genus fc513 sp. fc513			
2206.	Genus fc521 sp. fc521			
2207.	Genus fc525 sp. fc525			
2208.	Genus fc54 sp. fc54			
2209.	Genus fc540 sp. fc540			
2210.	Genus fc553 sp. fc553			
2211.	Genus fc556 sp. fc556			
2212.	Genus fc584 sp. fc584			
2213.	Genus fc608 sp. fc608			
2214.	Genus fc609 sp. fc609			
2215.	Genus fc61 sp. fc61			
2216.	Genus fc611 sp. fc611			
2217.	Genus fc62 sp. fc62			
2218.	Genus fc628 sp. fc628			
2219.	Genus fc63 sp. fc63			
2220.	Genus fc638 sp. fc638			
2221.	Genus fc639 sp. fc639			
2222.	Genus fc646 sp. fc646			
2223.	Genus fc649 sp. fc649			
2224.	Genus fc652 sp. fc652			
2225.	Genus fc655 sp. fc655			
2226.	Genus fc656 sp. fc656			
2227.	Genus fc658 sp. fc658			
2228.	Genus fc661 sp. fc661			
2229.	Genus fc67 sp. fc67			
2230.	Genus fc683 sp. fc683			
2231.	Genus fc691 sp. fc691			
2232.	Genus fc718 sp. fc718			
2233.	Genus fc719 sp. fc719			
2234.	Genus fc72 sp. fc72			
2235.	Genus fc73 sp. fc73			
2236.	Genus fc741 sp. fc741			
2237.	Genus fc750 sp. fc750			
2238.	Genus fc753 sp. fc753			
2239.	Genus fc754 sp. fc754			
2240.	Genus fc757 sp. fc757			
2241.	Genus fc758 sp. fc758			
2242.	Genus fc76 sp. fc76			
2243.	Genus fc760 sp. fc760			
2244.	Genus fc77 sp. fc77			
2245.	Genus fc776 sp. fc776			
2246.	Genus fc784 sp. fc784			
2247.	Genus fc794 sp. fc794			
2248.	Genus fc796 sp. fc796			
2249.	Genus fc80 sp. fc80			
2250.	Genus fc812 sp. fc812			
2251.	Genus fc818 sp. fc818			
2252.	Genus fc821 sp. fc821			
2253.	Genus fc837 sp. fc837			
2254.	Genus fc842 sp. fc842			

Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
2255.	Genus fc843 sp. fc843			
2256.	Genus fc847 sp. fc847			
2257.	Genus fc849 sp. fc849			
2258.	Genus fc851 sp. fc851			
2259.	Genus fc852 sp. fc852			
2260.	Genus fc855 sp. fc855			
2261.	Genus fc857 sp. fc857			
2262.	Genus fc861 sp. fc861			
2263.	Genus fc862 sp. fc862			
2264.	Genus fc863 sp. fc863			
2265.	Genus fc878 sp. fc878			
2266.	Genus fc879 sp. fc879			
2267.	Genus fc880 sp. fc880			
2268.	Genus fc881 sp. fc881			
2269.	Genus fc882 sp. fc882			
2270.	Genus fc883 sp. fc883			
2271.	Genus fc884 sp. fc884			Y
2272.	Genus fc885 sp. fc885			Y
2273.	Genus fc886 sp. fc886			
2274.	Genus fc887 sp. fc887			
2275.	Genus fc889 sp. fc889			Y
2276.	Genus fc891 sp. fc891			
2277.	Genus fc893 sp. fc893			Y
2278.	Genus fc894 sp. fc894			Y
2279.	Genus fc900 sp. fc900			
2280.	Genus fc92 sp. fc92			
2281.	Genus fc923 sp. fc923			
2282.	Genus fc928 sp. fc928			
2283.	Genus fc929 sp. fc929			Y
2284.	Genus fc933 sp. fc933			
2285.	Genus fc941 sp. fc941			Y
2286.	Genus fc942 sp. fc942			
2287.	Genus fc946 sp. fc946			Y
2288.	Genus fc947 sp. fc947			
2289.	Genus fc948 sp. fc948			
2290.	Genus fc950 sp. fc950			
2291.	Genus fc952 sp. fc952			Y
2292.	Genus fc960 sp. fc960			
2293.	Genus fc962 sp. fc962			
2294.	Genus fc967 sp. fc967			Y
2295.	Genus fc977 sp. fc977			
2296.	Genus fc978 sp. fc978			
2297.	Genus fc980 sp. fc980			
2298.	Genus fc981 sp. fc981			Y
2299.	Genus fc982 sp. fc982			Y
2300.	Genus fc983 sp. fc983			
2301.	Genus fc984 sp. fc984			Y
2302.	Genus fc985 sp. fc985			
2303.	Genus fc986 sp. fc986			
2304.	Genus fc988 sp. fc988			
2305.	Genus fc989 sp. fc989			
2306.	Genus fc992 sp. fc992			
2307.	Genus fc996 sp. fc996			
2308.	Glossiphoniidae sp.			
2309.	48581 Glossurocolletes bilobatus (a short-tongued bee (southwest), short-tongued bee)		P2	
2310.	Gomphidae sp.			
2311.	Goniaea sp. fc235			
2312.	Goniaea sp. fc304			
2313.	Goniaea sp. fc871			
2314.	Goniaea sp. fc872			
2315.	Goniaea vocans			
2316.	Gripopterygidae sp.			
2317.	Gyrinidae sp.			
2318.	Harpobittacus phaeoscius			
2319.	Harrisius sp. A (SAP)			
2320.	Harrisius sp. B (SFM)			
2321.	Hebridae sp.			
2322.	Hednota hoplitella			
2323.	Hednota recurvella			
2324.	Helea perforata			

Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
2325.	<i>Helea</i> sp. fc1012			
2326.	<i>Hellyethira litua</i>			
2327.	<i>Hellyethira</i> sp.			
2328.	<i>Hemicloea</i> sp.			Y
2329.	<i>Hemicloea sublimbata</i>			
2330.	<i>Hemicordulia tau</i>			
2331.	<i>Hemicorduliidae</i> sp.			
2332.	<i>Heteronyx</i> sp. fc28			
2333.	<i>Heteronyx</i> sp. fc347			
2334.	<i>Heteronyx</i> sp. fc363			
2335.	<i>Heteronyx</i> sp. fc94			
2336.	<i>Heteronyx</i> sp. fc951			
2337.	<i>Heurodes turritus</i>			
2338.	<i>Hierodula</i> sp. fc767			
2339.	<i>Hoggicosa storri</i>			
2340.	<i>Hogna crispipes</i>			
2341.	<i>Hogna immansueta</i>			
2342.	<i>Hogna kuyani</i>			
2343.	<i>Holasteron perth</i>			
2344.	<i>Holasteron wamuseum</i>			Y
2345.	<i>Holconia westralia</i>			
2346.	<i>Holoplatys fusca</i>			
2347.	<i>Hybograllus</i> sp.			Y
2348.	<i>Hydrobiosella michaelsoni</i>			
2349.	<i>Hydrodromidae</i> sp.			
2350.	<i>Hydrometridae</i> sp.			
2351.	<i>Hydrophilidae</i> sp.			
2352.	<i>Hydropsychidae</i> sp.			
2353.	<i>Hydroptilidae</i> sp.			
2354.	<i>Hydryphantidae</i> sp.			
2355.	<i>Hyocephalus aupruginus</i>			
2356.	<i>Hypobapta barnardi</i>			
2357.	<i>Hypobapta</i> sp. fc955			
2358.	<i>Hypoblemum</i> sp.			Y
2359.	<i>Hyriidae</i> sp.			
2360.	<i>Idiommatia blackwalli</i>			
2361.	48935 <i>Idiosoma sigillatum</i> (Swan Coastal Plain shield-backed trapdoor spider)		P3	
2362.	<i>Isometroides vesus</i>			
2363.	<i>Isopeda leishmanni</i>			
2364.	<i>Isopeda magna</i>			
2365.	<i>Isopedella cana</i>			
2366.	<i>Isopedella tindalei</i>			
2367.	<i>Ixodes fecialis</i>			
2368.	<i>Ixodes hydromyidis</i>			Y
2369.	<i>Kangarosa properipes</i>			
2370.	<i>Karaops ellenae</i>			
2371.	<i>Karaops jarrit</i>			
2372.	33980 <i>Kawaniphila pachomai</i> (Grey Vernal Katydid (southwest), cricket)		P1	
2373.	<i>Kiefferulus intertinctus</i>			
2374.	<i>Kiefferulus martini</i>			
2375.	<i>Lampona brevipes</i>			
2376.	<i>Lampona cylindrata</i>			
2377.	<i>Lampona yanchep</i>			
2378.	<i>Lamponella ainslie</i>			
2379.	<i>Lancetes lanceolatus</i>			
2380.	<i>Lancetes</i> sp.			
2381.	<i>Latrodectus hasselti</i>			
2382.	<i>Latrodectus hasseltii</i>			
2383.	<i>Laxta</i> sp. fc27			
2384.	33983 <i>Leioproctus douglasiellus</i> (a short-tongued bee)		T	
2385.	<i>Lepidoptera</i> (non-pyralid)			
2386.	<i>Leptoceridae</i> sp.			
2387.	<i>Leptoperla australica</i>			
2388.	<i>Leptophlebiidae</i> sp.			
2389.	<i>Libellulidae</i> sp.			
2390.	<i>Limbodessus inornatus</i>			
2391.	<i>Limbodessus shuckhardi</i>			
2392.	<i>Limnesiidae</i> sp.			
2393.	<i>Limnoxenus</i> sp.			
2394.	<i>Limnoxenus zelandicus</i>			

Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
2395.	<i>Longepi woodman</i>			
2396.	<i>Longrita insidiosa</i>			
2397.	<i>Lopescladius? V35 (=SO3 sp. D)</i>			
2398.	<i>Lycosa ariadnae</i>			
2399.	<i>Lycosa godeffroyi</i>			
2400.	<i>Lymnaeidae sp.</i>			
2401.	<i>Lyncestis melanoschista</i>			
2402.	<i>Lynceus sp.</i>			
2403.	<i>Macrogryus angustatus</i>			
2404.	<i>Maratus pavonis</i>			
2405.	<i>Marsupiopopus antechinus</i>			
2406.	<i>Marsupiopopus leporilli</i>			
2407.	<i>Masasteron maini</i>			
2408.	<i>Masasteron mas</i>			
2409.	<i>Megapodagrionidae sp.</i>			
2410.	<i>Megaporus solidus</i>			
2411.	<i>Megaporus sp.</i>			
2412.	<i>Melanotrane roei</i>			
2413.	<i>Metriolagria sp. fc192</i>			
2414.	<i>Micronecta robusta</i>			
2415.	<i>Micronecta sp.</i>			
2416.	<i>Miniargiolestes minimus</i>			
2417.	<i>Missulena granulosa</i>			
2418.	<i>Missulena hoggi</i>			
2419.	<i>Missulena occatoria</i>			
2420.	<i>Mituliodon tarantulinus</i>			
2421.	<i>Miturga catographa</i>			
2422.	<i>Mitzoruga insularis</i>			
2423.	<i>Moerarchis clathrella</i>			
2424.	<i>Molycra quadricauda</i>			
2425.	<i>Muscidae sp.</i>			
2426.	<i>Myandra bicincta</i>			
2427.	<i>Myandra cambridgei</i>			
2428.	<i>Myrmecia sp. fc281</i>			
2429.	<i>Myrmecia sp. fc487</i>			
2430.	<i>Myrmecia vindex</i>			
2431.	<i>Naididae sp.</i>			
2432.	<i>Nanometa gentilis</i>			
2433.	<i>Necterosoma darwini</i>			
2434.	<i>Necterosoma regulare</i>			
2435.	<i>Necterosoma sp.</i>			
2436.	<i>Nematoda sp.</i>			
2437.	33984 <i>Neopasiphae simplicior</i> (a short-tongued bee)		T	
2438.	<i>Neotemnopteryx sp. fc120</i>			
2439.	<i>Nephila edulis</i>			
2440.	<i>Nicodamus mainae</i>			
2441.	<i>Nomindra flavipes</i>			
2442.	<i>Notalina nr. sp. AV14</i>			
2443.	<i>Notalina sp. AV15 (PSW)</i>			
2444.	<i>Notalina spira</i>			
2445.	<i>Notiasemus glauerti</i>			
2446.	<i>Notonectidae sp.</i>			
2447.	<i>Notoperata sp. AV1 (SFM)</i>			
2448.	<i>Notsodipus muckera</i>			
2449.	<i>Nousia sp. AV16</i>			
2450.	<i>Novakiella trituberculosa</i>			
2451.	<i>Nunciella aspera</i>			
2452.	<i>Nyungara bunni</i>			
2453.	<i>Occiperipatoides gilesii</i>			
2454.	<i>Ochrogaster sp. fc10</i>			
2455.	<i>Ocrisiona leucocomis</i>			
2456.	<i>Oecobius navus</i>			
2457.	<i>Oenochroma cerasiplaga</i>			
2458.	<i>Oenochroma sp. fc31</i>			
2459.	<i>Offadens soror</i> (ex genus 1 WA sp. 1)			
2460.	<i>Oligochaeta sp.</i>			
2461.	<i>Olios sp. fc939</i>			
2462.	<i>Ommatoiulus moreleti</i>			
2463.	<i>Ommatoiulus moreletii</i>			
2464.	<i>Omorgus sp. fc1086</i>			

Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
2465.	<i>Omorgus</i> sp. fc848			
2466.	<i>Oniscidae</i> sp.			
2467.	<i>Onosandrus</i> sp. fc526			
2468.	<i>Ophion</i> sp. fc87			
2469.	<i>Opisthopora</i> sp.			
2470.	<i>Opopaea</i> sp.			Y
2471.	<i>Oribatida</i> sp.			
2472.	<i>Orphnaeus breviliatus</i>			
2473.	<i>Orthetrum caledonicum</i>			
2474.	<i>Orthocladinae</i> 'woodminer' (SAP)			
2475.	<i>Orthocladinae</i> sp.			
2476.	<i>Ostearius melanopygius</i>			
2477.	<i>Ostracoda</i> (unident.)			
2478.	<i>Oxidae</i> sp.			
2479.	<i>Oxidus gracilis</i>			
2480.	<i>Oxyethira</i> sp.			
2481.	<i>Oxyopes gracilipes</i>			
2482.	<i>Oxyopes punctatus</i>			
2483.	<i>Oxyops pictipennis</i>			
2484.	<i>Ozarchaea harveyi</i>			
2485.	<i>Palaemonidae</i> sp.			
2486.	<i>Pantidia</i> sp. fc329			
2487.	<i>Pantidia</i> sp. fc5			
2488.	<i>Parachironomus</i> sp. 1 (VSCL35) (SAP)			
2489.	<i>Paracladopelma</i> M1 (SFM)			
2490.	<i>Paracymus spenceri</i>			
2491.	<i>Parakiefferiella</i> sp. S1			
2492.	<i>Parakiefferiella variegatus</i>			
2493.	<i>Paralampona marangaroo</i>			
2494.	<i>Paralimnophyes pullulus</i> (V42)			
2495.	<i>Paramelitidae</i> sp.			
2496.	<i>Paramerina levidensis</i>			
2497.	<i>Paranacaena littoralis</i>			
2498.	<i>Parastacidae</i> sp.			
2499.	<i>Paroster</i> sp.			
2500.	<i>Pediana occidentalis</i>			
2501.	<i>Pentaneurini</i> genus V20			
2502.	<i>Pentastemon securifer</i>			
2503.	<i>Perga</i> sp. fc1550			
2504.	<i>Peripatoides woodwardi</i>			Y
2505.	<i>Persectania ewingii</i>			
2506.	<i>Perthiidae</i> sp.			
2507.	<i>Phallaria ophiuraria</i>			
2508.	<i>Phenasteron longiconductor</i>			
2509.	<i>Philopotamidae</i> sp.			
2510.	<i>Pholcus phalangioides</i>			
2511.	<i>Pholodes</i> sp. fc384			
2512.	<i>Phonographa graeffei</i>			
2513.	<i>Phreatoicidae</i> sp.			
2514.	<i>Phreodrilidae</i> WA37 (SFM)			Y
2515.	<i>Phreodrilidae</i> sp.			
2516.	<i>Phryganoporus candidus</i>			
2517.	<i>Phryganoporus gausapatus</i> subsp. <i>occidentalis</i>			Y
2518.	<i>Phryganoporus nigrinus</i>			
2519.	<i>Physidae</i> sp.			
2520.	<i>Pinkfloydia harveii</i>			
2521.	<i>Planorbidae</i> sp.			
2522.	<i>Platynectes decempunctatus</i> var <i>polygrammus</i>			
2523.	<i>Platynectes</i> sp.			
2524.	<i>Platyzosteria</i> sp. fc1016			Y
2525.	<i>Platyzosteria</i> sp. fc507			
2526.	<i>Platyzosteria</i> sp. fc899			
2527.	<i>Platyzosteria</i> sp. fc968			
2528.	<i>Podonomopsis</i> sp. 1			
2529.	<i>Poecilasthena</i> sp. fc2630			
2530.	<i>Pollanisus cupreus</i>			
2531.	<i>Pollanisus</i> sp. fc78			
2532.	<i>Polys laciniatus</i>			
2533.	<i>Polygonarea repanda</i>			Y
2534.	<i>Polypedilum</i> nr. <i>convexum</i> (SAP)			

Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
2535.	<i>Polypedium watsoni</i>			
2536.	<i>Polyphrades aesalon</i>			
2537.	<i>Polyzosteria</i> sp. fc2003			
2538.	<i>Porela</i> sp. fc749			
2539.	<i>Prasinocyma</i> sp. fc393			
2540.	<i>Procladius paludicola</i>			
2541.	<i>Procladius villosimanus</i>			
2542.	<i>Proteuxoa pissonephra</i>			
2543.	<i>Proteuxoa</i> sp. fc2752			
2544.	<i>Pseudaecolus</i> sp. fc997			
2545.	<i>Pseudoceneus</i> sp. fc528			
2546.	<i>Pytheus</i> sp. fc3396			Y
2547.	<i>Raveniella cirrata</i>			
2548.	<i>Raveniella peckorum</i>			
2549.	<i>Rhadinomus lacordaire</i>			
2550.	<i>Rhantus suturalis</i>			
2551.	<i>Rheotanytarsus</i> sp. (SFM)			
2552.	<i>Rhytidoponera</i> sp. fc543			
2553.	<i>Rhytidoponera</i> sp. fc888			
2554.	<i>Richardsonianidae</i> sp.			
2555.	<i>Riethia</i> v4			
2556.	<i>Sandalodes joannae</i>			
2557.	<i>Sandalodes superbus</i>			
2558.	<i>Sandava scitisigna</i>			
2559.	<i>Scirtidae</i> sp.			
2560.	<i>Scolopendra laeta</i>			
2561.	<i>Scolopendra morsitans</i>			
2562.	<i>Scutigerella indecisa</i>			
2563.	<i>Scytodes thoracica</i>			
2564.	<i>Servaea melaina</i>			
2565.	<i>Servaea spinibarbis</i>			
2566.	<i>Simuliidae</i> sp.			
2567.	<i>Skusella</i> "V12 ex-WA" (Cranston)			
2568.	<i>Smeringopus natalensis</i>			
2569.	<i>Smeringopus natalensis?</i>			Y
2570.	<i>Sorama bicolor</i>			
2571.	<i>Sphaerotrichopus ramosus</i>			
2572.	<i>Spilosoma</i> sp. fc445			
2573.	<i>Steatoda capensis</i>			
2574.	<i>Steatoda grossa</i>			
2575.	<i>Sternopriscus browni</i>			
2576.	<i>Sternopriscus marginatus</i>			
2577.	<i>Sternopriscus</i> sp.			
2578.	<i>Stibaroma melanotoxa</i>			
2579.	<i>Stictocladus occidentalis</i>			
2580.	<i>Storena formosa</i>			
2581.	<i>Storena sinuosa</i>			
2582.	<i>Storena</i> sp. fc468			
2583.	<i>Storena tricolor</i>			Y
2584.	<i>Storosa tetrica</i>			
2585.	<i>Styloniscidae</i> sp.			
2586.	<i>Supunna funerea</i>			
2587.	<i>Supunna picta</i>			
2588.	<i>Synothele durokoppin</i>			
2589.	<i>Synothele michaelsoni</i>			
2590.	<i>Synsphyronus magnus</i>			
2591.	<i>Synthemistidae</i> sp.			
2592.	<i>Tabanidae</i> sp.			
2593.	<i>Talaurinus roei</i>			
2594.	<i>Talitridae</i> sp.			
2595.	<i>Tamopsis darlingtoniana</i>			
2596.	<i>Tamopsis perthensis</i>			
2597.	<i>Tanypodinae</i> sp.			
2598.	<i>Tanytarsus aff manleyensis</i>			
2599.	<i>Tanytarsus fuscithorax/semibarbitarsus</i>			
2600.	<i>Tanytarsus nr K5</i>			
2601.	<i>Tanytarsus nr bispinosus (SAP)</i>			
2602.	<i>Tanytarsus palmatus</i>			
2603.	<i>Tanytarsus</i> sp. I (SAP)			
2604.	<i>Tasmanicosa leuckartii</i>			

Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
2605.	<i>Tasmanocoenis tillyardi</i>			
2606.	<i>Tegenaria atrica</i>			Y
2607.	<i>Tetragnatha demissa</i>			
2608.	<i>Tetragnatha luteocincta</i>			Y
2609.	<i>Tetragnatha nitens</i>			
2610.	<i>Thalamarchella alveola</i>			
2611.	<i>Thereuopoda lesueurii</i>			
2612.	<i>Thienemanniella</i> sp. (V19) (SAP)			
2613.	<i>Tipulidae</i> sp.			
2614.	<i>Trachycosmus sculptilis</i>			
2615.	<i>Trachyspina mundaring</i>			
2616.	<i>Trichocyclus balladong</i>			
2617.	<i>Trichocyclus nullarbor</i>			
2618.	<i>Triplectides australis</i>			
2619.	<i>Triplectides</i> sp. AV21 (SFM)			
2620.	<i>Uresiphita ornithopteralis</i>			
2621.	<i>Urodacus armatus</i>			
2622.	<i>Urodacus novaehollandiae</i>			
2623.	<i>Urodacus planimanus</i>			
2624.	<i>Urodacus woodwardii</i>			
2625.	<i>Utetheisa pulchelloides</i>			
2626.	<i>Venator immansueta</i>			
2627.	<i>Venatrix arenaris</i>			
2628.	<i>Venatrix pullastra</i>			
2629.	34113 <i>Westralunio carteri</i> (Carter's Freshwater Mussel)		T	
2630.	<i>Westrarchaea spinosa</i>			
2631.	<i>Withius piger</i>			
2632.	<i>Xanthorhoe</i> sp. fc42			
2633.	<i>Xanthorhoe</i> sp. fc455			
2634.	<i>Xyleutes lichenea</i>			Y
2635.	<i>Zachria flavicoma</i>			
2636.	<i>Zonopetala clerota</i>			
2637.	<i>the dart</i> sp. fc322			
2638.	<i>unidentifiable unidentifiable</i>			
2639.	<i>unknown unknown</i>			Y

Lichen

2640.	27574	<i>Acarospora citrina</i>		
2641.	42106	<i>Austroparmelia conlabrosa</i>		
2642.	41242	<i>Buellia homophylla</i>		
2643.	28199	<i>Calicium victorianum</i> var. <i>desidiosum</i>		
2644.		<i>Caloplaca</i> sp.		
2645.	27645	<i>Candelariella xanthostigmoides</i>		
2646.	43884	<i>Carbonicola foveata</i>		
2647.	27663	<i>Cladia aggregata</i>		
2648.	27665	<i>Cladia ferdinandii</i>		
2649.	48177	<i>Cladia muelleri</i>		
2650.	27668	<i>Cladia schizopora</i>		
2651.	27671	<i>Cladonia angustata</i>		
2652.	27673	<i>Cladonia capitellata</i>		
2653.	28208	<i>Cladonia cervicornis</i> subsp. <i>verticillata</i>		
2654.	27684	<i>Cladonia krempelhuberi</i>		
2655.	27691	<i>Cladonia ramulosa</i>		
2656.	27692	<i>Cladonia rigida</i>		
2657.	27693	<i>Cladonia scabriuscula</i>		
2658.	27694	<i>Cladonia southlandica</i>		
2659.	27696	<i>Cladonia sulcata</i>		
2660.	27697	<i>Cladonia tessellata</i>		
2661.	27723	<i>Diploschistes scruposus</i>		
2662.	27745	<i>Flavoparmelia haysomii</i>		
2663.	27748	<i>Flavoparmelia rutidota</i>		
2664.	27751	<i>Flavoparmelia soledians</i>		
2665.	29397	<i>Hertelidea pseudobotryosa</i>		Y
2666.	27780	<i>Hypocenomyce australis</i>		
2667.	27782	<i>Hypocenomyce scalaris</i>		
2668.	27787	<i>Hypogymnia subphysodes</i>		
2669.	28218	<i>Hypogymnia subphysodes</i> var. <i>austerodioides</i>		
2670.		<i>Lecanora</i> sp.		
2671.	27825	<i>Lecidea ochroleuca</i>		
2672.	27892	<i>Pannoparmelia wilsonii</i>		
2673.	27905	<i>Paraporphidia glauca</i>		

	Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
2674.	27906	<i>Paraporphidia leptocarpa</i>			
2675.	27922	<i>Parmotrema chinense</i>			
2676.	27952	<i>Pertusaria remota</i>			
2677.	27997	<i>Pseudocyphellaria neglecta</i>			
2678.	28007	<i>Punctelia subalbicans</i>			
2679.	28039	<i>Rhizocarpon geographicum</i>			
2680.	28060	<i>Siphula coriacea</i>			
2681.	28064	<i>Stereocaulon corticatum</i>			
2682.	28070	<i>Thysanothecium hookeri</i>			
2683.	28071	<i>Thysanothecium scutellatum</i>			
2684.	44186	<i>Trapelia lilacea</i>			
2685.		<i>Trapeliopsis flexuosa</i>			
2686.	28086	<i>Usnea dasaea</i>			
2687.	28087	<i>Usnea inermis</i>			
2688.	28092	<i>Usnea scabrida</i>			
2689.	28105	<i>Xanthoparmelia antleriformis</i>			
2690.	28123	<i>Xanthoparmelia digitiformis</i>			
2691.	28128	<i>Xanthoparmelia elevata</i>			
2692.	29032	<i>Xanthoparmelia imitatrix</i>			
2693.	28156	<i>Xanthoparmelia nana</i>			
2694.		<i>Xanthoparmelia</i> sp.			
2695.	28356	<i>Xanthoparmelia verrucella</i>			

Mammal

2696.	25449	<i>Antechinus flavipes</i> (Yellow-footed Antechinus)			
2697.	24088	<i>Antechinus flavipes</i> subsp. <i>leucogaster</i> (Yellow-footed Antechinus, Mardo)			
2698.	47713	<i>Austronomus australis</i> (White-striped Free-tailed Bat)			
2699.	24162	<i>Bettongia penicillata</i> subsp. <i>ogilbyi</i> (Woylie, Brush-tailed Bettong)		T	
2700.	24251	<i>Bos taurus</i> (European Cattle)	Y		
2701.	24086	<i>Cercartetus concinnus</i> (Western Pygmy-possum, Mundarda)			
2702.	24186	<i>Chalinolobus gouldii</i> (Gould's Wattled Bat)			
2703.	24187	<i>Chalinolobus morio</i> (Chocolate Wattled Bat)			
2704.	24092	<i>Dasyurus geoffroyi</i> (Chuditch, Western Quoll)		T	
2705.	24258	<i>Equus caballus</i> (Horse)	Y		
2706.	24041	<i>Felis catus</i> (Cat)	Y		
2707.	30916	<i>Funambulus pennanti</i> (Indian Palm Squirrel)	Y		
2708.	24215	<i>Hydromys chrysogaster</i> (Water-rat, Rakali)		P4	
2709.	48588	<i>Isodon fusciventer</i> (Quenda, southwestern brown bandicoot)		P4	
2710.	24132	<i>Macropus fuliginosus</i> (Western Grey Kangaroo)			
2711.	24135	<i>Macropus robustus</i> subsp. <i>erubescens</i> (Euro, Biggada)			
2712.	48005	<i>Mormopterus kitcheneri</i> (South-western Free-tailed Bat)			
2713.	24223	<i>Mus musculus</i> (House Mouse)	Y		
2714.	24042	<i>Mustela putorius</i> (European Polecat, Ferret)	Y		
2715.	24146	<i>Myrmecobius fasciatus</i> (Numbat, Walpurti)		T	
2716.	48022	<i>Notamacropus irma</i> (Western Brush Wallaby)		P4	
2717.	24194	<i>Nyctophilus geoffroyi</i> (Lesser Long-eared Bat)			
2718.	24195	<i>Nyctophilus gouldi</i> (Gould's Long-eared Bat)			
2719.	41424	<i>Nyctophilus major</i> (Greater Long-eared Bat)			
2720.	24085	<i>Oryctolagus cuniculus</i> (Rabbit)	Y		
2721.	34016	<i>Ovis aries</i> (Sheep)			
2722.	24098	<i>Phascogale calura</i> (Red-tailed Phascogale, Kenngoos)		S	
2723.	48070	<i>Phascogale tapoatafa</i> subsp. <i>wambenger</i> (South-western Brush-tailed Phascogale, Wambenger)		S	
2724.	24166	<i>Pseudocheirus occidentalis</i> (Western Ringtail Possum, ngwayir)		T	
2725.	24234	<i>Pseudomys delicatulus</i> (Delicate Mouse)			
2726.	24173	<i>Pteropus scapulatus</i> (Little Red Flying-fox)			
2727.	24243	<i>Rattus fuscipes</i> (Western Bush Rat)			
2728.	24245	<i>Rattus rattus</i> (Black Rat)	Y		
2729.	24199	<i>Scotorepens balstoni</i> (Inland Broad-nosed Bat)			
2730.	24145	<i>Setonix brachyurus</i> (Quokka)		T	
2731.	24111	<i>Sminthopsis gilberti</i> (Gilbert's Dunnart)			
2732.		<i>Sminthopsis murina</i>			
2733.	24207	<i>Tachyglossus aculeatus</i> (Short-beaked Echidna)			
2734.	24167	<i>Tarsipes rostratus</i> (Honey Possum, Noolbenger)			
2735.	25521	<i>Trichosurus vulpecula</i> (Common Brushtail Possum)			
2736.	24158	<i>Trichosurus vulpecula</i> subsp. <i>vulpecula</i> (Common Brushtail Possum)			
2737.	24206	<i>Vespadelus regulus</i> (Southern Forest Bat)			
2738.	24040	<i>Vulpes vulpes</i> (Red Fox)	Y		

Monocotyledon

2739.	1205	<i>Acanthocarpus canaliculatus</i>			
-------	------	------------------------------------	--	--	--

Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
2740.	1208 <i>Acanthocarpus preissii</i>			
2741.	1505 <i>Agave americana</i> (Century Plant)	Y		
2742.	179 <i>Agrostis gigantea</i> (Redtop Bent)	Y		
2743.	23474 <i>Agrostocrinum hirsutum</i>			
2744.	1261 <i>Agrostocrinum scabrum</i> (Blue Grass Lily)			
2745.	23501 <i>Agrostocrinum scabrum</i> subsp. <i>scabrum</i>			
2746.	184 <i>Aira caryophyllea</i> (Silvery Hairgrass)	Y		
2747.	185 <i>Aira cupaniana</i> (Silvery Hairgrass)	Y		
2748.	186 <i>Aira elegantissima</i>	Y		
2749.	187 <i>Aira praecox</i> (Early Hairgrass)	Y		
2750.	43820 <i>Albuca flaccida</i>	Y		
2751.	1056 <i>Alexgeorgea nitens</i>			
2752.	1374 <i>Allium ampeloprasum</i>	Y		
2753.	1377 <i>Allium porrum</i> (Leek)	Y		
2754.	1378 <i>Allium triquetrum</i> (Three-cornered Garlic)	Y		
2755.	190 <i>Alopecurus myosuroides</i> (Slender Foxtail)	Y		
2756.	20755 <i>Alstroemeria psittacina</i>	Y		
2757.	48626 <i>Althenia australis</i>			
2758.	48620 <i>Althenia preissii</i>			
2759.	13380 <i>Amphibromus nervosus</i>			
2760.	194 <i>Amphipogon amphipogonoides</i>			
2761.	197 <i>Amphipogon debilis</i>			
2762.	198 <i>Amphipogon laguroides</i>			
2763.	20197 <i>Amphipogon laguroides</i> subsp. <i>havelii</i>			
2764.	20184 <i>Amphipogon laguroides</i> subsp. <i>laguroides</i>			
2765.	199 <i>Amphipogon strictus</i> (Greybeard Grass)			
2766.	200 <i>Amphipogon turbinatus</i>			
2767.	1058 <i>Anarthria gracilis</i>			
2768.	1059 <i>Anarthria humilis</i>			
2769.	1060 <i>Anarthria laevis</i>			
2770.	1062 <i>Anarthria prolifera</i>			
2771.	201 <i>Andropogon distachyos</i>	Y		Y
2772.	11470 <i>Anigozanthos bicolor</i> subsp. <i>bicolor</i>			
2773.	1409 <i>Anigozanthos humilis</i> (Catspaw)			
2774.	11434 <i>Anigozanthos humilis</i> subsp. <i>humilis</i>			
2775.	1411 <i>Anigozanthos manglesii</i> (Mangles Kangaroo Paw, Kurulbrang)			
2776.	11261 <i>Anigozanthos manglesii</i> subsp. <i>manglesii</i>			
2777.	29487 <i>Anigozanthos manglesii</i> var. <i>x angustifolius</i>			
2778.	1416 <i>Anigozanthos viridis</i> (Green Kangaroo Paw, Kurulbardang)			
2779.	11566 <i>Anigozanthos viridis</i> subsp. <i>viridis</i>			
2780.	202 <i>Anthoxanthum odoratum</i> (Sweet Vernal Grass)	Y		
2781.	1116 <i>Aphelia brizula</i>			
2782.	1117 <i>Aphelia cyperoides</i>			
2783.	1118 <i>Aphelia drummondii</i>			
2784.	1119 <i>Aphelia nutans</i>			
2785.	43548 <i>Aphelia</i> sp. <i>Albany</i> (B.G. Briggs 596)			
2786.	141 <i>Aponogeton hexatepalus</i> (Stalked Water Ribbons)		P4	
2787.	207 <i>Aristida contorta</i> (Bunched Kerosene Grass)			
2788.	210 <i>Aristida holathera</i>			
2789.	12063 <i>Aristida holathera</i> var. <i>holathera</i>			
2790.	222 <i>Aristida ramosa</i> (Purple Wiregrass)	Y		
2791.	1264 <i>Arnocrinum preissii</i>			
2792.	226 <i>Arundo donax</i> (Giant Reed)	Y		
2793.	8779 <i>Asparagus asparagoides</i> (Bridal Creeper)	Y		
2794.	1201 <i>Asparagus officinalis</i> (Asparagus)	Y		
2795.	1364 <i>Asphodelus fistulosus</i> (Onion Weed)	Y		
2796.	38480 <i>Austrostipa bronwenae</i>		T	
2797.	17233 <i>Austrostipa campylachne</i>			
2798.	17234 <i>Austrostipa compressa</i>			
2799.	17237 <i>Austrostipa elegantissima</i>			
2800.	17240 <i>Austrostipa flavescens</i>			
2801.	17241 <i>Austrostipa hemipogon</i>			
2802.	38481 <i>Austrostipa jacobiana</i>		T	
2803.	17245 <i>Austrostipa mollis</i>			
2804.	17253 <i>Austrostipa semibarbata</i>			
2805.	<i>Austrostipa</i> sp.			
2806.	37421 <i>Austrostipa</i> sp. <i>Marchagee</i> (B.R. Maslin 1407)			
2807.	17257 <i>Austrostipa variabilis</i>			
2808.	231 <i>Avellinia michelii</i>	Y		
2809.	233 <i>Avena barbata</i> (Bearded Oat)	Y		

	Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
2810.	234	<i>Avena fatua</i> (Wild Oat)	Y		
2811.	235	<i>Avena sativa</i> (Common Oat)	Y		
2812.		<i>Avena</i> sp. Yule5			Y
2813.	20013	<i>Axonopus fissifolius</i>	Y		
2814.	18279	<i>Babiana angustifolia</i>	Y		
2815.	1382	<i>Baeometra uniflora</i>	Y		
2816.	740	<i>Baumea arthropophylla</i>			
2817.	741	<i>Baumea articulata</i> (Jointed Rush)			
2818.	743	<i>Baumea juncea</i> (Bare Twigrush)			
2819.	744	<i>Baumea laxa</i>			
2820.	745	<i>Baumea preissii</i>			
2821.	746	<i>Baumea riparia</i>			
2822.	747	<i>Baumea rubiginosa</i>			
2823.	748	<i>Baumea vaginalis</i> (Sheath Twigrush)			
2824.	1417	<i>Blancoa canescens</i> (Winter Bell)			
2825.	749	<i>Bolboschoenus caldwellii</i> (Marsh Club-rush)			
2826.	48689	<i>Bolboschoenus fluviatilis</i>		P1	
2827.	1267	<i>Borya constricta</i>			
2828.	1272	<i>Borya scirpoidea</i>			
2829.	1273	<i>Borya sphaerocephala</i> (Pincushions)			
2830.	8661	<i>Brachypodium distachyon</i> (False Brome)	Y		
2831.	244	<i>Briza maxima</i> (Blowfly Grass)	Y		
2832.	245	<i>Briza minor</i> (Shivery Grass)	Y		
2833.	246	<i>Bromus alopecuros</i>	Y		
2834.	248	<i>Bromus catharticus</i> (Prairie Grass)	Y		
2835.	249	<i>Bromus diandrus</i> (Great Brome)	Y		
2836.	250	<i>Bromus hordeaceus</i> (Soft Brome)	Y		
2837.	252	<i>Bromus madritensis</i> (Madrid Brome)	Y		
2838.	253	<i>Bromus rubens</i> (Red Brome)	Y		
2839.	1366	<i>Bulbine semibarbata</i> (Leek Lily)			
2840.	1383	<i>Burchardia bairdiae</i>			
2841.	12770	<i>Burchardia congesta</i>			
2842.	1385	<i>Burchardia multiflora</i> (Dwarf Burchardia)			
2843.	1276	<i>Caesia micrantha</i> (Pale Grass Lily)			
2844.	1277	<i>Caesia occidentalis</i>			
2845.	15330	<i>Caladenia arenicola</i>			
2846.	13853	<i>Caladenia arrecta</i>			
2847.	11136	<i>Caladenia denticulata</i>			
2848.	44900	<i>Caladenia denticulata</i> subsp. <i>rubella</i>			
2849.	1586	<i>Caladenia discoidea</i> (Dancing Orchid)			
2850.	11165	<i>Caladenia falcata</i>			
2851.	1590	<i>Caladenia ferruginea</i> (Rusty Spider Orchid)			
2852.	1592	<i>Caladenia flava</i> (Cowslip Orchid)			
2853.	15348	<i>Caladenia flava</i> subsp. <i>flava</i>			
2854.	15502	<i>Caladenia footeana</i>			
2855.	17980	<i>Caladenia hiemalis</i>			
2856.	15354	<i>Caladenia hirta</i> subsp. <i>hirta</i>			
2857.	1596	<i>Caladenia huegelii</i> (Grand Spider Orchid)		T	
2858.	1599	<i>Caladenia latifolia</i> (Pink Fairy Orchid)			
2859.	1602	<i>Caladenia longicauda</i> (Common White Spider Orchid)			
2860.	15361	<i>Caladenia longicauda</i> subsp. <i>calcigena</i>			
2861.	13859	<i>Caladenia longicauda</i> subsp. <i>clivicola</i>			
2862.	15363	<i>Caladenia longicauda</i> subsp. <i>eminens</i>			
2863.	15365	<i>Caladenia longicauda</i> subsp. <i>longicauda</i>			
2864.	1603	<i>Caladenia longiclavata</i> (Clubbed Spider Orchid)			
2865.	1604	<i>Caladenia macrostylis</i> (Leaping Spider Orchid)			
2866.	1605	<i>Caladenia marginata</i> (White Fairy Orchid)			
2867.	17760	<i>Caladenia nobilis</i>			
2868.	15503	<i>Caladenia paludosa</i>			
2869.	15377	<i>Caladenia reptans</i> subsp. <i>reptans</i>			
2870.	15379	<i>Caladenia serotina</i>			
2871.	15380	<i>Caladenia splendens</i>			
2872.	18019	<i>Caladenia vulgata</i>			
2873.	1213	<i>Calectasia cyanea</i> (Blue Tinsel Lily)		T	
2874.	1214	<i>Calectasia grandiflora</i> (Blue Tinsel Lily)			
2875.	19309	<i>Calectasia narragara</i>			
2876.	753	<i>Carex appressa</i> (Tall Sedge)			
2877.	754	<i>Carex divisa</i> (Divided Sedge)	Y		
2878.	755	<i>Carex fascicularis</i> (Tassel Sedge)			
2879.	756	<i>Carex inversa</i> (Knob Sedge)			

	Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
2880.	759	<i>Carex tereticaulis</i>		P3	
2881.	1162	<i>Cartonema philydroides</i>			
2882.	760	<i>Caustis dioica</i>			
2883.	41564	<i>Cenchrus clandestinus</i> (Kikuyu Grass)	Y		
2884.	259	<i>Cenchrus echinatus</i> (Burrgrass)	Y		
2885.	41566	<i>Cenchrus longisetus</i> (Feathertop)	Y		
2886.	41567	<i>Cenchrus macrourus</i> (African Feather Grass)	Y		
2887.	41563	<i>Cenchrus purpureus</i> (Elephant Grass)	Y		
2888.	41568	<i>Cenchrus setaceus</i> (Fountain Grass)	Y		
2889.	1120	<i>Centrolepis alepyroides</i>			
2890.	1121	<i>Centrolepis aristata</i> (Pointed Centrolepis)			
2891.	1123	<i>Centrolepis caespitosa</i>			
2892.	13122	<i>Centrolepis cephaloformis</i> subsp. <i>cephaloformis</i>			
2893.	1125	<i>Centrolepis drummondiana</i>			
2894.	1129	<i>Centrolepis glabra</i> (Smooth Centrolepis)			
2895.	1131	<i>Centrolepis inconspicua</i>			
2896.	1132	<i>Centrolepis mutica</i>			
2897.	1133	<i>Centrolepis pilosa</i>			
2898.	1134	<i>Centrolepis polygyna</i> (Wiry Centrolepis)			
2899.	43642	<i>Centrolepis</i> sp. <i>Kalannie</i> (B.J. Lepschi et al. BJL 3517)			
2900.	17685	<i>Chaetanthus aristatus</i>			
2901.	1280	<i>Chamaescilla corymbosa</i> (Blue Squill)			
2902.	11299	<i>Chamaescilla corymbosa</i> var. <i>corymbosa</i>			
2903.	11878	<i>Chamaescilla corymbosa</i> var. <i>paradoxa</i>			
2904.	19338	<i>Chamaescilla gibsonii</i>		P3	
2905.	1281	<i>Chamaescilla spiralis</i>			
2906.	8788	<i>Chamaescilla versicolor</i>			
2907.	1217	<i>Chamaexeros serra</i> (Little Fringe-leaf)			
2908.	1513	<i>Chasmanthe floribunda</i> (African Cornflag)	Y		
2909.	267	<i>Chloris gayana</i> (Rhodes Grass)	Y		
2910.	17689	<i>Chordifex laxus</i>			
2911.	17706	<i>Chordifex sinuosus</i>			
2912.	763	<i>Chorizandra enodis</i> (Black Bristlerush)			
2913.	764	<i>Chorizandra multiarticulata</i>			
2914.	276	<i>Coix lacryma-jobi</i> (Job's Tears)	Y		Y
2915.	1044	<i>Colocasia esculenta</i> (Taro)			
2916.	32999	<i>Colocasia esculenta</i> var. <i>esculenta</i>	Y		
2917.	1418	<i>Conostylis aculeata</i> (Prickly Conostylis)			
2918.	11826	<i>Conostylis aculeata</i> subsp. <i>aculeata</i>			
2919.	11513	<i>Conostylis aculeata</i> subsp. <i>cygnorum</i>			
2920.	12109	<i>Conostylis aculeata</i> subsp. <i>preissii</i>			
2921.	1420	<i>Conostylis androstemma</i> (Trumpets)			
2922.	1423	<i>Conostylis aurea</i> (Golden Conostylis)			
2923.	11438	<i>Conostylis candicans</i> subsp. <i>candicans</i>			
2924.	1429	<i>Conostylis caricina</i>			
2925.	12035	<i>Conostylis caricina</i> subsp. <i>caricina</i>			
2926.	1434	<i>Conostylis festucea</i>			
2927.	11695	<i>Conostylis festucea</i> subsp. <i>festucea</i>			
2928.	1436	<i>Conostylis juncea</i>			
2929.	1437	<i>Conostylis latens</i>			
2930.	1447	<i>Conostylis pusilla</i>			
2931.	1453	<i>Conostylis serrulata</i>			
2932.	1454	<i>Conostylis setigera</i> (Bristly Cottonhead)			
2933.	11597	<i>Conostylis setigera</i> subsp. <i>setigera</i>			
2934.	1455	<i>Conostylis setosa</i> (White Cottonhead)			
2935.		<i>Conostylis</i> sp.			
2936.	48259	<i>Cortaderia selloana</i> subsp. <i>selloana</i>	Y		
2937.	1285	<i>Corynotheca micrantha</i> (Sand Lily)			
2938.	1627	<i>Cryptostylis ovata</i> (Slipper Orchid)			
2939.	1487	<i>Cyanella hyacinthoides</i>	Y		
2940.	15114	<i>Cyanicula gemmata</i>			
2941.	13826	<i>Cyanicula ixioides</i> subsp. <i>ixioides</i>		P4	
2942.	15404	<i>Cyanicula sericea</i>			
2943.	768	<i>Cyathochaeta avenacea</i>			
2944.	769	<i>Cyathochaeta clandestina</i>			
2945.	17618	<i>Cyathochaeta equitans</i>			
2946.	16245	<i>Cyathochaeta teretifolia</i>		P3	
2947.	40660	<i>Cycnogeton huegelii</i>			
2948.	40661	<i>Cycnogeton lineare</i>			
2949.	281	<i>Cymbopogon obtectus</i> (Silkyheads)			

Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
2950.	283 <i>Cynodon dactylon</i> (Couch)	Y		
2951.	285 <i>Cynosurus echinatus</i> (Rough Dogtail)	Y		
2952.	776 <i>Cyperus brevifolius</i> (Kyllinga Weed)	Y		
2953.	783 <i>Cyperus congestus</i> (Dense Flat-sedge)	Y		
2954.	792 <i>Cyperus eragrostis</i> (Umbrella Sedge)	Y		
2955.	18318 <i>Cyperus involucratus</i>	Y		
2956.	18198 <i>Cyperus papyrus</i>	Y		Y
2957.	806 <i>Cyperus polystachyos</i> (Bunchy Sedge)			
2958.	815 <i>Cyperus tenellus</i> (Tiny Flatsedge)	Y		
2959.	816 <i>Cyperus tenuiflorus</i> (Scaly Sedge)	Y		
2960.	14537 <i>Cyperus vorsteri</i>	Y		
2961.	10916 <i>Cyrtostylis huegelii</i>			
2962.	17692 <i>Cytogonidium leptocarpoides</i>			
2963.	287 <i>Dactylis glomerata</i> (Cocksfoot)	Y		
2964.	1218 <i>Dasypogon bromeliifolius</i> (Pineapple Bush)			
2965.	1220 <i>Dasypogon obliquifolius</i>			
2966.	17663 <i>Desmocladius asper</i>			
2967.	17691 <i>Desmocladius fasciculatus</i>			
2968.	16595 <i>Desmocladius flexuosus</i>			
2969.	46362 <i>Desmocladius lateriflorus</i>			
2970.	299 <i>Deyeuxia quadriseta</i> (Reed Bentgrass)			
2971.	1259 <i>Dianella revoluta</i> (Blueberry Lily)			
2972.	11636 <i>Dianella revoluta</i> var. <i>divaricata</i>			
2973.	306 <i>Dichelachne crinita</i> (Longhair Plumegrass)			
2974.	1287 <i>Dichopogon capillipes</i>			
2975.	1289 <i>Dichopogon preissii</i>			
2976.	17838 <i>Dielsia stenostachya</i>			
2977.	29832 <i>Dietes grandiflora</i>	Y		Y
2978.	311 <i>Digitaria ciliaris</i> (Summer Grass)	Y		
2979.	316 <i>Digitaria longiflora</i>			
2980.	320 <i>Digitaria sanguinalis</i> (Crab Grass)	Y		
2981.	1509 <i>Dioscorea hastifolia</i> (Warrine, Waram)			
2982.	48378 <i>Diplachne fusca</i> subsp. <i>fusca</i>			
2983.	19649 <i>Disa bracteata</i>	Y		
2984.	12943 <i>Diuris brumalis</i>			
2985.	10791 <i>Diuris carinata</i> (Bee Orchid)			
2986.	11049 <i>Diuris corymbosa</i>			
2987.	42231 <i>Diuris decremента</i>			
2988.	10796 <i>Diuris drummondii</i> (Tall Donkey Orchid)		T	
2989.	1634 <i>Diuris laxiflora</i> (Bee Orchid)			
2990.	1635 <i>Diuris longifolia</i> (Common Donkey Orchid)			
2991.	<i>Diuris longifolia</i> var. <i>parviflora</i>			Y
2992.	12939 <i>Diuris magnifica</i>			
2993.	46859 <i>Diuris ostrina</i>			
2994.	15436 <i>Diuris porrifolia</i>			
2995.	1637 <i>Diuris purdiei</i> (Purdie's Donkey Orchid)		T	
2996.	1638 <i>Diuris setacea</i> (Bristly Donkey Orchid)			
2997.	1639 <i>Drakaea elastica</i> (Glossy-leaved Hammer Orchid)		T	
2998.	1640 <i>Drakaea glyptodon</i> (King-in-his-carriage)			
2999.	15406 <i>Drakaea gracilis</i>			
3000.	11156 <i>Drakaea livida</i>			
3001.	328 <i>Echinochloa colona</i> (Awnless Barnyard Grass)	Y		
3002.	11105 <i>Echinochloa crus-galli</i>	Y		
3003.	329 <i>Echinochloa crus-pavonis</i> (South American Barnyard Grass)	Y		
3004.	16093 <i>Echinochloa esculenta</i>	Y		
3005.	337 <i>Echinochloa pyramidalis</i> (Antelope Grass)	Y		
3006.	159 <i>Egeria densa</i> (Dense Waterweed)	Y		
3007.	347 <i>Ehrharta calycina</i> (Perennial Veldt Grass)	Y		
3008.	349 <i>Ehrharta longiflora</i> (Annual Veldt Grass)	Y		
3009.	822 <i>Eleocharis acuta</i> (Common Spikerush)			
3010.	17605 <i>Eleocharis keigheryi</i>		T	
3011.	352 <i>Eleusine coracan</i> (Indian Millet)	Y		
3012.	353 <i>Eleusine indica</i> (Crowsfoot Grass)	Y		
3013.	1643 <i>Elythranthera brunonis</i> (Purple Enamel Orchid)			
3014.	1644 <i>Elythranthera emarginata</i> (Pink Enamel Orchid)			
3015.	1645 <i>Epiblema grandiflorum</i> (Babe-in-a-cradle)			
3016.	373 <i>Eragrostis brownii</i> (Brown's Lovegrass)			
3017.	374 <i>Eragrostis cilianensis</i> (Stinkgrass)	Y		
3018.	376 <i>Eragrostis curvula</i> (African Lovegrass)	Y		
3019.	379 <i>Eragrostis elongata</i> (Clustered Lovegrass)			

Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
3020.	415 <i>Eriachne ovata</i>			
3021.	20718 <i>Ericksonella saccharata</i>			
3022.	1646 <i>Eriochilus dilatatus</i> (White Bunny Orchid)			
3023.	15411 <i>Eriochilus dilatatus</i> subsp. <i>magnus</i>			
3024.	15412 <i>Eriochilus dilatatus</i> subsp. <i>multiflorus</i>			
3025.	15413 <i>Eriochilus dilatatus</i> subsp. <i>undulatus</i>			
3026.	15414 <i>Eriochilus helonomos</i>			
3027.	15415 <i>Eriochilus scaber</i> subsp. <i>scaber</i>			
3028.	25903 <i>Eriochilus</i> sp. Roleystone (G. Brockman 1140)		P1	Y
3029.	429 <i>Eustachys distichophylla</i> (Evergreen Chloris)	Y		
3030.	11445 <i>Ferraria crispa</i> subsp. <i>crispa</i>	Y		
3031.	430 <i>Festuca arundinacea</i> (Tall Fescue)	Y		
3032.	431 <i>Festuca pratensis</i> (Meadow Fescue)	Y		
3033.	20216 <i>Ficinia nodosa</i> (Knotted Club Rush)			
3034.	894 <i>Fimbristylis velata</i>			
3035.	18392 <i>Freesia alba</i> x <i>leichtlinii</i>	Y		
3036.	20643 <i>Freesia laxa</i>	Y		
3037.	900 <i>Gahnia aristata</i>			
3038.	902 <i>Gahnia decomposita</i>			
3039.	907 <i>Gahnia trifida</i> (Coast Saw-sedge)			
3040.	434 <i>Gastridium phleoides</i> (Nitgrass)	Y		
3041.	1517 <i>Gladiolus alatus</i>	Y		
3042.	1518 <i>Gladiolus angustus</i> (Long Tubed Painted Lady)	Y		
3043.	18298 <i>Gladiolus carneus</i>	Y		
3044.	1520 <i>Gladiolus caryophyllaceus</i> (Wild Gladiolus)	Y		
3045.	1524 <i>Gladiolus undulatus</i> (Wild Gladiolus)	Y		
3046.	20854 <i>Gladiolus watsonius</i>	Y		
3047.	17043 <i>Glyceria declinata</i>	Y		
3048.	1464 <i>Haemodorum brevisepalum</i>			
3049.	1465 <i>Haemodorum discolor</i>			
3050.	1468 <i>Haemodorum laxum</i>			
3051.	1469 <i>Haemodorum loratum</i>		P3	
3052.	1470 <i>Haemodorum paniculatum</i> (Mardja)			
3053.	1472 <i>Haemodorum simplex</i>			
3054.	1473 <i>Haemodorum simulans</i>			
3055.	<i>Haemodorum</i> sp.			
3056.	1474 <i>Haemodorum sparsiflorum</i>			
3057.	1475 <i>Haemodorum spicatum</i> (Mardja)			
3058.	439 <i>Hemarthria uncinata</i> (Matgrass)			
3059.	11451 <i>Hemarthria uncinata</i> var. <i>uncinata</i>			
3060.	1293 <i>Hensmania turbinata</i>			
3061.	1526 <i>Hesperantha falcata</i>	Y		
3062.	444 <i>Holcus lanatus</i> (Yorkshire Fog)	Y		
3063.	445 <i>Holcus setiger</i> (Annual Fog)	Y		
3064.	448 <i>Hordeum glaucum</i> (Northern Barley Grass)	Y		
3065.	449 <i>Hordeum leporinum</i> (Barley Grass)	Y		
3066.	450 <i>Hordeum marinum</i>	Y		
3067.	451 <i>Hordeum vulgare</i> (Barley)	Y		
3068.	166 <i>Hydrilla verticillata</i> (Water Thyme)			
3069.	452 <i>Hyparrhenia hirta</i> (Tambookie Grass)	Y		
3070.	1070 <i>Hypolaena exsulca</i>			
3071.	17841 <i>Hypolaena pubescens</i>			
3072.	910 <i>Isolepis cernua</i> (Nodding Club-rush)			
3073.	20199 <i>Isolepis cernua</i> var. <i>cernua</i>			
3074.	20200 <i>Isolepis cernua</i> var. <i>setiformis</i>			
3075.	911 <i>Isolepis congrua</i>			
3076.	912 <i>Isolepis cyperoides</i>			
3077.	914 <i>Isolepis hookeriana</i> (Bristle Club Rush)			
3078.	14540 <i>Isolepis hystrix</i>	Y		
3079.	917 <i>Isolepis marginata</i> (Coarse Club-rush)			
3080.	919 <i>Isolepis oldfieldiana</i>			
3081.	10831 <i>Isolepis prolifera</i> (Budding Club-rush)	Y		
3082.	924 <i>Isolepis stellata</i> (Star Club-rush)			
3083.	1532 <i>Ixia maculata</i> (Yellow Ixia)	Y		
3084.	1533 <i>Ixia paniculata</i>	Y		
3085.	1534 <i>Ixia polystachya</i> (Variable Ixia)	Y		
3086.	1298 <i>Johnsonia pubescens</i> (Pipe Lily)			
3087.	19272 <i>Johnsonia pubescens</i> subsp. <i>cygnorum</i>		P2	
3088.	19632 <i>Johnsonia pubescens</i> subsp. <i>pubescens</i>			
3089.	20454 <i>Juncus acutus</i> subsp. <i>acutus</i>	Y		

Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
3090.	8328 <i>Juncus amabilis</i>			
3091.	1177 <i>Juncus articulatus</i> (Jointed Rush)	Y		
3092.	1178 <i>Juncus bufonius</i> (Toad Rush)	Y		
3093.	1179 <i>Juncus caespiticius</i> (Grassy Rush)			
3094.	1180 <i>Juncus capitatus</i> (Capitate Rush)	Y		
3095.	1185 <i>Juncus kraussii</i> (Sea Rush)			
3096.	11922 <i>Juncus kraussii</i> subsp. <i>australiensis</i>			
3097.	1186 <i>Juncus microcephalus</i>	Y		
3098.	1188 <i>Juncus pallidus</i> (Pale Rush)			
3099.	1189 <i>Juncus pauciflorus</i> (Loose Flower Rush)			
3100.	1190 <i>Juncus planifolius</i> (Broadleaf Rush)			
3101.	1195 <i>Juncus subsecundus</i> (Finger Rush)			
3102.	1196 <i>Juncus usitatus</i> (Common Rush)	Y		
3103.	1221 <i>Kingia australis</i> (Kingia, Pulonok)			
3104.	20019 <i>Lachnagrostis filiformis</i>			
3105.	19955 <i>Lachnagrostis plebeia</i>			
3106.	28342 <i>Landoltia punctata</i> (Thin Duckweed)			
3107.	1303 <i>Laxmannia grandiflora</i>			
3108.	11815 <i>Laxmannia grandiflora</i> subsp. <i>grandiflora</i>			
3109.	1307 <i>Laxmannia ramosa</i> (Branching Lily)			
3110.	11911 <i>Laxmannia ramosa</i> subsp. <i>ramosa</i>			
3111.	1308 <i>Laxmannia sessiliflora</i> (Nodding Lily)			
3112.	11464 <i>Laxmannia sessiliflora</i> subsp. <i>australis</i>			
3113.	<i>Laxmannia</i> sp.			
3114.	1309 <i>Laxmannia squarrosa</i>			
3115.	1051 <i>Lemna disperma</i> (Duckweed)			
3116.	1075 <i>Lepidobolus preissianus</i>			
3117.	18074 <i>Lepidobolus preissianus</i> subsp. <i>preissianus</i>			
3118.	925 <i>Lepidosperma angustatum</i>			
3119.	42741 <i>Lepidosperma apricola</i>			
3120.	41620 <i>Lepidosperma asperatum</i>			
3121.	930 <i>Lepidosperma costale</i>			
3122.	931 <i>Lepidosperma drummondii</i>			
3123.	932 <i>Lepidosperma effusum</i> (Spreading Sword-sedge)			
3124.	936 <i>Lepidosperma leptostachyum</i>			
3125.	937 <i>Lepidosperma longitudinale</i> (Pithy Sword-sedge)			
3126.	14642 <i>Lepidosperma obtusum</i>			
3127.	939 <i>Lepidosperma pruinatum</i>			
3128.	940 <i>Lepidosperma pubisquamum</i>			
3129.	941 <i>Lepidosperma resinosum</i>			
3130.	942 <i>Lepidosperma rostratum</i>		T	
3131.	41647 <i>Lepidosperma sanguinolentum</i>			
3132.	944 <i>Lepidosperma scabrum</i>			
3133.	<i>Lepidosperma</i> sp.			
3134.	29141 <i>Lepidosperma</i> sp. Goshells (A. Markey 1145)			
3135.	29150 <i>Lepidosperma</i> sp. Margaret River (B.J. Lepschi 1841)			
3136.	16284 <i>Lepidosperma</i> sp. P1 small head (M.D. Tindale 166A)			
3137.	945 <i>Lepidosperma squamatum</i>			
3138.	947 <i>Lepidosperma tenue</i>			
3139.	948 <i>Lepidosperma tetraquetrum</i>			
3140.	949 <i>Lepidosperma tuberculatum</i>			
3141.	1653 <i>Leporella fimbriata</i> (Hare Orchid)			
3142.	1077 <i>Leptocarpus canus</i> (Hoary Twine-rush)			
3143.	1078 <i>Leptocarpus coangustatus</i>			
3144.	46375 <i>Leptocarpus decipiens</i>			
3145.	46380 <i>Leptocarpus kraussii</i>			
3146.	46382 <i>Leptocarpus royeri</i>			
3147.	1080 <i>Leptocarpus scariosus</i>			
3148.	15418 <i>Leptoceras menziesii</i>			
3149.	19241 <i>Lepyrodis curvifolius</i>		P2	
3150.	1085 <i>Lepyrodis glauca</i>			
3151.	1086 <i>Lepyrodis heleocharoides</i>		P3	
3152.	1088 <i>Lepyrodis macra</i> (Large Scale Rush)			
3153.	1090 <i>Lepyrodis muirii</i>			
3154.	15562 <i>Lepyrodis riparia</i>			
3155.	48640 <i>Limnium laevigatum</i>	Y		Y
3156.	475 <i>Lolium multiflorum</i> (Italian Ryegrass)	Y		
3157.	476 <i>Lolium perenne</i> (Perennial Ryegrass)	Y		
3158.	478 <i>Lolium rigidum</i> (Wimmera Ryegrass)	Y		
3159.	<i>Lolium</i> sp.			

	Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
3160.	11384	<i>Lolium temulentum</i> forma <i>temulentum</i>	Y		
3161.	11073	<i>Lolium x hybridum</i>	Y		
3162.	1222	<i>Lomandra brittanii</i>			
3163.	1223	<i>Lomandra caespitosa</i> (Tufted Mat Rush)			
3164.	1228	<i>Lomandra hermaphrodita</i>			
3165.	1229	<i>Lomandra integra</i>			
3166.	1232	<i>Lomandra micrantha</i> (Small-flower Mat-rush)			
3167.	14542	<i>Lomandra micrantha</i> subsp. <i>micrantha</i>			
3168.	1234	<i>Lomandra nigricans</i>			
3169.	1236	<i>Lomandra odora</i> (Tiered Matrush)			
3170.	1239	<i>Lomandra preissii</i>			
3171.	1240	<i>Lomandra purpurea</i> (Purple Mat Rush)			
3172.	1243	<i>Lomandra sericea</i> (Silky Mat Rush)			
3173.	1244	<i>Lomandra sonderi</i>			
3174.		<i>Lomandra</i> sp.			
3175.	1245	<i>Lomandra spartea</i>			
3176.	1246	<i>Lomandra suaveolens</i>			
3177.	1092	<i>Loxocarya cinerea</i>			
3178.	15835	<i>Loxocarya striata</i>			
3179.	1198	<i>Luzula meridionalis</i> (Field Woodrush)			
3180.	1097	<i>Lyginia barbata</i>			
3181.	18049	<i>Lyginia imberbis</i>			
3182.	1656	<i>Lyperanthus serratus</i> (Rattle Beak Orchid)			
3183.	1477	<i>Macropidia fuliginosa</i> (Black Kangaroo Paw)			
3184.	20639	<i>Megathyrsus maximus</i> var. <i>maximus</i>	Y		
3185.	14985	<i>Melinis repens</i>	Y		
3186.	953	<i>Mesomelaena graciliceps</i>			
3187.	955	<i>Mesomelaena pseudostygia</i>			
3188.	957	<i>Mesomelaena tetragona</i> (Semaphore Sedge)			
3189.	485	<i>Microlaena stipoides</i> (Weeping Grass)			
3190.	1657	<i>Microtis alba</i> (White Mignonette Orchid)			
3191.	34158	<i>Microtis albiviridis</i>			
3192.	1658	<i>Microtis atrata</i> (Swamp Mignonette Orchid)			
3193.	12199	<i>Microtis familiaris</i>			
3194.	10954	<i>Microtis media</i> (Tall Mignonette Orchid)			
3195.	12761	<i>Microtis media</i> subsp. <i>densiflora</i>			
3196.	15419	<i>Microtis media</i> subsp. <i>media</i>			
3197.	486	<i>Miscanthus sinensis</i> (Eulalia)	Y		
3198.	19179	<i>Moraea flaccida</i> (One-leaf Cape Tulip)	Y		
3199.	19178	<i>Moraea lewisiae</i>	Y		
3200.	19180	<i>Moraea miniata</i> (Two-leaf Cape Tulip)	Y		
3201.	19438	<i>Moraea ochroleuca</i>	Y		
3202.	19177	<i>Moraea setifolia</i>	Y		
3203.	1536	<i>Moraea vegeta</i>	Y		
3204.	1495	<i>Narcissus tazetta</i> (Jonquil)	Y		
3205.	44496	<i>Narcissus tazetta</i> subsp. <i>italicus</i>	Y		
3206.	44495	<i>Narcissus tazetta</i> subsp. <i>tazetta</i>	Y		
3207.	492	<i>Neurachne alopecuroides</i> (Foxtail Mulga Grass)			
3208.	1381	<i>Nothoscordum gracile</i>	Y		
3209.	1373	<i>Ornithogalum thyrsoides</i> (Chinkerichee)	Y		
3210.	11442	<i>Orthrosanthus laxus</i> var. <i>gramineus</i> (Grass-leaved Orthrosanthus)			
3211.	11749	<i>Orthrosanthus laxus</i> var. <i>laxus</i> (Morning Iris)			
3212.	168	<i>Ottelia ovalifolia</i> (Swamp Lily)			
3213.	14532	<i>Ottelia ovalifolia</i> subsp. <i>chrysobasis</i>			
3214.	14531	<i>Ottelia ovalifolia</i> subsp. <i>ovalifolia</i>			
3215.	502	<i>Panicum capillare</i> (Witchgrass)	Y		
3216.	41961	<i>Panicum hillmanii</i>	Y		
3217.	23483	<i>Paracaleana brockmanii</i>			
3218.	23500	<i>Paracaleana hortiorum</i>			
3219.	1667	<i>Paracaleana nigrita</i> (Flying Duck Orchid)			
3220.	48680	<i>Paracaleana</i> sp. <i>Laterite</i> (G. Brockman GBB 3571)		P2	Y
3221.	527	<i>Paspalum dilatatum</i>	Y		
3222.	528	<i>Paspalum distichum</i> (Water Couch)	Y		
3223.	532	<i>Paspalum urvillei</i> (Vasey Grass)	Y		
3224.	1542	<i>Patersonia babianoides</i>			
3225.	1546	<i>Patersonia juncea</i> (Rush Leaved Patersonia)			
3226.	1550	<i>Patersonia occidentalis</i> (Purple Flag, Koma)			
3227.	30476	<i>Patersonia occidentalis</i> var. <i>latifolia</i>			
3228.	30472	<i>Patersonia occidentalis</i> var. <i>occidentalis</i>			
3229.	1551	<i>Patersonia pygmaea</i> (Pygmy Patersonia)			

	Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
3230.	14433	<i>Patersonia rudis</i> subsp. <i>rudis</i>			
3231.	1553	<i>Patersonia umbrosa</i> (Yellow Flags)			
3232.	11550	<i>Patersonia umbrosa</i> var. <i>xanthina</i> (Yellow Flags)			
3233.	43780	<i>Pauridia gardneri</i>			
3234.	43765	<i>Pauridia glabella</i> var. <i>glabella</i>			
3235.	43760	<i>Pauridia occidentalis</i>			
3236.	43761	<i>Pauridia occidentalis</i> var. <i>occidentalis</i>			
3237.	43762	<i>Pauridia occidentalis</i> var. <i>quadriloba</i>			
3238.	43781	<i>Pauridia vaginata</i>			
3239.	40424	<i>Pentameris airoides</i> subsp. <i>airoides</i>	Y		
3240.	40422	<i>Pentameris pallida</i>	Y		
3241.	48805	<i>Pentameris patula</i>	Y		
3242.	547	<i>Phalaris angusta</i>	Y		
3243.	548	<i>Phalaris aquatica</i> (Phalaris)	Y		
3244.	549	<i>Phalaris arundinacea</i> (Reed Canary Grass)	Y		
3245.	11494	<i>Phalaris arundinacea</i> var. <i>arundinacea</i>	Y		
3246.	551	<i>Phalaris minor</i> (Lesser Canary Grass)	Y		
3247.	552	<i>Phalaris paradoxa</i> (Paradoxa Grass)	Y		
3248.	20460	<i>Pheladenia deformis</i>			
3249.	1172	<i>Philydrella drummondii</i>			
3250.	1173	<i>Philydrella pygmaea</i> (Butterfly Flowers)			
3251.	14306	<i>Philydrella pygmaea</i> subsp. <i>pygmaea</i>			
3252.	1478	<i>Phlebocarya ciliata</i>			
3253.	1479	<i>Phlebocarya filifolia</i>			
3254.	557	<i>Piptatherum miliaceum</i> (Rice Millet)	Y		
3255.	571	<i>Poa annua</i> (Winter Grass)	Y		
3256.	573	<i>Poa drummondiana</i> (Knotted Poa)			
3257.	578	<i>Poa porphyroclados</i>			
3258.	582	<i>Polypogon monspeliensis</i> (Annual Beardgrass)	Y		
3259.	583	<i>Polypogon tenellus</i>			
3260.	109	<i>Potamogeton crispus</i> (Curly Pondweed)			
3261.	1668	<i>Prasophyllum brownii</i>			
3262.	48252	<i>Prasophyllum cuneatum</i>			Y
3263.	1669	<i>Prasophyllum cyphochilum</i> (Pouched Leek Orchid)			
3264.	1670	<i>Prasophyllum drummondii</i> (Swamp Leek Orchid)			
3265.	1671	<i>Prasophyllum elatum</i> (Tall Leek Orchid)			
3266.	1672	<i>Prasophyllum fimbria</i> (Fringed Leek Orchid)			
3267.	1673	<i>Prasophyllum gibbosum</i> (Humped Leek Orchid)			
3268.	1674	<i>Prasophyllum giganteum</i> (Bronze Leek Orchid)			
3269.	16688	<i>Prasophyllum gracile</i>			
3270.	1676	<i>Prasophyllum hians</i> (Yawning Leek Orchid)			
3271.	1677	<i>Prasophyllum macrostachyum</i> (Laughing Leek Orchid)			
3272.	1679	<i>Prasophyllum ovale</i> (Little Leek Orchid)			
3273.	1680	<i>Prasophyllum parvifolium</i> (Autumn Leek Orchid)			
3274.	10853	<i>Prasophyllum plumiforme</i>			
3275.	1681	<i>Prasophyllum regium</i> (King Leek Orchid)			
3276.		<i>Pterostylis</i> aff. <i>nana</i>			
3277.	48675	<i>Pterostylis atosanguinea</i>			
3278.	1686	<i>Pterostylis barbata</i> (Bird Orchid)			
3279.	10875	<i>Pterostylis concava</i>			
3280.	48484	<i>Pterostylis crebriflora</i>			Y
3281.	1687	<i>Pterostylis dilatata</i>			
3282.	44527	<i>Pterostylis erubescens</i>			
3283.	11118	<i>Pterostylis pyramidalis</i> (Snail Orchid)			
3284.	1693	<i>Pterostylis recurva</i> (Jug Orchid)			
3285.	12217	<i>Pterostylis sanguinea</i>			
3286.		<i>Pterostylis</i> sp.			
3287.	18655	<i>Pterostylis</i> sp. <i>crinkled leaf</i> (G.J. Keighery 13426)			
3288.	1698	<i>Pterostylis vittata</i> (Banded Greenhood)			
3289.	16367	<i>Pyrorchis nigricans</i> (Red beaks, Elephants ears)			
3290.	1554	<i>Romulea flava</i>	Y		
3291.	14485	<i>Romulea flava</i> var. <i>minor</i>	Y		
3292.	1556	<i>Romulea rosea</i> (Guildford Grass)	Y		
3293.	11544	<i>Romulea rosea</i> var. <i>australis</i> (Guildford Grass)	Y		
3294.	14924	<i>Romulea rosea</i> var. <i>communis</i>	Y		
3295.	11151	<i>Rostraria pumila</i>	Y		
3296.	40431	<i>Rytidosperma acerosum</i>			
3297.	40425	<i>Rytidosperma caespitosum</i>			
3298.	40426	<i>Rytidosperma occidentale</i>			
3299.	40430	<i>Rytidosperma pilosum</i>			

	Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
3300.	40427	<i>Rytidosperma setaceum</i>			
3301.	17591	<i>Sagittaria platyphylla</i>	Y		
3302.	48356	<i>Schoenoplectus tabernaemontani</i>			
3303.	971	<i>Schoenus andrewsii</i>			
3304.	972	<i>Schoenus armeria</i>			
3305.	973	<i>Schoenus asperocarpus</i> (Poison Sedge)			
3306.	974	<i>Schoenus benthamii</i>		P3	
3307.	975	<i>Schoenus bifidus</i>			
3308.	978	<i>Schoenus brevisetis</i>			
3309.	979	<i>Schoenus caespititius</i>			
3310.	980	<i>Schoenus capillifolius</i>		P3	
3311.	982	<i>Schoenus clandestinus</i>			
3312.	983	<i>Schoenus cruentus</i>			
3313.	984	<i>Schoenus curvifolius</i>			
3314.	985	<i>Schoenus discifer</i>			
3315.	986	<i>Schoenus efoliatus</i>			
3316.	987	<i>Schoenus elegans</i>			
3317.	991	<i>Schoenus grammatophyllus</i>			
3318.	992	<i>Schoenus grandiflorus</i> (Large Flowered Bogrush)			
3319.	17606	<i>Schoenus griffinianus</i>		P4	
3320.	994	<i>Schoenus humilis</i>			
3321.	996	<i>Schoenus laevigatus</i>			
3322.	998	<i>Schoenus latitans</i>			
3323.	999	<i>Schoenus loliaceus</i>		P2	
3324.	1002	<i>Schoenus nanus</i> (Tiny Bog Rush)			
3325.	1003	<i>Schoenus natans</i> (Floating Bog-rush)		P4	
3326.	1006	<i>Schoenus odontocarpus</i>			
3327.	1007	<i>Schoenus pedicellatus</i>			
3328.	1008	<i>Schoenus pennisetis</i>		P3	
3329.	1009	<i>Schoenus pleiostemoneus</i>			
3330.	17614	<i>Schoenus plumosus</i>			
3331.	1011	<i>Schoenus rigens</i>			
3332.	1013	<i>Schoenus sculptus</i> (Gimlet Bog-rush)			
3333.	16280	<i>Schoenus</i> sp. Beaufort (G.J. Keighery 6291)		P1	
3334.	17731	<i>Schoenus</i> sp. Waroona (G.J. Keighery 12235)		P3	
3335.	18164	<i>Schoenus</i> sp. smooth culms (K.R. Newbey 7823)			
3336.	1016	<i>Schoenus subbarbatus</i> (Bearded Bog-rush)			
3337.	1017	<i>Schoenus subbulbosus</i>			
3338.	1018	<i>Schoenus subfascicularis</i>			
3339.	1019	<i>Schoenus subflavus</i> (Yellow Bog-rush)			
3340.	1020	<i>Schoenus sublateralis</i>			
3341.	1023	<i>Schoenus tenellus</i>			
3342.	1026	<i>Schoenus unispiculatus</i>			
3343.	17409	<i>Schoenus variicellae</i>			
3344.	609	<i>Setaria palmifolia</i> (Palm Grass)	Y		
3345.	19453	<i>Setaria parviflora</i>	Y		
3346.	11880	<i>Setaria pumila</i> subsp. <i>pumila</i>	Y		
3347.	611	<i>Setaria sphacelata</i> (South African Pigeon Grass)	Y		
3348.	613	<i>Setaria verticillata</i> (Whorled Pigeon Grass)	Y		
3349.	616	<i>Sorghum bicolor</i> (Grain Sorghum)	Y		
3350.	617	<i>Sorghum halepense</i> (Johnson Grass)	Y		
3351.	35236	<i>Sorghum x drummondii</i> (Sudan Grass)	Y		
3352.	1312	<i>Sowerbaea laxiflora</i> (Purple Tassels)			
3353.	1558	<i>Sparaxis bulbifera</i>	Y		
3354.	1560	<i>Sparaxis pillansii</i> (Harlequin Flower)	Y		
3355.	623	<i>Spartochloa scirpoidea</i>			
3356.	1700	<i>Spiculaea ciliata</i> (Elbow Orchid)			
3357.	8710	<i>Sporobolus africanus</i> (Parramatta Grass)	Y		
3358.	13571	<i>Sporobolus blakei</i>		P3	
3359.	45118	<i>Sporobolus schoenoides</i>	Y		
3360.	635	<i>Sporobolus virginicus</i> (Marine Couch)			
3361.	636	<i>Stenotaphrum secundatum</i> (Buffalo Grass)	Y		
3362.	44492	<i>Stuckenia pectinata</i>			
3363.	1260	<i>Stypantra glauca</i> (Blind Grass)			
3364.	1033	<i>Tetraria australiensis</i>		T	
3365.	1034	<i>Tetraria capillaris</i> (Hair Sedge)			
3366.	1036	<i>Tetraria octandra</i>			
3367.	35579	<i>Tetraria</i> sp. Jarrah Forest (R. Davis 7391)			
3368.	667	<i>Tetrarrhena laevis</i> (Forest Ricegrass)			
3369.	1701	<i>Thelymitra antennifera</i> (Vanilla Orchid)			

	Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
3370.	10856	<i>Thelymitra benthamiana</i> (Leopard Orchid)			
3371.	1702	<i>Thelymitra campanulata</i> (Shirt Orchid)			
3372.	1703	<i>Thelymitra canaliculata</i> (Blue Sun Orchid)			
3373.	1705	<i>Thelymitra crinita</i> (Blue Lady Orchid)			
3374.	1707	<i>Thelymitra flexuosa</i> (Twisted Sun Orchid)			
3375.	1708	<i>Thelymitra fuscolutea</i> (Chestnut Sun Orchid)			
3376.	11143	<i>Thelymitra graminea</i>			
3377.	11053	<i>Thelymitra macrophylla</i>			
3378.	20736	<i>Thelymitra maculata</i>			
3379.	20729	<i>Thelymitra magnifica</i> (Crystal Brook Star Orchid)		P1	Y
3380.		<i>Thelymitra</i> sp.			
3381.	1715	<i>Thelymitra spiralis</i> (Curlylocks)			
3382.	10862	<i>Thelymitra stellata</i> (Star Orchid)		T	
3383.	1717	<i>Thelymitra variegata</i> (Queen of Sheba)		P2	
3384.	1718	<i>Thelymitra villosa</i> (Custard Orchid)			
3385.	20731	<i>Thelymitra vulgaris</i>			
3386.	673	<i>Themeda triandra</i>			
3387.	1317	<i>Thysanotus anceps</i>		P3	
3388.	1318	<i>Thysanotus arbuscula</i>			
3389.	1319	<i>Thysanotus arenarius</i>			
3390.	1320	<i>Thysanotus asper</i> (Hairy Fringe Lily)			
3391.	1328	<i>Thysanotus dichotomus</i> (Branching Fringe Lily)			
3392.	1330	<i>Thysanotus fastigiatus</i>			
3393.	1334	<i>Thysanotus glaucus</i>		P4	
3394.	1338	<i>Thysanotus manglesianus</i> (Fringed Lily)			
3395.		<i>Thysanotus manglesianus/patersonii</i> complex			
3396.	1339	<i>Thysanotus multiflorus</i> (Many-flowered Fringe Lily)			
3397.	1343	<i>Thysanotus patersonii</i>			
3398.	1350	<i>Thysanotus scaber</i>			
3399.	13783	<i>Thysanotus</i> sp. Badgingarra (E.A. Griffin 2511)		P2	
3400.	46055	<i>Thysanotus</i> sp. Coastal plain (N.H. Brittan 66/63)			
3401.	1351	<i>Thysanotus sparteus</i>			
3402.	1354	<i>Thysanotus tenellus</i>			
3403.	1357	<i>Thysanotus thyrsoides</i>			
3404.	1358	<i>Thysanotus triandrus</i>			
3405.	17684	<i>Tremulina tremula</i>			
3406.	11112	<i>Tribolium uniola</i>	Y		
3407.	1481	<i>Tribonanthes australis</i> (Southern Tiurndin)			
3408.	1482	<i>Tribonanthes brachypetala</i> (Nodding Tiurndin)			
3409.	1483	<i>Tribonanthes longipetala</i> (Branching Tiurndin)			
3410.	8798	<i>Tribonanthes uniflora</i> (Woolly Tiurndin)			
3411.	8799	<i>Tribonanthes variabilis</i> (Hairy-stigma Tiurndin)			
3412.	1485	<i>Tribonanthes violacea</i> (Violet Tiurndin)			
3413.	1361	<i>Tricoryne elatior</i> (Yellow Autumn Lily)			
3414.	1362	<i>Tricoryne humilis</i>			
3415.	1363	<i>Tricoryne tenella</i>			
3416.	43207	<i>Tricostularia exsul</i>			
3417.	1038	<i>Tricostularia neesii</i>			
3418.	33676	<i>Triglochin calcitrapa</i>			
3419.	33677	<i>Triglochin centrocarpa</i>			
3420.	146	<i>Triglochin minutissima</i>			
3421.	147	<i>Triglochin mucronata</i>			
3422.	148	<i>Triglochin muelleri</i>			
3423.	18587	<i>Triglochin nana</i>			
3424.		<i>Triglochin</i> sp. scps			
3425.		<i>Triglochin</i> sp. Brixton 04 (possibly <i>T. mullerii</i>)			Y
3426.	150	<i>Triglochin stowardii</i>			
3427.	151	<i>Triglochin striata</i>			
3428.	38401	<i>Tritonia gladiolaris</i> (Lined Tritonia)	Y		
3429.	98	<i>Typha domingensis</i> (Bulrush, Djandjidi)			
3430.	99	<i>Typha orientalis</i> (Bulrush, Cumbungi)			
3431.	33537	<i>Vallisneria australis</i>	Y		
3432.	17868	<i>Vallisneria nana</i>			
3433.	722	<i>Vulpia bromoides</i> (Squirrel Tail Fescue)	Y		
3434.	11018	<i>Vulpia muralis</i>	Y		
3435.	724	<i>Vulpia myuros</i> (Rat's Tail Fescue)	Y		
3436.	12052	<i>Vulpia myuros</i> forma megalura	Y		
3437.	33101	<i>Vulpia myuros</i> forma myuros	Y		
3438.	13103	<i>Watsonia borbonica</i>	Y		
3439.	18375	<i>Watsonia knysnana</i>	Y		

	Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
3440.	1566	<i>Watsonia marginata</i>	Y		
3441.	1567	<i>Watsonia meriana</i> (Bulbil <i>Watsonia</i>)	Y		
3442.	18108	<i>Watsonia meriana</i> var. <i>bulbillifera</i>	Y		
3443.	18118	<i>Watsonia meriana</i> var. <i>meriana</i>	Y		
3444.	1569	<i>Watsonia versfeldii</i>	Y		
3445.	1394	<i>Wurmbea dioica</i> (Early Nancy)			
3446.		<i>Wurmbea dioica</i> subsp. aff. <i>alba</i> (gjk 12803)			
3447.	12072	<i>Wurmbea dioica</i> subsp. <i>alba</i>			
3448.	1401	<i>Wurmbea pygmaea</i>			
3449.	1403	<i>Wurmbea tenella</i> (Eight Nancy)			
3450.	1249	<i>Xanthorrhoea acanthostachya</i>			
3451.	1251	<i>Xanthorrhoea brunonis</i>			
3452.	14544	<i>Xanthorrhoea brunonis</i> subsp. <i>brunonis</i>			
3453.	1252	<i>Xanthorrhoea drummondii</i>			
3454.	1253	<i>Xanthorrhoea gracilis</i> (Graceful Grass Tree, Mimidi)			
3455.	1256	<i>Xanthorrhoea preissii</i> (Grass tree, Palga)			
3456.	20658	<i>Xanthorrhoea</i> sp. <i>Lesueur</i> (G.J. Keighery 16404)			
3457.	15819	<i>Xyris atrovirida</i>			
3458.	1049	<i>Zantedeschia aethiopica</i> (Arum Lily)	Y		

Pteridophyte (Fern)

3459.	25	<i>Adiantum aethiopicum</i> (Common Maidenhair)			
3460.	29	<i>Anogramma leptophylla</i> (Annual Fern)			
3461.	42902	<i>Azolla rubra</i>			
3462.	31	<i>Cheilanthes austrotenuifolia</i>			
3463.	34	<i>Cheilanthes distans</i> (Bristly Cloak Fern)			
3464.	37	<i>Cheilanthes lasiophylla</i> (Woolly Cloak Fern)			
3465.	12818	<i>Cheilanthes sieberi</i> subsp. <i>sieberi</i>			
3466.	51	<i>Cyathea cooperi</i>	Y		
3467.	17336	<i>Dennstaedtia davallioides</i>	Y		Y
3468.	7	<i>Isoetes australis</i>			
3469.	11	<i>Isoetes drummondii</i> (Quillwort)			
3470.	59	<i>Lindsaea linearis</i> (Screw Fern)			
3471.	74	<i>Marsilea drummondii</i> (Common Nardoo)			
3472.	17	<i>Ophioglossum lusitanicum</i> (Adders Tongue)			
3473.	4	<i>Phylloglossum drummondii</i> (Pigmy Clubmoss)			
3474.	78	<i>Pilularia novae-hollandiae</i> (Austral Pillwort)			
3475.	65	<i>Pleurosorus rutifolius</i> (Blanket Fern)			
3476.	66	<i>Pleurosorus subglandulosus</i>			
3477.	57	<i>Pteridium esculentum</i> (Bracken)			
3478.	41651	<i>Pteridium esculentum</i> subsp. <i>esculentum</i>			
3479.	79	<i>Salvinia molesta</i> (Salvinia)	Y		
3480.	6	<i>Selaginella gracillima</i> (Tiny Clubmoss)			

Reptile

3481.	25242	<i>Acanthophis antarcticus</i> (Southern Death Adder)		P3	
3482.	42368	<i>Acritoscincus trilineatus</i> (Western Three-lined Skink)			
3483.	44629	<i>Anilius australis</i>			
3484.	25319	<i>Antaresia stimsoni</i> subsp. <i>orientalis</i> (Stimson's Python)			
3485.	25241	<i>Antaresia stimsoni</i> subsp. <i>stimsoni</i> (Stimson's Python)			
3486.	24990	<i>Aprasia pulchella</i> (Granite Worm-lizard)			
3487.	24991	<i>Aprasia repens</i> (Sand-plain Worm-lizard)			
3488.	42381	<i>Brachyuropsis semifasciatus</i> (Southern Shovel-nosed Snake)			
3489.	43380	<i>Chelodina colliei</i> (South-western Snake-necked Turtle)			
3490.	24980	<i>Christinus marmoratus</i> (Marbled Gecko)			
3491.	25456	<i>Crenadactylus ocellatus</i> (Clawless Gecko)			
3492.	24918	<i>Crenadactylus ocellatus</i> subsp. <i>ocellatus</i> (Clawless Gecko)			
3493.	30893	<i>Cryptoblepharus buechananii</i>			
3494.	25020	<i>Cryptoblepharus plagiocephalus</i>			
3495.	30899	<i>Ctenophorus adelaidensis</i> (Southern Heath Dragon, Western Heath Dragon)			
3496.	24883	<i>Ctenophorus ornatus</i> (Ornate Crevice-Dragon)			
3497.	25027	<i>Ctenotus australis</i>			
3498.	25035	<i>Ctenotus delli</i> (Dell's skink, Darling Range southwest <i>Ctenotus</i>)		P4	
3499.	25039	<i>Ctenotus fallens</i>			
3500.	25047	<i>Ctenotus impar</i>			
3501.	25049	<i>Ctenotus labillardieri</i>			
3502.	41641	<i>Ctenotus ora</i> (Coastal Plains Skink)		P3	
3503.	25766	<i>Delma fraseri</i> (Fraser's Legless Lizard)			
3504.	24999	<i>Delma grayii</i>			
3505.	25296	<i>Demansia psammophis</i> subsp. <i>reticulata</i> (Yellow-faced Whipsnake)			
3506.	25325	<i>Dendrelaphis punctulata</i> (Green Tree Snake)			

Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
3507.	25469 <i>Diplodactylus granariensis</i>			
3508.	24929 <i>Diplodactylus granariensis</i> subsp. <i>granariensis</i>			
3509.	44654 <i>Diplodactylus lateroides</i> (Speckled Stone Gecko)			
3510.	24939 <i>Diplodactylus polyophthalmus</i>			
3511.	24940 <i>Diplodactylus pulcher</i>			
3512.	25251 <i>Echiopsis curta</i> (Bardick)			
3513.	25096 <i>Egernia kingii</i> (King's Skink)			
3514.	25100 <i>Egernia napoleonis</i>			
3515.	25250 <i>Elapognathus coronatus</i> (Crowned Snake)			
3516.	25109 <i>Eremiascincus richardsonii</i> (Broad-banded Sand Swimmer)			
3517.	24959 <i>Gehyra variegata</i>			
3518.	25232 <i>Hemidactylus frenatus</i> (Asian House Gecko)	Y		
3519.	25474 <i>Hemiergis initialis</i>			
3520.	25115 <i>Hemiergis initialis</i> subsp. <i>initialis</i>			
3521.	25117 <i>Hemiergis peronii</i> subsp. <i>peronii</i>			
3522.	25119 <i>Hemiergis quadrilineata</i>			
3523.	24961 <i>Heteronotia binoei</i> (Bynoe's Gecko)			
3524.	25131 <i>Lerista distinguenda</i>			
3525.	25133 <i>Lerista elegans</i>			
3526.	25147 <i>Lerista lineata</i> (Perth Slider, Lined Skink)		P3	
3527.	25148 <i>Lerista lineopunctulata</i>			
3528.	25165 <i>Lerista praepedita</i>			
3529.	25005 <i>Lialis burtonis</i>			
3530.	25184 <i>Menetia greyii</i>			
3531.	25240 <i>Morelia spilota</i> subsp. <i>imbricata</i> (Carpet Python)			
3532.	25322 <i>Morelia spilota</i> subsp. <i>variegata</i> (Carpet Python)			
3533.	25191 <i>Morethia lineocellata</i>			
3534.	25192 <i>Morethia obscura</i>			
3535.	25248 <i>Neelaps bimaculatus</i> (Black-naped Snake)			
3536.	25249 <i>Neelaps calonotos</i> (Black-striped Snake, black-striped burrowing snake)		P3	
3537.	25252 <i>Notechis scutatus</i> (Tiger Snake)			
3538.	25253 <i>Parasuta gouldii</i>			
3539.	25255 <i>Parasuta nigriceps</i>			
3540.	25007 <i>Pletholax gracilis</i> subsp. <i>gracilis</i> (Keeled Legless Lizard)			
3541.	25510 <i>Pogona minor</i> (Dwarf Bearded Dragon)			
3542.	24907 <i>Pogona minor</i> subsp. <i>minor</i> (Dwarf Bearded Dragon)			
3543.	25261 <i>Pseudechis australis</i> (Mulga Snake)			
3544.	25345 <i>Pseudemydura umbrina</i> (Western Swamp Tortoise, Western Swamp Turtle)		T	
3545.	25511 <i>Pseudonaja affinis</i> (Dugite)			
3546.	25259 <i>Pseudonaja affinis</i> subsp. <i>affinis</i> (Dugite)			
3547.	42416 <i>Pseudonaja mengdeni</i> (Western Brown Snake)			
3548.	25263 <i>Pseudonaja modesta</i> (Ringed Brown Snake)			
3549.	25264 <i>Pseudonaja nuchalis</i> (Gwardar, Northern Brown Snake)			
3550.	25008 <i>Pygopus lepidopodus</i> (Common Scaly Foot)			
3551.	25266 <i>Simoselaps bertholdi</i> (Jan's Banded Snake)			
3552.	25518 <i>Strophurus spinigerus</i>			
3553.	24943 <i>Strophurus spinigerus</i> subsp. <i>inornatus</i>			
3554.	24942 <i>Strophurus spinigerus</i> subsp. <i>spinigerus</i>			
3555.	25203 <i>Tiliqua occipitalis</i> (Western Bluetongue)			
3556.	25519 <i>Tiliqua rugosa</i>			
3557.	25204 <i>Tiliqua rugosa</i> subsp. <i>aspera</i>			
3558.	25207 <i>Tiliqua rugosa</i> subsp. <i>rugosa</i>			
3559.	24983 <i>Underwoodisaurus milii</i> (Barking Gecko)			
3560.	25218 <i>Varanus gouldii</i> (Bungarra or Sand Monitor)			
3561.	25225 <i>Varanus rosenbergi</i> (Heath Monitor)			
3562.	<i>Varanus</i> sp.			
3563.	25526 <i>Varanus tristis</i> (Racehorse Monitor)			

Slime Mould

3564.	38969 <i>Arcyria minuta</i>
3565.	38970 <i>Arcyria obvelata</i>
3566.	38976 <i>Badhamia foliicola</i>
3567.	38982 <i>Ceratomyxa fruticulosa</i>
3568.	39001 <i>Cribraria cancellata</i>
3569.	39030 <i>Enerthenema papillatum</i>
3570.	39033 <i>Fuligo septica</i>
3571.	39048 <i>Lycogala epidendrum</i>
3572.	39054 <i>Oligonema schweinitzii</i>
3573.	39063 <i>Physarum cinereum</i>
3574.	39079 <i>Physarum viride</i>
3575.	39081 <i>Reticularia lycoperdon</i>

	Name ID	Species Name	Naturalised	Conservation Code	¹ Endemic To Query Area
3576.	39087	<i>Stemonitis splendens</i>			
3577.	39097	<i>Trichia decipiens</i>			
3578.	39100	<i>Trichia persimilis</i>			

Conservation Codes

T - Rare or likely to become extinct
X - Presumed extinct
IA - Protected under international agreement
S - Other specially protected fauna
1 - Priority 1
2 - Priority 2
3 - Priority 3
4 - Priority 4
5 - Priority 5

¹ For NatureMap's purposes, species flagged as endemic are those whose records are wholly contained within the search area. Note that only those records complying with the search criterion are included in the calculation. For example, if you limit records to those from a specific datasource, only records from that datasource are used to determine if a species is restricted to the query area.

Appendix 2: Protected Matter Search Tool Report



EPBC Act Protected Matters Report

This report provides general guidance on matters of national environmental significance and other matters protected by the EPBC Act in the area you have selected.

Information on the coverage of this report and qualifications on data supporting this report are contained in the caveat at the end of the report.

Information is available about [Environment Assessments](#) and the EPBC Act including significance guidelines, forms and application process details.

Report created: 14/10/19 17:53:50

[Summary](#)

[Details](#)


[Matters of NES](#)

[Other Matters Protected by the EPBC Act](#)

[Extra Information](#)

[Caveat](#)

[Acknowledgements](#)



This map may contain data which are
©Commonwealth of Australia
(Geoscience Australia), ©PSMA 2010

[Coordinates](#)

[Buffer: 5.0Km](#)



Summary

Matters of National Environmental Significance

This part of the report summarises the matters of national environmental significance that may occur in, or may relate to, the area you nominated. Further information is available in the detail part of the report, which can be accessed by scrolling or following the links below. If you are proposing to undertake an activity that may have a significant impact on one or more matters of national environmental significance then you should consider the [Administrative Guidelines on Significance](#).

World Heritage Properties:	None
National Heritage Places:	None
Wetlands of International Importance:	None
Great Barrier Reef Marine Park:	None
Commonwealth Marine Area:	None
Listed Threatened Ecological Communities:	None
Listed Threatened Species:	22
Listed Migratory Species:	9

Other Matters Protected by the EPBC Act

This part of the report summarises other matters protected under the Act that may relate to the area you nominated. Approval may be required for a proposed activity that significantly affects the environment on Commonwealth land, when the action is outside the Commonwealth land, or the environment anywhere when the action is taken on Commonwealth land. Approval may also be required for the Commonwealth or Commonwealth agencies proposing to take an action that is likely to have a significant impact on the environment anywhere.

The EPBC Act protects the environment on Commonwealth land, the environment from the actions taken on Commonwealth land, and the environment from actions taken by Commonwealth agencies. As heritage values of a place are part of the 'environment', these aspects of the EPBC Act protect the Commonwealth Heritage values of a Commonwealth Heritage place. Information on the new heritage laws can be found at <http://www.environment.gov.au/heritage>

A [permit](#) may be required for activities in or on a Commonwealth area that may affect a member of a listed threatened species or ecological community, a member of a listed migratory species, whales and other cetaceans, or a member of a listed marine species.

Commonwealth Land:	1
Commonwealth Heritage Places:	None
Listed Marine Species:	14
Whales and Other Cetaceans:	None
Critical Habitats:	None
Commonwealth Reserves Terrestrial:	None
Australian Marine Parks:	None

Extra Information

This part of the report provides information that may also be relevant to the area you have nominated.

State and Territory Reserves:	2
Regional Forest Agreements:	1
Invasive Species:	34
Nationally Important Wetlands:	None
Key Ecological Features (Marine)	None

Details

Matters of National Environmental Significance

Listed Threatened Species		[Resource Information]
Name	Status	Type of Presence
Birds		
Botaurus poiciloptilus Australasian Bittern [1001]	Endangered	Species or species habitat may occur within area
Calidris ferruginea Curlew Sandpiper [856]	Critically Endangered	Species or species habitat may occur within area
Calyptorhynchus banksii naso Forest Red-tailed Black-Cockatoo, Karrak [67034]	Vulnerable	Species or species habitat known to occur within area
Calyptorhynchus baudinii Baudin's Cockatoo, Long-billed Black-Cockatoo [769]	Endangered	Roosting known to occur within area
Calyptorhynchus latirostris Carnaby's Cockatoo, Short-billed Black-Cockatoo [59523]	Endangered	Species or species habitat known to occur within area
Leipoa ocellata Malleefowl [934]	Vulnerable	Species or species habitat may occur within area
Numenius madagascariensis Eastern Curlew, Far Eastern Curlew [847]	Critically Endangered	Species or species habitat may occur within area
Rostratula australis Australian Painted-snipe, Australian Painted Snipe [77037]	Endangered	Species or species habitat likely to occur within area
Mammals		
Bettongia penicillata ogilbyi Woylie [66844]	Endangered	Species or species habitat may occur within area
Dasyurus geoffroii Chuditch, Western Quoll [330]	Vulnerable	Species or species habitat known to occur within area
Pseudocheirus occidentalis Western Ringtail Possum, Ngwayir, Womp, Woder, Ngoor, Ngoolangit [25911]	Critically Endangered	Species or species habitat may occur within area
Setonix brachyurus Quokka [229]	Vulnerable	Species or species habitat likely to occur within area
Other		

Name	Status	Type of Presence
Westralunio carteri Carter's Freshwater Mussel, Freshwater Mussel [86266]	Vulnerable	Species or species habitat likely to occur within area
Plants		
Acacia anomala Grass Wattle, Chittering Grass Wattle [8153]	Vulnerable	Species or species habitat known to occur within area
Acacia aphylla Leafless Rock Wattle [13553]	Vulnerable	Species or species habitat known to occur within area
Anthocercis gracilis Slender Tailflower [11103]	Vulnerable	Species or species habitat likely to occur within area
Darwinia apiculata Scarp Darwinia [8763]	Endangered	Species or species habitat may occur within area
Diplolaena andrewsii [6601]	Endangered	Species or species habitat likely to occur within area
Diuris micrantha Dwarf Bee-orchid [55082]	Vulnerable	Species or species habitat likely to occur within area
Diuris purdiei Purdie's Donkey-orchid [12950]	Endangered	Species or species habitat likely to occur within area
Thelymitra dedmaniarum Cinnamon Sun Orchid [65105]	Endangered	Species or species habitat likely to occur within area
Thelymitra stellata Star Sun-orchid [7060]	Endangered	Species or species habitat known to occur within area

Listed Migratory Species		[Resource Information]
* Species is listed under a different scientific name on the EPBC Act - Threatened Species list.		
Name	Threatened	Type of Presence
Migratory Marine Birds		
Apus pacificus Fork-tailed Swift [678]		Species or species habitat likely to occur within area
Migratory Terrestrial Species		
Motacilla cinerea Grey Wagtail [642]		Species or species habitat may occur within area
Migratory Wetlands Species		
Actitis hypoleucos Common Sandpiper [59309]		Species or species habitat may occur within area
Calidris acuminata Sharp-tailed Sandpiper [874]		Species or species habitat may occur within area
Calidris ferruginea Curlew Sandpiper [856]	Critically Endangered	Species or species habitat may occur within area
Calidris melanotos Pectoral Sandpiper [858]		Species or species habitat may occur within area

Name	Threatened	Type of Presence
Numenius madagascariensis Eastern Curlew, Far Eastern Curlew [847]	Critically Endangered	Species or species habitat may occur within area
Pandion haliaetus Osprey [952]		Species or species habitat likely to occur within area
Tringa nebularia Common Greenshank, Greenshank [832]		Species or species habitat likely to occur within area

Other Matters Protected by the EPBC Act

Commonwealth Land	[Resource Information]
-------------------	--

The Commonwealth area listed below may indicate the presence of Commonwealth land in this vicinity. Due to the unreliability of the data source, all proposals should be checked as to whether it impacts on a Commonwealth area, before making a definitive decision. Contact the State or Territory government land department for further information.

Name
Commonwealth Land -

Listed Marine Species	[Resource Information]
-----------------------	--

* Species is listed under a different scientific name on the EPBC Act - Threatened Species list.

Name	Threatened	Type of Presence
Birds		
Actitis hypoleucos Common Sandpiper [59309]		Species or species habitat may occur within area
Apus pacificus Fork-tailed Swift [678]		Species or species habitat likely to occur within area
Ardea alba Great Egret, White Egret [59541]		Species or species habitat likely to occur within area
Ardea ibis Cattle Egret [59542]		Species or species habitat may occur within area
Calidris acuminata Sharp-tailed Sandpiper [874]		Species or species habitat may occur within area
Calidris ferruginea Curlew Sandpiper [856]	Critically Endangered	Species or species habitat may occur within area
Calidris melanotos Pectoral Sandpiper [858]		Species or species habitat may occur within area
Haliaeetus leucogaster White-bellied Sea-Eagle [943]		Species or species habitat may occur within area
Merops ornatus Rainbow Bee-eater [670]		Species or species habitat may occur within

Name	Threatened	Type of Presence
Motacilla cinerea Grey Wagtail [642]		Species or species habitat may occur within area
Numenius madagascariensis Eastern Curlew, Far Eastern Curlew [847]	Critically Endangered	Species or species habitat may occur within area
Pandion haliaetus Osprey [952]		Species or species habitat likely to occur within area
Rostratula benghalensis (sensu lato) Painted Snipe [889]	Endangered*	Species or species habitat likely to occur within area
Tringa nebularia Common Greenshank, Greenshank [832]		Species or species habitat likely to occur within area

Extra Information

State and Territory Reserves	[Resource Information]
Name	State
Beelu	WA
Korung	WA

Regional Forest Agreements	[Resource Information]
----------------------------	--------------------------

Note that all areas with completed RFAs have been included.

Name	State
South West WA RFA	Western Australia

Invasive Species	[Resource Information]
------------------	--------------------------

Weeds reported here are the 20 species of national significance (WoNS), along with other introduced plants that are considered by the States and Territories to pose a particularly significant threat to biodiversity. The following feral animals are reported: Goat, Red Fox, Cat, Rabbit, Pig, Water Buffalo and Cane Toad. Maps from Landscape Health Project, National Land and Water Resouces Audit, 2001.

Name	Status	Type of Presence
Birds		
Anas platyrhynchos Mallard [974]		Species or species habitat likely to occur within area
Carduelis carduelis European Goldfinch [403]		Species or species habitat likely to occur within area
Columba livia Rock Pigeon, Rock Dove, Domestic Pigeon [803]		Species or species habitat likely to occur within area
Passer domesticus House Sparrow [405]		Species or species habitat likely to occur within area
Passer montanus Eurasian Tree Sparrow [406]		Species or species habitat likely to occur within area
Streptopelia chinensis Spotted Turtle-Dove [780]		Species or species habitat likely to occur within area
Streptopelia senegalensis Laughing Turtle-dove, Laughing Dove [781]		Species or species habitat likely to occur within area

Name	Status	Type of Presence
Sturnus vulgaris Common Starling [389]		Species or species habitat likely to occur within area
Mammals		
Bos taurus Domestic Cattle [16]		Species or species habitat likely to occur within area
Canis lupus familiaris Domestic Dog [82654]		Species or species habitat likely to occur within area
Capra hircus Goat [2]		Species or species habitat likely to occur within area
Felis catus Cat, House Cat, Domestic Cat [19]		Species or species habitat likely to occur within area
Feral deer Feral deer species in Australia [85733]		Species or species habitat likely to occur within area
Funambulus pennantii Northern Palm Squirrel, Five-striped Palm Squirrel [129]		Species or species habitat likely to occur within area
Mus musculus House Mouse [120]		Species or species habitat likely to occur within area
Oryctolagus cuniculus Rabbit, European Rabbit [128]		Species or species habitat likely to occur within area
Rattus rattus Black Rat, Ship Rat [84]		Species or species habitat likely to occur within area
Sus scrofa Pig [6]		Species or species habitat likely to occur within area
Vulpes vulpes Red Fox, Fox [18]		Species or species habitat likely to occur within area
Plants		
Anredera cordifolia Madeira Vine, Jalap, Lamb's-tail, Mignonette Vine, Anredera, Gulf Madeiravine, Heartleaf Madeiravine, Potato Vine [2643]		Species or species habitat likely to occur within area
Asparagus asparagoides Bridal Creeper, Bridal Veil Creeper, Smilax, Florist's Smilax, Smilax Asparagus [22473]		Species or species habitat likely to occur within area
Chrysanthemoides monilifera Bitou Bush, Boneseed [18983]		Species or species habitat may occur within area
Chrysanthemoides monilifera subsp. monilifera Boneseed [16905]		Species or species habitat likely to occur within area
Eichhornia crassipes Water Hyacinth, Water Orchid, Nile Lily [13466]		Species or species habitat likely to occur within area
Genista linifolia Flax-leaved Broom, Mediterranean Broom, Flax Broom [2800]		Species or species habitat likely to occur

Name	Status	Type of Presence
Genista monspessulana		within area
Montpellier Broom, Cape Broom, Canary Broom, Common Broom, French Broom, Soft Broom [20126]		Species or species habitat likely to occur within area
Genista sp. X Genista monspessulana Broom [67538]		Species or species habitat may occur within area
Lantana camara		
Lantana, Common Lantana, Kamara Lantana, Large-leaf Lantana, Pink Flowered Lantana, Red Flowered Lantana, Red-Flowered Sage, White Sage, Wild Sage [10892]		Species or species habitat likely to occur within area
Lycium ferocissimum		
African Boxthorn, Boxthorn [19235]		Species or species habitat likely to occur within area
Pinus radiata		
Radiata Pine Monterey Pine, Insignis Pine, Wilding Pine [20780]		Species or species habitat may occur within area
Rubus fruticosus aggregate		
Blackberry, European Blackberry [68406]		Species or species habitat likely to occur within area
Sagittaria platyphylla		
Delta Arrowhead, Arrowhead, Slender Arrowhead [68483]		Species or species habitat likely to occur within area
Salix spp. except S.babylonica, S.x calodendron & S.x reichardtii		
Willows except Weeping Willow, Pussy Willow and Sterile Pussy Willow [68497]		Species or species habitat likely to occur within area
Salvinia molesta		
Salvinia, Giant Salvinia, Aquarium Watermoss, Kariba Weed [13665]		Species or species habitat likely to occur within area

Caveat

The information presented in this report has been provided by a range of data sources as acknowledged at the end of the report.

This report is designed to assist in identifying the locations of places which may be relevant in determining obligations under the Environment Protection and Biodiversity Conservation Act 1999. It holds mapped locations of World and National Heritage properties, Wetlands of International and National Importance, Commonwealth and State/Territory reserves, listed threatened, migratory and marine species and listed threatened ecological communities. Mapping of Commonwealth land is not complete at this stage. Maps have been collated from a range of sources at various resolutions.

Not all species listed under the EPBC Act have been mapped (see below) and therefore a report is a general guide only. Where available data supports mapping, the type of presence that can be determined from the data is indicated in general terms. People using this information in making a referral may need to consider the qualifications below and may need to seek and consider other information sources.

For threatened ecological communities where the distribution is well known, maps are derived from recovery plans, State vegetation maps, remote sensing imagery and other sources. Where threatened ecological community distributions are less well known, existing vegetation maps and point location data are used to produce indicative distribution maps.

Threatened, migratory and marine species distributions have been derived through a variety of methods. Where distributions are well known and if time permits, maps are derived using either thematic spatial data (i.e. vegetation, soils, geology, elevation, aspect, terrain, etc) together with point locations and described habitat; or environmental modelling (MAXENT or BIOCLIM habitat modelling) using point locations and environmental data layers.

Where very little information is available for species or large number of maps are required in a short time-frame, maps are derived either from 0.04 or 0.02 decimal degree cells; by an automated process using polygon capture techniques (static two kilometre grid cells, alpha-hull and convex hull); or captured manually or by using topographic features (national park boundaries, islands, etc). In the early stages of the distribution mapping process (1999-early 2000s) distributions were defined by degree blocks, 100K or 250K map sheets to rapidly create distribution maps. More reliable distribution mapping methods are used to update these distributions as time permits.

Only selected species covered by the following provisions of the EPBC Act have been mapped:

- migratory and
- marine

The following species and ecological communities have not been mapped and do not appear in reports produced from this database:

- threatened species listed as extinct or considered as vagrants
- some species and ecological communities that have only recently been listed
- some terrestrial species that overfly the Commonwealth marine area
- migratory species that are very widespread, vagrant, or only occur in small numbers

The following groups have been mapped, but may not cover the complete distribution of the species:

- non-threatened seabirds which have only been mapped for recorded breeding sites
- seals which have only been mapped for breeding sites near the Australian continent

Such breeding sites may be important for the protection of the Commonwealth Marine environment.

Coordinates

-32.00786 116.12867

Acknowledgements

This database has been compiled from a range of data sources. The department acknowledges the following custodians who have contributed valuable data and advice:

- [Office of Environment and Heritage, New South Wales](#)
- [Department of Environment and Primary Industries, Victoria](#)
- [Department of Primary Industries, Parks, Water and Environment, Tasmania](#)
- [Department of Environment, Water and Natural Resources, South Australia](#)
- [Department of Land and Resource Management, Northern Territory](#)
- [Department of Environmental and Heritage Protection, Queensland](#)
- [Department of Parks and Wildlife, Western Australia](#)
- [Environment and Planning Directorate, ACT](#)
- [Birdlife Australia](#)
- [Australian Bird and Bat Banding Scheme](#)
- [Australian National Wildlife Collection](#)
- Natural history museums of Australia
- [Museum Victoria](#)
- [Australian Museum](#)
- [South Australian Museum](#)
- [Queensland Museum](#)
- [Online Zoological Collections of Australian Museums](#)
- [Queensland Herbarium](#)
- [National Herbarium of NSW](#)
- [Royal Botanic Gardens and National Herbarium of Victoria](#)
- [Tasmanian Herbarium](#)
- [State Herbarium of South Australia](#)
- [Northern Territory Herbarium](#)
- [Western Australian Herbarium](#)
- [Australian National Herbarium, Canberra](#)
- [University of New England](#)
- [Ocean Biogeographic Information System](#)
- [Australian Government, Department of Defence](#)
- [Forestry Corporation, NSW](#)
- [Geoscience Australia](#)
- [CSIRO](#)
- [Australian Tropical Herbarium, Cairns](#)
- [eBird Australia](#)
- [Australian Government – Australian Antarctic Data Centre](#)
- [Museum and Art Gallery of the Northern Territory](#)
- [Australian Government National Environmental Science Program](#)
- [Australian Institute of Marine Science](#)
- [Reef Life Survey Australia](#)
- [American Museum of Natural History](#)
- [Queen Victoria Museum and Art Gallery, Inveresk, Tasmania](#)
- [Tasmanian Museum and Art Gallery, Hobart, Tasmania](#)
- Other groups and individuals

The Department is extremely grateful to the many organisations and individuals who provided expert advice and information on numerous draft distributions.

Please feel free to provide feedback via the [Contact Us](#) page.

Appendix 3: Threatened Flora Summary Sheet

Picture	Common Name	Description	Flowering Period	Habitat Type	Cons Code	Likelihood	Comments
 <i>Acacia anomala</i> Photos: B.R. Maslin, D. Coates & S.D. Hopper	Grass Wattle	Slender, rush-like shrub, 0.2-0.5 m high. Fl. yellow.	Aug to Sept.	Lateritic soils. Slopes.	T	Y	
 <i>Acacia aphylla</i> Photos: S.D. Hopper & B.R. Maslin	Leafless Rock Wattle	Divaricately branched, spinescent, glaucous shrub, 0.9-2.5 m high. Fl. Yellow.	Aug to Oct.	Sand, loam, clay loam. Granite outcrops, hills.	T	Y	

 <i>Anthocercis gracilis</i> Photos: S.D. Hopper & J.L. Robson	Slender Tailflower	Erect, spindly shrub, to 0.6(-1) m high. Fl. yellow-green	Sep to Oct.	Sandy or loamy soils. Granite outcrops.	T	Y	
 <i>Boronia tenuis</i> Photos: A.D. Crawford & S.J. Pa	Blue Boronia	Procumbent or erect & slender shrub, 0.1-0.5 m high. Fl. blue/pink-white.	Aug to Nov.	Laterite, stony soils, granite.	P4	Y	

 <i>Bossiaea modesta</i> Photo: A.D. Crawford		Slender, trailing & twining shrub. Fl. yellow & red.	Oct to Dec.	Soils derived from granite. Damp areas close to stream.	P2	N, soil types unsuitable	
 <i>Darwinia apiculata</i> Photos: J.L. Robson	Scarp Darwinia	Densely branched shrub, 0.4-0.5 m high. Fl. green & yellow/red.	Oct.	Lateritic soils.	T	Y	

 <i>Diplolaena andrewsii</i> Photo: V.T. Clarke	Erect shrub, 0.5-1 m high, inner involucre bracts glabrous, leaves broadly cordate. Fl. Red.	July to Oct	Loam, clay. Granite outcrops & hillsides.	T	Y	
 <i>Diuris micrantha</i> Photos: A.P. Brown, I. & M. Greeve & B. Jackson	Dwarf Bee-Orchid Tuberous, perennial, herb, 0.3-0.6 m high. Fl. yellow & brown.	Sep to Oct	Brown loamy clay. Winter-wet swamps, in shallow water.	V	N, soil types unsuitable	

 <i>Diuris purdiei</i> Photos: I. & M. Greeve & S.D. Hopper	Purdie's Donkey-orchid	Tuberous, perennial, herb, 0.15-0.35 m high. Fl. Yellow.	Sept to Oct.	Grey-black sand, moist. Winter-wet swamps.	T	N, soil types unsuitable	
 <i>Lasiopetalum bracteatum</i> Photos: B.A. Fuhrer and A. Ireland	Helena Velvet Bush	Erect, open shrub, 0.4-1.5 m high. Fl. pink-purple.	Aug to Nov.	Sandy clay, clay, lateritic gravel. Along drainage lines, creeks, gullies, granite outcrops.	P4	N, soil types unsuitable	
<i>Lasiopetalum glutinosum subsp. glutinosum</i>		Erect to straggling shrub with pink to purple flowers. Sticky residue on the flowers.			P3	Unknown	

 <i>Pimelea rara</i> Photos: H. Bowler, S.J. Patrick & J.L. Robson	Summer Pimelea	Shrub, 0.2-0.35 m high. Fl. White.	Dec or Jan.	Lateritic Soil	P4	Y	
 <i>Stylidium striatum</i> Photos: J. Wege	Fan-Leaved Triggerplant	Rosetted perennial, herb, 0.15-0.55 m high, Leaves erect, oblanceolate to spatulate, .5-4 cm long, 1.5-6 mm wide, apex acute to acuminate, margin entire, glabrous, striate. Scape sparingly glandular on inflorescence axis, glabrous below. Inflorescence racemose. Fl. yellow	Oct to Nov.	Brown clay loam over laterite. Hillslopes. Jarrah/Marri forest, Wandoo woodland.	P4	N, soil types unsuitable	

   <i>Thelymitra dedmanianum</i> Photos: A.P. Brown, N. Hoffman & J.L. Robson	Cinnamon Sun Orchid	Tuberous, perennial, herb, to 0.8 m high. Fl. Yellow.	Nov to Dec or Jan.	Granite.	T	N, soil types unsuitable	
   <i>Thelymitra magnifica</i> ms Photos: J. Brown	Crystal Brook Star Orchid	Perennial, herb.	Sept to Oct	Stony ridges.	P1	Y	

 <i>Thelymitra stellata</i> Photos: A.P. Brown & I. & M. Grueve	Star Orchid	Tuberous, perennial, herb, 0.15-0.25 m high. Fl. yellow & brown.	Oct to Nov	Sand, gravel, lateritic loam.	T	Y	
 <i>Thysanotus glaucus</i> Photos: N.H. Britton		No information.			P4	Unknown	

Appendix 4: Conservation Codes

Western Australia

Conservation Code	Name	Description
T	Threatened	Flora or fauna that is rare or likely to become extinct (Schedule 1 of the <i>Wildlife Conservation Act 1950</i>)
X	Presumed Extinct	Flora or fauna that is presumed to be extinct in the wild (Schedule 2 of the <i>Wildlife Conservation Act 1950</i>)
IA	International Agreement	Birds protected under international agreement (Schedule 3 of the <i>Wildlife Conservation Act 1950</i>)
S	Specially Protected	Other specially protected fauna (Schedule 4 of the <i>Wildlife Conservation Act 1950</i>)
<i>Schedule 1 species are ranked by DPaW according to their level of threat using IUCN Red List criteria</i>		
CR	Critically endangered	Species considered to be facing an extremely high risk of extinction within the wild
EN	Endangered	Species considered to be facing a very high risk of extinction within the wild
VU	Vulnerable	Species considered to be facing a high risk of extinction in the wild
<i>Species that have not been adequately surveyed for listing under Schedule 1 or 2 of the Wildlife Protection Act</i>		
1	Priority One	Poorly known species – known from one or a few collections or sight records (generally <5), on all lands not managed for conservation, such as road verges, urban areas, farmland, active mineral lease and under threat of habitat destruction or degradation.
2	Priority Two	Poorly known species – known from one or a few collections or sight records, some of which are on lands not under imminent threat of habitat destruction or degradation, such as national parks, conservation parks, nature reserves, State forest, vacant Crown land, water reserves and similar.
3	Priority Three	Poorly known species – known collections or sight records from several localities not under imminent threat, or from few but widespread localities with either large size or significant remaining areas of apparently suitable habitat, much of it not under imminent threat.
4	Priority Four	Rare or near threatened and other species in need of monitoring.
5	Priority Five	Conservation dependent species that are not threatened but are subject to a specific conservation program, the cessation of which would result in them becoming threatened within five years.

(Source: Department of Biodiversity, Conservation and Attractions, 2019a)

Commonwealth

Category	Description
Critically Endangered	Species facing an extremely high risk of extinction in the wild in the immediate future
Endangered	Species facing a very high risk of extinction in the wild in the near future
Vulnerable	Species facing a high risk of extinction in the wild in the medium term

(Source: Department of the Environment and Energy, 2019a)

Appendix 5: Flora Species List

A complete flora list is provided in the table below. *Denotes introduced species (weeds). Species are listed in alphabetical order by species name, with weeds first then natives.

Family	Species	Common Name
Asteraceae	<i>Arctotheca calendula</i> *	Cape Weed
Asteraceae	<i>Avena barbata</i> *	Bearded Oat
Poaceae	<i>Briza maxima</i> *	Blowfly Grass
Orchidaceae	<i>Disa bracteata</i> *	
Poaceae	<i>Ehrharta calycina</i> *	Perennial Veldt Grass
Poaceae	<i>Eragrostis curvula</i> *	African Lovegrass
Asteraceae	<i>Hypochaeris radicata</i> *	Flat Weed
Myrtaceae	<i>Leptospermum laevigatum</i> *	Victorian Teatree
Fabaceae	<i>Lupinus angustifolius</i> *	Narrowleaf Lupin
Oleaceae	<i>Olea europaea</i> *	Olive
Oxalidaceae	<i>Oxalis pes-caprae</i> *	Soursob
Caryophyllaceae	<i>Petrorhagia dubia</i> *	
Pinaceae	<i>Pinus radiata</i> *	Radiata Pine
Plantaginaceae	<i>Plantago lanceolata</i> *	Ribwort Plantain
Brassicaceae	<i>Raphanus raphanistrum</i> *	Wild Radish
Fabaceae	<i>Trifolium campestre</i> *	Hop Clover
Asteraceae	<i>Ursinia anthemoides</i> *	Ursinia
Fabaceae	<i>Acacia pulchella</i> var. <i>pulchella</i>	
Proteaceae	<i>Adenanthos barbiger</i>	
Hemerocallidaceae	<i>Agrostocrinum hirsutum</i>	
Casuarinaceae	<i>Allocasuarina fraseriana</i>	Sheoak
Poaceae	<i>Amphipogon debilis</i>	
Poaceae	<i>Austrostipa hemipogon</i>	
Proteaceae	<i>Banksia dallanneyi</i> subsp. <i>dallanneyi</i> var. <i>mellicula</i>	
Proteaceae	<i>Banksia grandis</i>	Bull Banksia
Pittosporaceae	<i>Billardiera fusiformis</i>	Australian Bluebell
Fabaceae	<i>Bossiaea aquifolium</i>	Water Bush
Fabaceae	<i>Bossiaea ornata</i>	Broad Leaved Brown Pea
Colchicaceae	<i>Burchardia congesta</i>	
Hemerocallidaceae	<i>Caesia micrantha</i>	Pale Grass-lily
Myrtaceae	<i>Calytrix depressa</i>	
Ranunculaceae	<i>Clematis pubescens</i>	Common Clematis
Haemodoraceae	<i>Conostylis setigera</i>	Bristly Cottonhead
Haemodoraceae	<i>Conostylis setosa</i>	White Cottonhead
Myrtaceae	<i>Corymbia calophylla</i>	Marri
Cyperaceae	<i>Cyathochaeta avenacea</i>	

Family	Species	Common Name
Goodeniaceae	<i>Dampiera linearis</i>	Common Dampiera
Fabaceae	<i>Daviesia decurrens</i> subsp. <i>decurrens</i>	
Fabaceae	<i>Daviesia rhombifolia</i>	
Restionaceae	<i>Desmocladius asper</i>	
Hemerocallidaceae	<i>Dianella revoluta</i>	Blueberry Lily
Droseraceae	<i>Drosera pallida</i>	Pale Rainbow
Myrtaceae	<i>Eucalyptus marginata</i>	Jarrah
Fabaceae	<i>Gompholobium polymorphum</i>	
Fabaceae	<i>Gompholobium preissii</i>	
Proteaceae	<i>Grevillea synapheae</i>	Catkin Grevillea
Haemodoraceae	<i>Haemodorum laxum</i>	
Proteaceae	<i>Hakea amplexicaulis</i>	Prickly Hakea
Proteaceae	<i>Hakea lissocarpha</i>	Honey Bush
Proteaceae	<i>Hakea ruscifolia</i>	Candle Hakea
Lamiaceae	<i>Hemigenia parviflora</i>	
Dilleniaceae	<i>Hibbertia acerosa</i>	Needle Leaf Guinea Flower
Dilleniaceae	<i>Hibbertia huegelii</i>	
Fabaceae	<i>Hovea chorizemifolia</i>	Holly-leaved Hovea
Asteraceae	<i>Hyalosperma cotula</i>	
Fabaceae	<i>Kennedia coccinea</i>	Coral Vine
Goodeniaceae	<i>Lechenaultia biloba</i>	Blue Lechenaultia
Cyperaceae	<i>Lepidosperma apricola</i>	
Cyperaceae	<i>Lepidosperma pubisquameum</i>	
Cyperaceae	<i>Lepidosperma scabrum</i>	
Myrtaceae	<i>Leptospermum erubescens</i>	Roadside Teatree
Ericaceae	<i>Leucopogon verticillatus</i>	Tassel Flower
Stylidiaceae	<i>Levenhookia pusilla</i>	Midget Stylewort
Campanulaceae	<i>Lobelia rhombifolia</i>	Tufted Lobelia
Asparagaceae	<i>Lomandra hermaphrodita</i>	
Asparagaceae	<i>Lomandra micrantha</i> subsp. <i>micrantha</i>	
Asparagaceae	<i>Lomandra preissii</i>	
Asparagaceae	<i>Lomandra purpurea</i>	Purple Mat Rush
Restionaceae	<i>Loxocarya cinerea</i>	
Zamiaceae	<i>Macrozamia riedlei</i>	Zamia
Fabaceae	<i>Mirbelia dilatata</i>	Holly-leaved Mirbelia
Rubiaceae	<i>Opercularia echinocephala</i>	Bristly Headed Stink Weed
Iridaceae	<i>Patersonia umbrosa</i>	Yellow Flags
Iridaceae	<i>Patersonia juncea</i>	Rush Leaved Patersonia
Apiaceae	<i>Pentapeltis peltigera</i>	
Proteaceae	<i>Persoonia elliptica</i>	Spreading Snottygobble
Rutaceae	<i>Philothea spicata</i>	Pepper and Salt
Phyllanthaceae	<i>Phyllanthus calycinus</i>	False Boronia

Family	Species	Common Name
Asteraceae	<i>Podotheca angustifolia</i>	Sticky Longheads
Phyllanthaceae	<i>Poranthera huegelii</i>	
Phyllanthaceae	<i>Poranthera microphylla</i>	Small Poranthera
Asteraceae	<i>Pterochaeta paniculata</i>	Woolly Waitzia
Poaceae	<i>Rytidosperma acerosum</i>	
Goodeniaceae	<i>Scaevola calliptera</i>	
Asteraceae	<i>Senecio diaschides</i>	
Fabaceae	<i>Sphaerolobium medium</i>	
Celastraceae	<i>Stackhousia monogyna</i>	
Stylidiaceae	<i>Stylidium araeophyllum</i>	Stilt Walker
Stylidiaceae	<i>Stylidium ciliatum</i>	Golden Triggerplant
Stylidiaceae	<i>Stylidium lineatum</i>	Sunny Triggerplant
Stylidiaceae	<i>Stylidium recurvum</i>	
Stylidiaceae	<i>Stylidium scariosum</i>	
Poaceae	<i>Tetrarrhena laevis</i>	Forest Ricegrass
Elaeocarpaceae	<i>Tetradlea hirsuta</i>	Black Eyed Susan
Orchidaceae	<i>Thelymitra crinita</i>	Blue Lady Orchid
Asparagaceae	<i>Thysanotus multiflorus</i>	Many-flowered Fringe Lily
Apiaceae	<i>Trachymene pilosa</i>	Native Parsnip
Hemerocallidaceae	<i>Tricoryne elatior</i>	Yellow Autumn Lily
Celastraceae	<i>Tripterococcus brunonis</i>	Winged Stackhousia
Rhamnaceae	<i>Trymalium ledifolium</i> var. <i>rosmarinifolium</i>	
Campanulaceae	<i>Wahlenbergia preissii</i>	
Xanthorrhoeaceae	<i>Xanthorrhoea gracilis</i>	Graceful Grass Tree
Xanthorrhoeaceae	<i>Xanthorrhoea preissii</i>	Grass Tree
Apiaceae	<i>Xanthosia candida</i>	
Asteraceae	<i>Xerochrysum macranthum</i>	