

GENERAL INDEX TO VOLUME 73 (2016)

Note: main entries are **emboldened**; *signifies the page range of keywords; pages with illustrations (Fig.), maps, reviews (Rev.) and appendices (App.) are indicated, tables are not annotated separately.

- Abies*
cilicica (Antoine & Kotschy) Carrière, 125, 128, 130
- Abutilon*
pedunculare Kunth, 109
piurense Ulbr., 109
- Acacia*, 16, 103
aroma Gillies ex Hook. & Arn., 103–105, 111
macracantha Willd., 105, 111
nilotica, 16
pachyceras, 18
- Acalypha*, 103, 114
diversifolia Jacq., 50
villosa Jacq., 50
- Acanthaceae, 106
- Acantholimon*, 6, 15, 19–20
- Acanthophyllum*, 6, 15, 19–20
- Acaulospora* Gerdemann & Trappe, 226
- Acaulosporaceae, 226
- Accepted names
of *Retrophyllum*, 257 App.
- Acer*, 19
- Achillea*
conferta, 13
fragrantissima, 11
- Acmopyle*
pancheri Pilg., 207
- Actinidiaceae, 47, 77
- Adelia*
barbinervis Schldtl. & Cham., 50
- Adenocalymma*
imundatum Mart. ex DC., 48, 63, 66
- Adinandra*
meratusensis Sugau, 139
- Adoxaceae, 153–155, 372 Rev.
- Aegilops*
speltoides, 15
- Aegiphila*
monstrosa Moldenke, 51, 69–70, 74–76
- Aeluropus*
lagopoides, 11
- Aeschynomene*
weberbaueri Ulbr., 109
- Africa
Donella in, 303, 323–332
- Afrocarpus*, 173
- Afrotropic ecozone, 6 Map
- Agarista*
subcordata (Dunal) Judd, 108
- Agathis* Salisb., 193, 198
- Aizoon*
hispanicum, 18
- Alchornea*
latifolia Sw., 50, 69
- Algeria, 265–275
- Allamanda*
weberbaueri Markg., 106
- Alliaceae, 11
- Allium*, 18
- Allophylus*
camptostachys Radlk., 58, 75
cominia (L.) Sw., 58, 74
psilospermus Radlk., 58
- Alpine region
of Iraq, 15
- Alseis*
peruviana Standl., 116
- Altingiaceae, 372 Rev.
- Amaranthaceae, 20–21, 106
subfam. Chenopodioideae, 8
- Amaryllidaceae, 11, 115
- Ameiva*
nodam Koch, Venegas, Rödder, Flecks & Böhme, 115
- Amentotaxus* pilg., 175
- Amphilophium*
crucigerum (L.) L.G.Lohmann, 48
- Amphisbaena*
pericensis Noble, 115
- Amyris*
belizensis Lundell, 58
- Anabasis*
articulata, 10

- Anacardiaceae, 47, 70–71, 73–74, 102
Anastatica, 17
 Anatolia, 125–131*
 Ancestry, and reproductive timing, 345–370*
 Andes, 95–123, 143–152
Andira
 inermis (W.Wright) Kunth ex DC., 52
Anemone
 coronaria, 15
 Angiosperms (Sapotaceae), 297–339*
Annona
 reticulata L., 47
 scleroderma Saff., 47, 62, 65
 Annonaceae, 47, 62, 65, 67, 74, 77
 AONA, L.Y.S., 157–170
 Apiaceae, 1, 6, 8, 11, 125–131*
 Apocynaceae, 47, 62–63, 65–66, 70–71, 74,
 101–102, 106, 341
Apocynum
 hendersonii Hook.f., 341–342
 pictum Schrenk, **342**
Ara
 macao cyanoptera, 40
 Arabian Peninsula, 2
 Araliaceae, 47, 65, 67, 73
Araptus
 impensus (Wood), 226
Araucaria Juss., 173, 177, 216
 biramulata J.Buchholz, 177
 cookii R.Br., 177
 humboldtensis J.Buchholz, 207
 laubfelsii Corbasson, 207
 montana Brongn. & Gris., 207
 muelleri (Carrière) Brongn. & Gris., 207
Ardisia
 nigrescens Oerst., 56
 paschalis Donn.Sm., 56
 Arecaceae, 43, 48, 60, 70
 ARGENT, G.C.G., 139–142
Armatocereus, 103, 105
 arduus F.Ritter, 106
 laetus (Kunth) Backeb. ex A.W.Hill, 106
 oligogonus Rauh & Backeb., 106
 rauhii Backeb., 103–104, 105, 111, 116
 subsp. *balsasensis* (F.Ritter) Ostolaza,
 106, 115
 subsp. *rauhii*, 106, 115
Arnaldoa
 macbrideana Ferreyra, 107
 weberbaueri (Muschl.) Ferreyra, 107
Arnebia
 cornuta, 18
Arrojadoa
 penicillata (Gürke) Britton & Rose, 162–164,
 166
 rhodantha (Gürke) Britton & Rose, 162, 165
Artemisia, 3
 herba-alba, 11, 13, 19
 inculta, 18
 Asparagaceae, 11
Asphodeline, 18
Aspidosperma
 desmanthum Benth. ex Müll.Arg., 47, 73
 megalocarpon Müll.Arg., 47, 71, 69, 73–76
 polyneuron Müll.Arg., 103
 Asteraceae, 1, 8, 11, 15, 19
Asteriscus
 pygmaeus, 11
Astragalus, 6, 11, 15, 19–20
 annulatus, 11
 dactylocarpus, 14
 mossulensis, 14
 tribuloides, 11, 18
Ateles
 geoffroyi, 40
Attalea
 cohune Mart., 48
Augusta
 rivalis (Benth.) J.H.Kirkbr., 57
Austrogambeya Aubrév. & Pellegr., 297–339*
 bangweolensis (R.E.Fr.) Aubrév. & Pellegr.,
 323
 guerliana Aubrév., 310
Austrotaxus
 spicata Compton, 207
 AYTAÇ, Z., 125–131
 Bacaba Municipal Park, Nova Xavantina-MT,
 85 Map
Baccharis
 grandicapitulata Hieron.
 var. *subdentata* Hieron., 107
Bactris, 71–72
 mexicana Mart., 48
 BADEN, H.M., 39–81
 Bahia, Brazil, 157–170 [160 Map]
 Balanophoraceae, 48
Banisteriopsis
 parvifolia (Nied.) B.Gates, 109

- Barnadesia*
hutchisoniana Ferreyra, 107
- Basionym
of *Retrophyllum minus*, 241–257 App.
- Bassia*
eriophora, 18
muricata, 18
- Bauhinia*, 103
dipetala Hemsl., 52
- BAYLY, W.D.R., 39–81
- Beauprea* Brongn. & Gris., 172
balansae Brongn. & Gris., 183
- Begonia*, 143–152
sect. *Eupetalum* (Lindl.) A.DC., 143–152*
sect. *Knesebeckia* (Klotzsch) A.DC., 143–152*
acerifolia Kunth, 143–145
arrogans Irmsch., 144
chrysantha Tebbitt, 143–152*
erythrocarpa A.DC., 143–152*
heliantha Tebbitt, 143–148 [145, 146 Fig.], 150 Map
incarnata Link & Otto, 144
leathermaniae O'Reilly & Kareg., 144
ludwigii Irmsch., 144
pearcei Hook.f., 143–152*
serotina A.DC., 143–152*
tiramosa Irmsch., 144
urubambensis Tebbitt, 143–145, 148–151 [148, 149 Fig., 150 Map]
velata L.B.Sm. & B.G.Schub., 144
wollnyi Herzog, 144
- Begoniaceae, 143–152
- Belize, 39–81 [44 Map]
- Bellevalia*, 14, 18
- Bentham, George, 341–344*
- Bernardia*
dodecandra (Sessé ex Cav.) Govaerts, 50
- Bernoullia*
flammea Oliv., 53
- Bienertia*
cycloptera, 11
- Bignonia*
potosina (K.Schum. & Loes.) L.G.Lohmann, 48, 62, 66, 71–72
- Bignoniaceae, 48, 63, 66, 71, 77, 101–102, 106
- Biodiversity hotspots
in Middle East, 4
- Biogeography
of flora of Iraq, 1–24*
- Biomes
semiarid *Caatinga*, 157–170
- Bocconia*
frutescens L., 55
- Bolivia, 143–152*
- BOOK REVIEWS
Atlas of the Aegean Flora (A. Strid), 371–373
Spot-characters for the Identification of Malesian Seed Plants: a Guide (M.M.J. van Balgooy, Y.W. Low & K.M.Wong), 263–264
- Boraginaceae, 8, 11, 102, 106, 265–275*
tribe Cynoglosseae, 265–275
- Borneo, 139
- Bougainvillea*
peruviana Bonpl., 105
- Brasilicereus*
phaeacanthus (Gürke) Backeb., 162–164, 166
- Brasiliopuntia*
brasiliensis (Willd.) A.Berger, 162, 165
- Brassica*
juncea (L.) Czern., 48, 62
- Brassicaceae, 1, 6, 8, 11, 15, 19, 48, 62
- Bray–Curtis index, 162–164
- Brazil
north-eastern, 157–170 [160 Map]
vegetation succession in, 83–93 [85 Map]
- BRIDGEWATER, S.G.M., 39–81
- Bromeliaceae, 115
- Brosimum*
alicastrum Sw., 54, 68–70, 73–74
guianense (Aubl.) Huber, 54, 63
- Browningia*, 103
altissima (F.Ritter) Buxb., 102–106, 111, 115
chlorocarpa (Kunth) W.T.Marshall, 106
pilleifera (F.Ritter) Hutchison, 103–106, 111, 115–116
- Buddleja*, 103, 114
- Bunchosia*
bonplandiana A.Juss., 109
lindeniana A.Juss., 53
- Bursera*
simaruba (L.) Sarg., 48
- Burseraceae, 48, 65, 67, 70–71, 74
- Caatinga* biome, 157–170
- Cactaceae, 101–107, 111, 114, 157–170
subfam. Opuntioideae, 167

- Caesalpinia*, 103, 114
celendiniana G.P.Lewis & C.E.Hughes, 109, 111
pluviosa DC.
 var. *maraniona* G.P.Lewis & C.E.Hughes, 109, 116
Cakile
arabica, 18
Calamagrostis
anthoxanthoides (Munro ex Hook.f.) Regel, 343
Caliciopsis Peck, 207
podocarpi Huguenin, 207
Calliandra
houstoniana (Mill.) Standl., 52
mollissima (Willd.) Benth., 109
Calligonum
comosum, 9
 CALONJE, M.A., 345–370
 Calophyllaceae, 49
Calophyllum
brasiliense Cambess., 49, 67, 72–73
vitiense Turrill, 193
Calotropis
procera, 16
Calymmanthium, 111
fertile F.Ritter, 106
substerile F.Ritter, 106
Calypttranthes
lindeniana O.Berg, 53
 Campanulaceae, 11
 Cannabaceae, 49, 63–65, 67, 74
 Capparaceae, 49, 62, 64, 101–102, 107, 372 Rev.
Capparidastrum
quiriguense (Standl.) Cornejo & Iltis, 49, 64, 62
sprucei (Eichler) Hutch., 107
 Caprifoliaceae, 49, 77, 372 Rev.
Capsicum
annuum L., 59
Carex
stenophylla, 13
Carica
aprica V.M.Badillo, 107
 Caricaceae, 107
Caroxylon, 16
 Caryophyllaceae, 8, 11, 19
Casearia
commersoniana Cambess., 58
corymbosa Kunth, 58, 72
tremula (Griseb.) Griseb. ex C.Wright, 58
Cassia
italica, 16
Cassipourea
guianensis Aubl., 57
Castilla
elastica Sessé, 54
Casuarina
rumphiana Miq., 198
Cecropia, 65
polystachya Trécul, 225
Cedrela, 65, 69, 71
kuelapensis T.D.Penn. & Daza, 110
molinensis T.D.Penn. & Reynel, 110
odorata L., 54, 76
Ceiba
insignis (Kunth) P.E.Gibbs & Semir, 105
pentandra (L.) Gaertn., 43, 53, 60, 73
 Celastraceae, 49, 69, 71–72, 77, 107
Celtis
shippii Standl., 49, 63–65, 67, 74
Centaurea, 6, 11, 18
behen, 19
 Central Asia, 341–344*
 Centres of diversity
 of Cactaceae, 158
 Cephalotaxales, 174
Ceratozamia
robusta Miq., 347, 353–354, 369 App.
Cercis
siliquastrum, 20
Cereus
jamacaru DC., 162–165
Cerradão, 83–93*
Cerrado sensu stricto, 83–93*
Cestrum
nocturnum L., 59
weberbaueri Francey, 102, 110
Chamaedorea
ernesti-augusti H.Wendl., 48, 66
tepejilote Liebm., 48
 CHANCE, R., 39–81
 Chenopodiaceae, 20–21
 CHICAS, S., 39–81
 CHIKMAWATI, T., 277–289
 China, 25–37
 Xinjiang Province, 341–344
Chiococca
alba (L.) Hitchc., 57

- Chionanthus*
oblanceolatus (B.L.Rob.) P.S.Green, 55, 71–72
- Chiquibul Forest Reserve and National Park (CFRNP), Belize, 39–81 [44 Map]
- Chirita*, 25
- Chrozophora*
tinctoria, 19
- Chrysobalanaceae, 49
- Chrysophyllum*, 297–339*
sect. *Aneuchrysophyllum*, 298, 300
sect. *Chrysophyllum*, 298
sect. *Donella* (Pierre ex Baill.) Engl., 298, 301, 325
sect. *Prieurella*, 298
sect. *Ragala*, 298
sect. *Villocuspis*, 298
acuminatum Roxb., 314
ambrense (Aubrév.) G.E.Schatz & L.Gaut., 304
analalavense (Aubrév.) G.E.Schatz & L.Gaut., 305
azagueianum Miege, 298
bancanum Miq., 314
bangweolense R.E.Fr., 323
belemba De Wild., 328
buchholzii Engl., 326
cacondense Greves, 323
cainito L., 298, 300
capuronii G.E.Schatz & L.Gaut., 307
claessensii De Wild., 329
delphinense (Aubrév.) G.E.Schatz & L.Gaut., 308
dioicum Koord. & Valetton, 314
ejalaense De Wild., 331
ellipticum A.Chev., 331
fenervense (Aubrév.) G.E.Schatz & L.Gaut., 309
gracile A.Chev., 326
guerliana (Aubrév.) G.E.Schatz & L.Gaut., 310
klainei Engl., 331
lanceolatum (Blume) A.DC., 313, 315
var. *stellatocarpon* P.Royen, 314
lanceolatum Casar., 315
letestuanum A.Chev., 328
masoalensis (Aubrév.) G.E.Schatz & L.Gaut., 316
mortehanii De Wild., 326
ogouense A.Chev., 324–326
ogowense A.Chev., 324–326
oliviforme L., 300
pentagonocarpum Engl. & K.Krause, 328
pentagonum Hance, 314
perrieri (Lecomte) G.E.Schatz & L.Gaut., 318
pruniforme Pierre ex Engl., 326, 328
roxburghii G.Don, 314
var. *papuanum* C.T.White, 314
sumatranum Miq., 314
ubangiense (De Wild.) D.J.Harris, 328
ubangiense (De Wild.) Govaerts, 328
viridifolium J.M.Wood & Franks, 330
welwitschii Engl., 330
- Cinnamomum*
triplinerve (Ruiz & Pav.) Kosterm., 225
- Circular statistics, 345–370*
- Cissus*
biformifolia Standl., 60
- Clavija*
myrmeciocarpa Stahl, 110
- Cleidion*
castaneifolium Müll.Arg., 50, 71–72
- Cleistocactus*
plagiostoma (Vaupel) D.R.Hunt, 106
tenuiserpens Rauh & Backeb., 106
- Cleome*, 372 Rev.
amblyocarpa, 18
- Clidemia*
petiolaris (Schltdl. & Cham.) Schltdl. ex Triana, 53
strigillosa (Sw.) DC., 53, 63
- Climate
of Middle East, 3–4
- Cloezia*
aquarum (Guillaumin) J.W.Dawson, 215
- Cloud forest, 291–296*
- CLUGSTON, J.A.R., 345–370
- Clusia*, 105, 107
massoniana Lundell, 49
minor L., 49
rigida M.Gustaffson, 107, 115
- Clusiaceae, 49, 62, 65, 67, 74, 107
- Cnidoscopus*, 101, 103, 105
basiacanthus (Pax & K.Hoffm.) J.F.Macbr., 111
cajamaricensis Fern.Casas & J.M.Pizarro
var. *cajamaricensis*, 108
var. *crenatus* Fern.Casas & J.M.Pizarro, 108

- diacanthus* (Pax & K.Hoffm.) J.F.Macbr., 104
hypoleucus (Pax) Pax, 108, 111
liesneri Fern.Casas & J.M.Pizarro, 108
multilobus (Pax) I.M.Johnst., 50
Coccoloba, 74
acapulcensis Standl., 56, 74
belizensis Standl., 56, 69–70, 73–74
diversifolia Jacq., 56, 62, 64, 69–70, 74
Cojoba, 77
arborea (L.) Britton & Rose, 52
graciliflora (S.F.Blake) Britton & Rose, 52
Colicodendron
scabridum (Kunth) Seem., 104, 105
Colour profiles, 171–261*
Combretaceae, 49, 65, 67, 70–71, 74
Combretum
fruticosum (Loefl.) Stuntz, 49
laxum Jacq., 49, 69–72, 74
Commelinaceae, 50
Compositae, 101–102, 105, 107–108, 114, 341
Compsonera
mexicana (Hemsl.) Janovec, 55, 62, 64–65, 67, 74
CONDE, D.A., 39–81
Conservation
assessments in *Donella*, 305–332
in Belize, 39–81*
of Cactaceae, 158
of *Donella*, 297–339*
of *Freziera*, 294
identifying priority areas in Peru, 95–123
of *Primulina*, 30, 33
and reproductive phenology, 345–370
of *Retrophyllum*, 193, 198, 207, 216, 226, 230–231
of *Syzygium*, 277–289
Contendas do Sincorá National Forest (CSNF), 157–170 [160 Map]
Convolvulaceae, 8, 50
Cordia, 101, 103
iguaguana Melch. ex I.M.Johnst., 103, 106
saccellia Gottschling & J.S.Mill., 105
varronifolia I.M.Johnst., 106
Cornulaca, 18
monacantha, 17
Cornutia
pyramidata L., 51
Coryneliales, 226
Costaceae, 50
Costus
pictus D.Don, 50
Cotoneaster
racemiflora, 19
Coursetia
cajamarcana Lavin, 109
maraniona Lavin, 109
Cousinia, 6, 15, 20
stenocephala, 11, 19
Coussapoa
oligocephala Donn.Sm., 60
Crataegus, 19
aronia, 19
Cressa
cretica, 11
Crossopetalum
eucymosum (Loes. & Pittier) Lundell, 49
Crotalaria
cajanifolia Kunth, 52
Croton, 101, 103, 105, 108
adipatus Kunth, 108, 115
billbergianus Müll.Arg., 50
niveus Jacq., 51, 62, 64
rubiginosus Croizat, 108
schiedeanus Schltdl., 51
thurifer Kunth, 103, 105
Cryosophila
stauracantha (Heynh.) R.Evans, 48, 69–73
Cryptotermes
domesticus (Haviland), 193
Cupania
belizensis Standl., 58, 73
Cuphea
appendiculata Benth., 53
Curatella
americana, 90
Curculionidae, 347
Cyathostegia
mathewsii (Benth.) Schery, 105
Cycadales, 345–370*
Cymbopetalum
mayanum Lundell, 47, 65, 67, 74–76
Cynanchum
calycinum (Schltr.) Morillo, 102, 106
Cynoglossum, 265–275 [266–267 Figs]
alpinum (Brand) Riedl, 266–267
brandii Sutorý, 265–266 [266 Fig.], 268–272 [271]
columnae Biv., 269
β virescens Bornm., 269

- creticum* Mill., 269
dioscoridis Vill., 267–269 [267 Fig.], 273
 var. *maroccanum* (Brand) Maire, 272
 var. *nebrodense* (Guss.) Ball, 272–273
maghrebicum Sutorý, 265, 267–269 [267 Fig.], 272
maroccanum Sennen, 272
montanum L., 265–275* [266 Fig.]
 subsp. *extraeuropaeum* auct. non Brand, 269
 subsp. *extraeuropaeum* Brand, 265–266, 268–273
 subsp. *linnaeanum* Brand, 265
 subsp. *montanum*, 265
 var. *alpinum* Brand, 266–267, 273
 var. *asiaticum* Brand, 268–269, 271, 273
 var. *latifolium* Brand, 268, 273
 var. *maroccanum* Brand, 268, 272
 var. *parvifolium* (Koch) Brand, 268, 273
 subvar. *naticicum* (Bornm.) Brand, 268–271
naticicum (Bornm.) Sutorý, 265–266 [266 Fig.], 268–269, 271–272
nebrodense auct. non Guss., 271
nebrodense Guss., 267–269 [267 Fig.], 272–273
 var. *naticicum* Bornm., 268
nebrodense sensu Battandier non Guss., 272
officinalis auct. non L., 272
teheranicum Riedl, 271
troodi Lindb., 270
Cynophalla
flexuosa (L.) J.Presl, 103, 105
Cyperaceae, 8, 11
Cyperus, 20
conglomeratus, 9

Dacrycarpus (Endl.) de Laub., 198
imbricatus
 var. *patulus*, 187
Dacrydium, 216, 243 App., 251 App.
 araucarioides Brongn. & Gris., 215
 guillauminii J.Buchholz, 215–216
Dalbergia
glabra (Mill.) Standl., 52, 71–72
Dalechampia
 hutchinsoniana G.L.Webster, 108
 weberbaueri Pax & K.Hoffm., 108
Daphne
acuminata, 15

Decussocarpus de Laub., 171–261*
 sect. *Afrocarpus* (J.Buchholz & N.E.Gray) de Laub., 172
 sect. *Dammaroides* (Bennett) de Laub., 172
 sect. *Decussocarpus*, 172, 183
 araucoensis (E.W.Berry) D.R.Greenw., 173
 comptonii (J.Buchholz) de Laub., 172, 199, 206, 211
 maslinensis D.T.Blackburn, 173
 minor (Carrière) de Laub., 172, 206, 208, 211, 251 App., 254 App.
 piresii Silba, 172, 180, 227
 rospigliosii (Pilg.) de Laub., 172, 216
 vitiensis (Seem.) de Laub., 172, 176, 187, 194
Deherainia
 smaragdina (Planch. ex Linden) Decne., 56
Delpyhora, 298
Dendropanax
 arboreus (L.) Decne. & Planch., 47, 65, 67–69, 72–73
Deserts
 in Iraq, 9–12
 Middle Eastern, 2–3
Desmoncus
 orthacanthos Mart., 48
Deyeuxia
 anthoxanthoides Munro ex Hook.f., 341, 343
Dialium
 guyanense (Aubl.) Sandwith, 52, 65–66, 74
Dianthus
 anatolicus, 20
Dichapetalaceae, 50
Dichapetalum
 donnell-smithii Engl., 50, 73
Dilleniaceae, 50, 63
Dioecy, 345–370*
Dionysia, 6
Dioon Lindl., 360
Dioscorea
 bartlettii C.V.Morton, 50
Dioscoreaceae, 50
Diplopterys
 leiocarpa (A.Juss.) W.R.Anderson & C.Davis, 109, 116
 populifolia (Nied.) W.R.Anderson & C.Davis, 109
Diplycosia Blume, 139–142*
 kalimantanensis P.Wilkie & Argent, 139–142 [140, 141 Fig.]
 pseudorufescens Sleumer, 139–140
Dipsacaceae, 11, 372 Rev.

- Dipsacales, 372 Rev.
 Distribution patterns
 of Cactaceae, 157–170
- Ditaxis*
dioica Kunth, 108
katharinae Pax, 108
- Diversity
 of woody plants in Peru, 95–123*
- Doliocarpus*
dentatus (Aubl.) Standl., 50
multiflorus Standl., 50, 63
- Donella* Pierre ex Baill., 297–339 [301]
ambrensis Aubrév., 297, 302, **304**–305 [304 Map]
analalavensis Aubrév., 299, 302, **305**–308 [306 Map], 310
bangweolensis (R.E.Fr.) Mackinder, 301, 303, **323**–324 [323 Map]
capuronii (G.E.Schatz & L.Gaut.) Mackinder & L.Gaut., 303–304 [304 Map], **307**–308
delphinensis Aubrév., 297, 299, 302, 304 Map, 307–310 [308], 320
dubardii Pierre, 331
fenervensis Aubrév., 302, **309**–310 [310 Map]
griffoniana Pierre ex Pellegr., 324
guereliana (Aubrév.) Mackinder, 297, 303, **310**–311 [310 Map]
humbertii Capuron ex Mackinder & L.Gaut., 297, 299, 302, 310–313 [310 Map, **311**, 312 Fig.]
lanceolata (Blume) Aubrév., 297, 300–302, **313**–316 [314 Map]
 var. *malagassica* Aubrév., 314
le-testuana (A.Chev.) A.Chev. ex Pellegr., 328
masoalensis Aubrév., 302, **316**–317 [317 Map]
ogouensis (A.Chev.) Aubrév. & Pellegr., 299, 303, 323–325 [323 Map, **324**]
parvifolia Lecomte, 326
pentagonocarpa (Engl. & K.Krause) Aubrév. & Pellegr., 328
perrieri Lecomte, 299, 301, 303, 308, 311, **318**–320 [318 Map]
 var. *pubescens* Aubrév., 318, 320
 var. *sambiranensis* Lecomte, 318, 320
pruniformis (Pierre ex Engl.) Aubrév. & Pellegr., 299, 301, 303, **326**–327 [326 Map], 329–330, 332
ranirisonii L.Gaut. & Mackinder, 297, 299, 302, 317 Map, **320**–323 [321–322 Figs]
roxburghii (G.Don) Pierre ex Lecomte
 var. *tonkinensis* Lecomte, 314
sambiranensis (Lecomte) Aubrév., 318
ubanguiensis (De Wild.) Aubrév., 299, 303, **328**–329 [328 Map]
viridifolia (J.M.Wood & Franks) Aubrév. & Pellegr., 303, 327–328 [328 Map], **330**
welwitschii (Engl.) Pierre ex Engl., 297, 299, 303, **330**–332 [331 Map]
- Dorstenia*
lindeniana Bureau, 54
 Dry Andean valleys, 95–123* [97 Map]
Dryopteris, 128
Drypetes
brownii Standl., 57
Ducula
goliath (Gray), 207
 DUMAN, H., 125–131
- Echinops*
viscosus, 19
 Ecological succession, 83–93*
 Ecoregions
 in Iraq, 14 Map
 Ecosystems, semiarid, 157–170
 Ecozones, 6 Map
 Ecuador, 291–296
 Elaeocarpaceae, 50
Emmotum
nitens (Benth.) Miers, 83, 86–89, 91
Encephalartos Lehm., 360
 Endemism, 157–170*
 in *Begonia*, 143, 147–148, 151
 in *Donella*, 297, 299, 301, 305–309, 311, 316, 319, 325
 in Indian *Phyllanthus*, 133
 in Iraq, 1, 8, 11, 16–21
 in Marañón valley, Peru, 95–123* [98 Map, 112–113 Maps]
 in Turkey, 125, 128
 Environmental factors, 157–170*
 Epitype, 171–261*
Erblichia
odorata Seem., 56
 Ericaceae, 108, 139–142*
 Ericales, 291–296*
Eriotheca
discolor (Kunth) A.Robyns, 103, 105

- gracilipes* (K.Schum.) A.Robyns, 83, 86–89, 91
peruviana A.Robyns, 102, 110
ruizii (K.Schum.) A.Robyns, 116
Erythrina
folkersii Krukoff & Moldenke, 52
Erythroxylaceae, 108
Erythroxylum, 103, 108
dillonii Plowman ex Jara, 108
Esenbeckia
cornuta Engl., 110
Espositoa, 101, 103, 105, 114
blossfeldiorum (Werderm.) Buxb., 106, 111, 116
calva F.Ritter, 106
hylaea F.Ritter, 106
lanata (Kunth) Britton & Rose, 104
lanianuligera F.Ritter, 106
mirabilis F.Ritter, 103–104, 106, 111, 116
ritteri Buining, 106
superba F.Ritter, 106
utubambensis G.J.Charles, 107
Espositoopsis
dybowskii (Rol.-Goss.) Buxb., 162, 165–167
Eugenia, 103
curvipilosa McVaugh, 102, 110
Euphorbiaceae, 8, 50, 62, 64, 70–71, 73, 77, 101–102, 105, 108–109, 114, 134
Exostema
corymbosum (Ruiz & Pav.) Spreng., 110
Exsiccatae
of *Donella*, 332–337
of *Retrophyllum*, 258–261 App.
- Fabaceae, 1, 8, 11, 15, 19, 51, 180
Falcatifolium, 185
taxoides (Brongn. & Gris.) de Laub., 185, 206–207
Farsetia
aegyptiaca, 10
Ferreyranthus, 103, 105, 114
fruticosus (Muschl.) H.Rob., 107
gentryi H.Rob., 107
rugosus (Ferreyra) H.Rob. & Brettell, 107
vernioioides (Muschl.) H.Rob. & Brettell, 107
Ficus
americana Aubl., 54
apollinaris Dugand, 54
colubrinae Standl., 54
insipida Willd., 54
paraensis (Miq.) Miq., 55
tonduzii Standl., 55
Fiji (island), 171–261*
Floras
of the Middle East, 1–24 [5]
Floristic affinity, 39–81*
Floristic inventories
in Marañón valley, Peru, 95–123* [98 Map]
Floristic surveys, in Brazil, 157–170
Floristics, 1–24*
Forchhammeria
trifoliata Radlk., 49
Forests
Amazonian, 83–93
on Mesoamerican karstic limestone, 39–81
Seasonally Dry Tropical (SDTFs), 95–123* [97 Map]
Forpus
xanthops Salvin, 115
Forsteronia
myriantha Donn.Sm., 47
FORSTHOFER, M., 83–93
Forsyth, Sir Douglas, 341
Fraxinus
rotundifolia, 19
Freziera Willd., 291–296*
canescens Bonpl., 294
echinata A.L.Weitzman, 294
grandiflora D.Santam., D.A.Neill & Lagom., 291–296 [292, 293 Fig.]
reticulata Humb. & Bonpl., 292, 294–295
Fridericia
chica (Bonpl.) L.G.Lohmann, 48
Gambeya Pierre, 297–339*
africana Pierre, 300
azagueanum, 299
beguei (Aubrév. & Pellegr.) Aubrév. & Pellegr., 299–300
boiviniana Pierre, 300
boukokensis Aubrév. & Pellegr., 299–300
gigantea (A.Chev.) Aubrév. & Pellegr., 299–300
gorungosana (Engl.) Liben, 300
korupensis Ewango & Kenfack, 300
lacourtiana (De Wild.) Aubrév. & Pellegr., 299–300
lungi (De Wild.) Aubrév. & Pellegr., 300
murense (Engl.) Liben, 299–300

- perpulchra* (Mildbr. ex Hutch. & Dalziel) Aubrév. & Pellegr., 299–300
prunifolia (Baker) Aubrév. & Pellegr., 300
subnuda Pierre, 299–300
taiensis (Aubrév. & Pellegr.) Aubrév. & Pellegr., 300
Garcinia
intermedia (Pittier) Hammel, 49, 62, 65, 67, 74
 GARG, A., 133–138
 GAUTIER, L., 297–339
Gaya
weberbaueri Ulbr., 110
Genera Plantarum (Bentham & Hooker), 342
 Gentianaceae, 51
Geoffroea
spinosa Jacq., 116
 Geraniaceae, 11
 Gesneriaceae, 25–37*
 GHAZANFAR, S.A., 1–24
Girroniera
celtidifolia Gaudich., 193
Gladiolus
segetum, 14
 Glomeraceae, 226
Glomus Tul. & C.Tul., 226
 Goa, India, 133–138*
Gochnatia
vernonioides Kunth, 107, 111
Gossypium
raimondii Ulbr., 102, 110
Gouania
polygama (Jacq.) Urb., 57, 63, 66
 Gramineae, 341
 GRIFFITH, M.P., 345–370
 Guangdong, China, 25–37*
Guapira, 110
graciliflora (Mart. ex Schmidt) Lundell, 86–89, 91
Guarea, 66
glabra Vahl
 subsp. *rovirosae* (C.DC.) T.D.Penn., 54
 subsp. *tuerckheimii* (C.DC.) T.D.Penn., 54, 65, 66, 74
grandifolia DC., 54, 65, 67, 74
Guazuma
ulmifolia Lam., 53
Guettarda
combsii Urb., 57, 69
deamii Standl., 57
Gulubia Becc., 198
Gundelia, 15, 18
tournefortii, 19
Gymnarrhena
micrantha, 11
Gymnopodium
floribundum Rolfe, 56, 62, 66
Halocnemum, 20
strobilaceum, 11
Haloxylon
ammodendron, 9, 17
 Hamamelidaceae, 372 Rev.
Hamelia
calycosa Donn.Sm., 57
Hammada
salicornica, 9, 16–18
Hampea
stipitata S.Watson, 53, 75
trilobata Standl., 53, 75
Handroanthus
bilbergii (Bureau & K.Schum.) S.O.Grose, 116
chrysantha (Jacq.) S.O.Grose, 105
 HARRIS, D.J., 39–81, 297–339
 HE, J.-Y., 25–37
Heisteria
media S.F.Blake, 55, 69–74
Helicocarpus
americanus L., 225
Heliotropium, 17
ramosissimum, 10
Helosis
cayennensis (Sw.) Spreng.
 var. *mexicana* (Liebm.) B.Hansen, 48
 Henderson, George, 341–344*
Henriettella
fascicularis (Sw.) C.Wright, 54
Heteropterys
andina Amorim, 109
obovata (Small.) Cuatrec. & Croat, 53, 62, 64, 66
tiinae W.R.Anderson, 109, 111
Hippocratea
volubilis L., 49, 72
Hiraea
reclinata Jacq., 53, 72
Hirtella
americana L., 49
Holocalyx
balansae Micheli, 180

- Hololachna*
shawiana Hook.f., 341, 343
- Homalium*
kanaliense Briq., 215
- Hooker, Joseph, 341–344*
- Hordeum*
bulbosum, 15
- Hotspots, 157–170*
- HUAMANTUPA, I., 95–123
- Huancabamba depression, Peru, 95–123*
- Hume, Allan Octavian, 341–344
- HUSBY, C.E., 345–370
- Hylocereus*
microcladus Backeb., 102, 107
peruvianus Backeb., 107
setaceus (Salm-Dyck) R.Bauer., 162, 165
- Hypericum*, 15
- Ifloga*
spicata, 11
- ImageJ, 171–261*
- Incaspiza*
laeta Salvin, 115
ortizi Zimmer, 115
watkinsi Chapman, 115
- Indonesia, 139–142*, 277
- Inga*, 65, 77
nobilis Willd.*, 52, 63–64
sapindoides Willd., 52, 76
vera Willd., 52
- Inula**
salsoloides (Turcz.) Ostenf., 343
- Inventory, of Mesoamerican woody taxa, 39–81
- Iphiona*
radiata Benth., 341–343
- Ipomoea*
philomega (Vell.) House, 50
- Irano-Turanian regional centre, 1, 18–19
- Iraq, 7 Map
 flora of, 1–24*
 physiographic districts, 10 Map, 12
 phytogeographic divisions, 17 Map
- Iresine*
weberbaueri Suess., 106
- Iridaceae, 11
- Isolectotype
 of *Viburnum beccarii*, 153–155*
- IUCN conservation categories
 for *Begonia*, 143–152*
- in Belize, 43, 75–76
 for *Diplycosia*, 140, 142
 for *Donella*, 297–339*
 for *Freziera*, 294
 for *Phyllanthus*, 135
 for *Prangos*, 128, 130
 for *Primulina*, 30, 33
 for *Retrophyllum*, 193, 198, 207, 216, 226, 230–231
 for *Syzygium*, 277–289
see also Conservation
- Ixiolirion*, 18
- Jaccard index, 162
- Jacquinia*
mucronata Roem. & Schult., 103, 105
- Jatropha*
humboldtiana McVaugh, 108, 115
weberbaueri Pax & K.Hoffm., 108, 111, 115
- Johnstonia*, 111
axilliflora (M.C.Johnst.) Tortosa, 102, 110
- Juniperus*
oxycedrus L., 19, 128
- Kalimantan, Indonesia, 139–142*
- Karnataka, India, 133–138*
- Karstic terrain, in Belize, 39–81* [44 Map]
- KENICER, G.J., 345–370
- Key Biodiversity Areas
 in Iraq, 1, 21
- Keys
 to *Donella*, 302–303
 to *Prangos* spp., 130
 to *Retrophyllum*, 185–186
- Klainedoxa*
cuprea Tiegh., 328
- La Selva Maya, 39–81* [44 Map]
- Labiatae, 51
- Lacistema*
aggregatum (P.J.Bergius) Rusby, 51, 65
- Lacistemataceae, 51, 65
- Ladenbergia*
magnifolia (Ruiz & Pav.) Klotzsch, 225
- Laetia*
thamnia L., 58
- Lagarostrobos* Quinn, 175
- LAGOMARSINO, L.P., 291–296
- Lahore to Yärkand* (Henderson & Hume), 341–344

- Lahore, 341–344
 Lamiaceae, 11, 15, 51, 70, 74
Lamium
 striatum, 20
Lantana, 103
Lasiocereus, 111
 fulvus F.Ritter, 107
 rupicola F.Ritter, 107
Lasiurus
 scindicus, 17
 Lauraceae, 51, 62–65, 70, 74, 77
 Lectotypes, 171–261*, 341–344*5
 Lectotypification
 of *Cynoglossum*, 265–27
 of *Phyllanthus talbotii*, 133–138
 of *Viburnum beccarii*, 153–155*
 Leguminosae, 51, 64–67, 69–71, 74, 77, 101–
 102, 105, 109, 111, 114
 subfam. Caesalpinoideae, 52
 subfam. Mimosoideae, 52, 62–63
 subfam. Papilionoideae, 52, 62
Leopardus
 pardalis, 40
Lepidothamnus Phil., 175
Leucaena
 trichodes (Jacq.) Benth., 104
 Lianas, 297, 301, 331–332
Libidibia
 glabrata Kunth, 116
Licaria
 capitata (Schltdl. & Cham.) Kosterm.,
 51
 misantlae (Brandege) Kosterm., 51
 peckii (I.M.Johnst.) Kosterm., 51
 Liliaceae, 8, 11
 LIMA, V.V.F., 157–170
 Limestone flora, of China, 25
 Limestone forest, in Belize, 39–81*
 Linaceae, 11
Lippia
 tayacajana Moldenke, 110
Liquidambar, 372 Rev.
 LITTLE, D.P., 345–370
 Loasaceae, 109
 Loganiaceae, 52
Lonchocarpus
 castilloi Standl., 52
Lonicera
 acuminata, 19
 arborea, 15, 19
 Lorantheaceae, 53
Loxanthocereus
 sulcifer Rauh & Backeb., 107
Lycianthes
 hypoleuca Standl., 59, 73
Lysiloma
 auritum (Schltdl.) Benth., 52, 62, 64
 Lythraceae, 53
Machaerium
 kegelii Meisn., 52
 riparium Brandege, 52, 62, 66
 seemannii Benth. ex Seem., 52
 MACKINDER, B., 297–339
Macrozamia Miq., 360
 Madagascar
 Donella in, 297, 299, 301–324 [304, 306, 310,
 314, 317–318 Maps]
 Malesia, 171–261*
 Malpighiaceae, 53, 62, 64, 66, 101–102, 109
 Malvaceae, 8, 53, 62, 64–65, 69–70, 77, 101–
 102, 105, 109–110, 114
Malvaviscus
 arboreus Cav., 53
Manilkara
 bidentata (A.DC.) A.Chev., 116
 zapota (L.) P.Royen, 59, 68–70, 73–74
Manoao Molloy, 175
 colensoi, 185
Maraniona, 111
 lavinii C.E.Hughes, G.P.Lewis, Daza &
 Reynel, 109
 Marañón valley, Peru, 95–123 [97–98 Maps]
 MARCELO-PEÑA, J.L., 95–123
 Marcgraviaceae, 53
 MARIMON, B.S., 83–93
 MARIMON-JUNIOR, B.H., 83–93
Marsdenia
 laxiflora Donn.Sm., 47, 62, 66
 oligantha K.Schum., 106
Martinella
 obovata (Kunth) Bureau & K.Schum., 48
Matayba
 apetala Radlk., 58
 Mato Grosso State, Brazil, 83–93 [85 Map]
 MATTHEWS, A.C., 39–81
Matucana, 115
 Maya forest, in Belize, 39–81* [44 Map]
Maytenus
 durifolia Briq., 107
 McDANIEL, T., 1–24

- MEDEIROS, M.B., 157–170
Medicago
laciniatus, 11
Mediterranean, Eastern, 265–275
Mediterranean-Saharan regional transition zone, 19–20
Melaleuca
brongniartii F.Muell., 215
Melanopareia
maranonica Chapman, 115
Melastomataceae, 53–54, 63, 65, 77
Meliaceae, 54, 63–67, 71, 74, 77, 102, 110
Melocactus
concinus Buining & Brederoo, 162–164
inconcinus Buining & Brederoo, 162, 165
Memecylaceae, 54
Mentzelia
heterosepala Weigend & E.Rodr., 109
Meratus mountains, 139
Mesechites
acuminatus (Ruiz & Pav.) Müll.Arg., 106
Mesoamerica, 39–81* [44 Map]
Metamorphic substrate, in Belize, 39–81
Miconia
impetolaris (Sw.) D.Don ex DC., 54
Microcycas
calocoma (Miq.) A.DC., 347, 353–354, 369
App.
Micropholis
angolensis Pierre, 331
Middle East, 1–24* [2 Fig.]
MILL, R.R., 171–261
Mimosa, 101, 103, 105
ctenodes Barneby, 109, 111
incarum Barneby, 109, 116
jaenensis Särkinen, Marcelo-Peña & C.E.Hughes, 109, 111
lamolina C.E.Hughes & G.P.Lewis, 102, 109
pectinatipinna Burkart, 109
polycarpa Kunth
var. *polycarpa*, 109
var. *redundans* Barneby, 109
Mimusops
ubangiensis De Wild., 328
Minuartia, 20
Moltkia
angustifolia, 14
Monactis
rhubifolia Sagást. & Dillon, 102, 107
Monographic revision
of *Retrophyllum*, 171–261
Moraceae, 54, 62–63, 70, 72–74, 77
MORANDI, P.S., 83–93
Morinda
panamensis Seem., 57
Morocco, 265–275
Mosamona
depressa (Baill.) Chatrou, 47
Mountain-forest
in Iraq, 15
Mountains, Middle Eastern, 3
Mouriri
exilis Gleason, 54, 65
Muscari
longipes, 14
Myriocarpa
longipes Liebm., 60
obovata Donn.Sm., 60, 69–70, 73
Myristicaceae, 55, 62, 64–65, 67, 74
Myroxylon
balsamum (L.) Harms, 52
Myrsinaceae, 55
Myrtaceae, 55, 77, 110, 277–289*
Myrtus
communis, 20
Nageia Gaertn., 171–261
sect. *Afrocarpus* (J.Buchholz & N.E.Gray) de Laub., 172
sect. *Nageia*, 172
sect. *Polypodiopsis* (C.E.Bertr.) de Laub., 172, 183
comptonii (J.Buchholz) de Laub., 172, 199
minor Carrière, 171–172, 177, 182, 206, 208–209, 241–257 App.
piresii (Silba) de Laub., 172, 185, 221, 227
rospigliosii (Pilg.) de Laub., 172, 217
vitiensis (Seem.) O.Kuntze, 172, 187
vitiensis sensu Takeuchi, 194
wallichiana (C.Presl) Kuntze, 171–172, 176, 193
Nageiaceae, 174
Nectandra
colorata Lundell, 51
coriacea (Sw.) Griseb., 51, 63–64, 69–70, 74
martinicensis Mez, 51, 62, 64
nitida Mez, 51
salicifolia (Kunth) Nees, 51, 73
Neea, 103
psychotrioides Donn.Sm., 55, 69, 71, 74
NEILL, D.A., 291–296

- Neocallitropsis*
pancheri (Carrière) de Laub., 215–216
Nepeta, 6
orientalis, 20
 Netravali Wildlife Sanctuary, 133–138*
Neurada, 17
procumbens, 11
 New Caledonia, 171–261*
 New combinations
 in *Cynoglossum*, 265–275*
 in *Retrophylum*, 171–261*
 New Guinea, 171–261*
 New names
 in *Cynoglossum*, 265–275*
 New species
 of *Begonia*, 143–152
 in Belize, 45–46, 62–66
 of *Diplycosia*, 139–142*
 of *Donella*, 297–339*
 of *Freziera*, 291–296
 of *Prangos*, 125–131*
 of *Primulina*, 25–37*
 of *Syzygium*, 277–289*
Nicotiana
setchelli Goodsp., 110
Noaea
mucronata, 19
Nothofagus Blume, 207
 Nyctaginaceae, 55, 71, 74, 102, 110
Nycterisition
lanceolatum Blume, 313
- Ochnaceae, 55, 77
Ocotea
cernua (Nees) Mez, 51, 65
Odontadenia
macrantha (Roem. & Schult.) Markgr., 47,
 63
Ognorhynchus
icterotis (Massena & Souanc), 226
 Olacaceae, 55, 70–71, 74
 Oleaceae, 55, 71, 77, 110
 OLIVEIRA, E.A. DE, 83–93
Onobrychis, 19–20
 Orchidaceae, 8, 11
Oreopanax
guatemalensis (Lem. ex Bosse) Decne. &
 Planch., 47
Ornithogalum
ulophyllum, 14
- Osmunda*
regalis, 194
Otoba
parvifolia (Markr.) A.H.Gentry, 225
Ouratea
lucens (Kunth) Engl., 55
- Pagiantha*
thurstonii (Horne ex Baker) A.C.Sm., 193
 Palaeartic ecozone, 6 Map
 Palaeotropics, 297–339*
Palicourea
domingensis (Jacq.) DC., 57
padifolia (Roem. & Schult.) C.M.Taylor &
 Lorence, 57
tetragona (Donn.Sm.) C.M.Taylor &
 Lorence, 57
 PAN, B., 25–37
Pancheria Brongn. & Gris., 254 App.
communis Baker f., 215
Panicum
turgidum, 9, 16
Panthera
onca, 40
 PAPAGIANNI, M.G., 371–373 Rev.
 Papaveraceae, 8, 11, 55
Pappobolus, 103, 105, 114
amoenus Panero
 var. *amoenus*, 107
hutchisonii (H.Rob.) Panero, 107
mathewsii (Hochr.) Panero
 var. *mathewsii*, 107
 var. *viridifolius* Panero, 107
sagasteguii (H.Rob.) Panero, 108
youngiorum Panero, 108
 Papuasias, 171–261*
Parasitaxus
usta (Vieill.) de Laub., 256 App.
Parathesis
donnell-smithii Mez, 57
rufa Lundell, 57, 62, 64
Parinari
insularum A.Gray, 193
Parkinsonia
peruviana C.E.Hughes, Daza & Hawkins,
 105, 109
praecox (Ruiz & Pav. ex Hook.) Hawkins,
 103–105, 111
Paronychia
arabica, 18

- Passifloraceae, 56
 PASSOS, F.B., 83–93
Paullinia
 costaricensis Radlk., 58, 69–70, 74
 costata Schltld. & Cham., 58
 pinnata L., 58, 73
Peganum
 harmala, 11
 PEIXOTO, M.R., 157–170
 PENNIL, C., 39–81
 Pentaphylacaceae, 56, 291–296*
Peperomia, 115
 hoffmannii C.DC., 56, 63
 obtusifolia (L.) A.Dietr., 56
Pereskia
 aureiflora F.Ritter, 162–164, 166–167
 bahiensis Gürke, 162–165
 horrida (Kunth) DC., 107
 Peru, 95–123 [97–98 Maps], 143–152*
Perymenium
 celendinianum B.L.Turner, 108
 Phenograms, 345–370*
 Phenology, 345–370*
Phlomis, 6, 18–19
 bruguieri, 11
 kurdica, 19
Photinia
 microcarpa Standl., 57, 69
Phragmites, 20
 Phyllanthaceae, 56, 62–63, 133–138*
Phyllanthus L., 133–138*
 subgen. *Eriococcus* (Hassk.) Croizat & Metcalf, 133
 amarus Schumach. & Thonn., 56, 62
 niruri L., 56, 63
 talbotii Sedgw., 133–138 [134, 135–136 Figs]
Phyllodactylus
 delsolari Venegas, Townsend, Koch & Böhme, 115
 interandinus Dixon & Huey, 115
 johnwrighti Dixon & Huey, 115
 thompsoni Venegas, Townsend, Koch & Böhme, 115
 Phylogenetics, 345–370
 Physiography, of Iraq, 10 Map, 12
 Phytochoria, in Iraq, 1, 16–21
 Phytogeography
 divisions of Iraq, 17 Map
 in Mesoamerica, 45–46 [46 Map], 70
 Phytosociology, of transition zone plants, 87–89
Picramnia
 antidesma Sw., 59
Pilea
 ecboliophylla Donn.Sm., 60, 62, 64
Pilosocereus
 catingicola (Gürke) Byles & G.D.Rowley, 162–164, 166–167
 gounellei (F.A.C.Weber) Byles & G.D.Rowley, 162, 165, 167
 pentaedrophorus (Labour.) Byles & G.D.Rowley
 subsp. *robustus* Zappi, 162, 165–166
Pimenta
 dioica (L.) Merr., 43, 55, 60
Pinus
 brutia
 var. *eldarica*, 15, 19
 nigra J.F.Arnold
 subsp. *nigra*, 125, 128
 var. *caramanica* (Loudon) Rehder, 125, 128
Piper, 103
 amalago L., 56, 69–70, 74–75
 jacquemontianum Kunth, 56
 psilorhachis C.DC., 56, 71–72
 sanctum (Miq.) Schltld. ex C.DC., 56, 62, 64
 yucatanense C.DC., 56, 65, 75
 Piperaceae, 56, 62–65, 70–71, 74, 102
Piptadenia
 weberbaueri Harms, 102, 109
Piptocoma
 discolor (Kunth) Pruski, 225
Pistacia, 14
 atlantica, 15, 19
 khinjuk, 15, 19
Pithecellobium
 excelsum (Kunth) Benth., 105
 Plantaginaceae, 11, 372 Rev.
Plantago
 ciliata, 10
 ovata, 11
Platanus
 orientalis, 19
Platymiscium, 77
 yucatanum Standl., 52, 62
Platypus
 sectus Wood, 226
Pleradenophora
 tuerckheimiana (Pax & K.Hoffm.) A.L.Melo & Esser, 43, 51, 60, 68–73
 Plumbaginaceae, 11, 15

- Poa*
bulbosa, 13, 15, 18–19
 Poaceae, 1, 8, 11, 15, 19
 Podocarpaceae, 171–261
Podocarpus L'Hér. ex Pers., 171–261
 sect. *Afrocarpus* J.Buchholz, 172
 sect. *Nageia* (Gaertn.) Endl., 172
 sect. *Polypodiopsis* C.E.Bertr., 171–261*
blumei Endl., 172
comptonii J.Buchholz, 172, 177–179, 199,
 206, 215, 242 App.
filicifolius N.E.Gray, 171–173, 176, 190,
 193–194
longefoliolatus Pilg., 252 App.
minor (Carrière) Parl., 171, 177–179, 206,
 208, 215–216, 243App., 250–252 App., 254
 App., 256–257 App.
 var. *palustris* J.Buchholz, 208
montanus sensu Knuth, 217
nana Parl., 250 App., 252 App.
nubigenus, 207
oleifolius D.Don, 225
palustris J.Buchholz, 172, 177–179, 207–208,
 210–211, 216, 256–257 App.
rospigliosii Pilg., 172–173, 179, 216, 226
sylvestris J.Buchholz, 177, 207, 252 App.
ustus, 256 App.
vitiensis Seem., 171–172, 175–176, 183, 186–
 187, 191, 193
vitiensis sensu Wasscher, 194
Polyalthia
myristica I.M.Turner, 139
 Polygonaceae, 8, 11, 56, 62, 64, 66, 70, 73–74,
 102, 110
Polypodiopsis Carrière, 171, 183
muelleri Carrière, 171, 183
Polypodiopsis E.B.Copel., 183
Populus, 20
Posoqueria
latifolia (Rudge) Schult., 57
Potentilla, 20
Pourouma
bicolor Mart.
 subsp. *scobina* (Benoist) C.C.Berg &
 Heusden, 60, 63
Pouteria, 297–298
amygdalina (Standl.) Baehni, 59, 73, 75–76
campechiana (Kunth) Baehni, 59
durlandii (Standl.) Baehni, 59, 65, 68, 71–73,
 75
reticulata (Engl.) Eyma, 59, 69, 73, 75
sapota (Jacq.) H.E.Moore & Stearn, 59, 63
Pradosia
argentea (Kunth) T.D.Penn., 102, 110
Praecereus
euchlorus (F.A.C.Weber ex K.Schum.)
 N.P.Taylor
 subsp. *jaenensis* (Rauh ex Backeb.) Os-
 tolaza, 104–105, 107, 111
Prangos Lindl., 125–131*
 sect. *Intactarum* Kuzmina, 126
abieticola Aytaç & H.Duman, 125–131 [126,
 127–128 Figs, 128 Map]
ferulacea (L.) Lindl., 125–126, 128–130 [128
 Map]
heyniae H.Duman & M.F.Watson, 125–126,
 128–130 [128 Map]
 Primulaceae, 55–56, 62, 64, 110
Primulina, 25–37* [26 Fig.]
alutacea F.Wen, B.Pan & B.M.Wang, 25–37
 [30, 31–32 Figs, 33 Map]
danxiaensis (W.B.Liao, S.S.Lin & R.J.Shen)
 W.B.Liao & K.F.Chung, 25–26 [26 Fig.]
eburnea, 36
jiangyongensis X.L.Yu & Ming Li, 26–27 [26
 Fig.], 34–36
leprosa (Yan Liu & W.B.Xu) W.B.Xu &
 K.F.Chung, 25–26 [26 Fig.]
lutea (Yan Liu & Y.G.Wei) Mich.Möller &
 A.Weber, 25–26 [26 Fig.], 36
pteropoda (W.T.Wang) Yan Liu, 25–27 [26
 Fig.], 30, 33–36
tabacum Hance, 25
versicolor F.Wen, B.Pan & B.M.Wang, 25–
 37 [27, 28–29 Figs, 33 Map]
Prosopis
farcta, 18
 Proteaceae, 172, 183
 Protected areas
 in Brazil, 157–170*
Protium, 65, 69–70, 72
copal (Schltdl. & Cham.) Engl., 48, 65, 67,
 71–72
multiramiflorum Lundell, 49, 69, 71–74
schippii Lundell, 49, 65, 67, 74
Prumnopitys
montana (Humb. & Bonpl. ex Willd.) de
 Laub., 219, 225
Pseudabutylon
nigropunctulatum (Ulbr.) R.E.Fr., 110

- Pseudobombax*
cajamarcanus Fern.Alonso, 110
ellipticum (Kunth) Dugand, 53, 62, 64
- Pseudolmedia*
glabrata (Liebm.) C.C.Berg, 55, 62
spuria (Sw.) Griseb., 55, 68–70, 72–74
- Psittacanthus*
pinicola Kuijt, 53
- Psychotria*
costivenia Griseb., 57
limonensis K.Krause, 57
mexiae Standl., 58
poepigiana Müll.Arg., 58
pubescens Sw., 58
quinqueradiata Pol., 58
- Psylliostachys*
spicata, 18
- PUGLISI, C., 263–264 Rev.
- Putranjivaceae, 57
- Quantitative analysis
of flora of Iraq, 1–24
- Quararibea*
funebri (La Llave) Vischer, 53, 65
- Quercus*, 15, 19
aegilops, 15, 19
boissieri, 19
brantii, 3, 15, 19
infectoria, 15, 19
libani, 15, 19
- Randia*
matudae Lorence & Dwyer, 58, 75
retroflexa Lorence & M.Nee, 58, 75
- RANJAN, V., 153–155
- Ranunculaceae, 8, 11
- Ranunculus*
asiaticus, 13, 19
- Rapid Botanical Surveys (RBS), 99–100
- Raspaculo watershed, Belize, 39, 42, 65–75
- Rauhia*, 115
- Rauhocereus*
riosaniensis Backeb.
subsp. *jaenensis* (Rauh ex Backeb.) Ostolaza, 105, 107, 111
subsp. *riosaniensis*, 107
- Reaumuria**
songarica [*soongorica*] (Pallas) Maxim.,
343
- Recircumscription
of *Donella*, 297–339
- Reinstatement
of *Donella*, 297–339
- REIS, S.M., 83–93
- Reproductive timing, and ancestry, 345–370*
- Reserva Rio Guajalito, 291–296*
- Retrophyllum** C.N.Page, 171–261 [**183**]
australe R.S.Hill & Merrifield, 173
comptonii (J.Buchholz) C.N.Page, 172, 174, 177–179, 186, 188–189 [188 Fig.], **199**–207 [201 Map], 209–211, 215–216, 242 App.
filicifolium (N.E.Gray) R.R.Mill, 171, 174, 176–177, 186, 188–189 [188 Fig.], **193**–199 [195 Fig., 197 Map], 219
minus (Carrière) C.N.Page, 171–172, 174, 177–179, 182, 186, 188–190 [188 Fig.], 206–216 [**208**, 212 Map], 241–257 App.
piresii (Silba) C.N.Page, 171–172, 174, 180, 186, 217, 221, 225, **227**–231 [228 Fig., 230 Map]
rospigliosii (Pilg.) C.N.Page, 171–175, 179–180, 185, 188 Fig., 191, **216**–229 [218 Fig., 222 Map, 228 Fig.], 231
vitiense (Seem.) C.N.Page, 171–172, 174–176, 183–184, **186**–194 [188 Fig., 191 Map], 198, 207, 209, 219
vitiense sensu Li, 194
vulcanense M.Pole, 173, 190
- Revisions
of *Donella*, 297–339
of *Retrophyllum*, 171–261
- Rhamnaceae, 57, 63, 66, 102, 110–111
- Rhanterium*, 17
epapposum, 10, 18
- Rhazya*
stricta, 18
- Rhizophoraceae, 57, 77
- Rhododendron*
alborugosum argent & J.Dransf., 139
- RIBEIRO-SILVA, S., 157–170
- Rinorea*
hummelii Sprague, 60, 69–70, 72–74
- Rivers, Middle Eastern, 3
- Rogiera*
stenosiphon (Hemsl.) Borhidi, 58
- Rosaceae, 8, 11, 57, 77
- Roupala*
montana Aubl., 86–89, 91
- Ruagea*
insignis (C.DC.) T.D.Penn., 225

- Rubiaceae, 8, 11, 57, 77, 101, 110
Ruprechtia
albida Pendry, 110
aperta Pendry, 103, 105, 110–111
Rutaceae, 58, 65, 67, 70, 74, 102, 110
Ruyschia
enervia Lundell, 53
- Sabal*
mauritiiformis (H.Karst.) Griseb. & H.Wendl., 48, 72
Sageretia
elegans (Kunth) Brongn., 57, 63, 66
Saharo-Sindian regional zone, 1, 16–18
Salacca
dransfieldiana Moge, 139
Salacia
belizensis Standl., 49
Salicaceae, 58
Salicornia, 20
Salsola, 16–17
Salvadora
persica, 16
Salvia, 6
compressa, 14
palestina, 14
syriaca, 19
Sambucus, 372 Rev.
SANTAMARÍA-AGUILAR, D., 291–296
Sapindaceae, 58, 62, 64, 69–70, 74, 101–102, 110
Saponaria, 6
Sapotaceae, 59, 63, 65, 70–71, 73–74, 77, 110, 297–339
subfam. Chrysophylloideae, 297–339*
subfam. Sapotoideae, 297
subfam. Sarcospermatoidae, 297
SÄRKINEN, T., 39–81, 95–123
Saurauia
yasicae Loes., 47
Saussurea
ovata Benth., 341, **343**
Savanna, *see* *Cerrado*
Schizolobium
parahyba (Vell.) S.F.Blake, 52, 65
Schnella
outimouta (Aubl.) Wunderlin, 52, 66, 72
Schoepfia
schreberi J.F.Gmel., 59, 69
Schoepfiaceae, 59
Schrebera
americana (Zahlbr.) Gilg, 110–111
Sclerolobium
paniculatum Vogel, 86
Scolytidae, 226
Scrophularia
desertii, 18
Scrophulariaceae, 8, 11
Seasonally Dry Tropical Forests (SDTFs), 95–123* [97 Map]
Sebastiania, 109
haploclada Briq., 109
Seetzenia
africana, 16
Seidlitzia
rosmarinus, 10
Semecarpus
vitiensis (A.Gray) Engl., 193
Semiarid *Caatinga* biome, 157–170
Senna, 101, 103
Serianthes Benth., 198
Serjania
atrolineata C.Wright, 58
Shaw, Robert Barkley, 341
Sideritis
libanotica, 20
Sideroxylon
foetidissimum Jacq.
subsp. *gaumeri* (Pittier) T.D.Penn., 59
obtusifolium (Humb. ex Roem. & Schult.) T.D.Penn., 103, 105
salicifolium (L.) Lam., 59
stevensonii (Standl.) Standl. & Steyerm., 59, 69, 75–76
Silene, 6
Simarouba
glauca DC., 59, 69
Simaroubaceae, 59
Simira
salvadorensis (Standl.) Steyerm., 58
SINGH, R.Kr., 133–138
Siparuna
thecaphora (Poepp. & Endl.) A.DC., 59
Siparunaceae, 59
Sloanea
meianthera Donn.Sm., 50
Smithtonia R.S.Hill & M.Pole, 173–174, 191
Solanaceae, 8, 59, 101–102, 110
Solanum, 103
arcanum Peralta, 110
cordovense Sessé & Moc., 59

- hutchisonii* (J.F.Macbr.) Bohs, 110–111
 South America, 95–123 [98 Map], 143–152,
 171–261*
- Speciation
 and phenology, 345–370
- Spigelia*
humboldtiana Cham. & Schldtl., 52
- Spondias*
mombin L., 47, 68–74
 SRIVASTAVA, S.C., 153–155
- Stachys*, 6
- Stachytarpheta*
weberbaueri Moldenke, 110
- Staphylea*
occidentalis Sw., 60, 72
- Staphyleaceae, 60, 77
- Stephanocereus*
leucostele (Gürke) A.Berger, 162–167
- Steppe
 in Iraq, 12–15
 STEVENSON, D.W., 345–370
- Stigmaphyllon*
lindenianum A.Juss., 53
peruvianum Nied., 109
- Stillingia*
parviflora Sanchez Vega, Sagastegui & Huft,
 109
- Stipa*, 18
capensis, 11, 18
- Stipagrostis*, 17
- Stizophyllum*
riparium (Kunth) Sandwith, 48
- Suaeda*, 17, 20
aegyptiaca, 16, 18
 Sumatra, 277–289*
- SUTORÝ, K., 265–275
- Swietenia*
macrophylla King, 54, 65, 75–76
- Synonymy
 of *Retrophyllum*, 257 App.
- Syzygium* R.Br. ex Gaertn., 198, 277–289*
abatakum Widodo, 277–280 [278, 279 Fig.]
angustovatum Widodo, 280
angustovatum Widodo & Chikmawati, 277,
 280–281 [281 Fig.]
astronioides (C.B.Rob.) Merr., 287
bengkulense Widodo, 277, 282–283 [283
 Fig.]
blumei (Steud.) Merr. & L.M.Perry, 285, 287
comosum Widodo, 277, 282, 284–285 [284
 Fig.]
confusum (Blume) Bakh.f.
jambos (L.) Alston, 282, 285
ketambense Widodo, 277, 285–287 [286 Fig.]
korthalsii Widodo, 280
longipetiolatum Widodo, 277, 287–288
pyrifolium (Blume) DC., 278, 280
salictoides (Ridl.) I.M.Turner, 285
tahanense (Ridl.) I.M.Turner, 287–288
tassellum Widodo, 277, 282
vrieseanum (Miq.) Amshoff, 285
- Tabebuia*
rosea (Bertol.) A.DC., 48
- Tabernaemontana*, 65, 72, 74
amygdalifolia Jacq., 47
donnell-smithii Rose, 47, 69–70, 74
 morphosp. ‘Yellow IB Apocynaceae’, 66
- Tachigali*
vulgaris L.F.Gomes da Silva & H.C.Lima,
 83–93*
- Tacinga*
funalis Britton & Rose, 162–164, 166
inamoena (K.Schum.)N.P.Taylor & Stuppy,
 162, 165
palmadora (Britton & Rose) N.P.Taylor &
 Stuppy, 157–170*
- Tamaricaceae, 341
- Tamarix*, 10, 20
- Tanaecium*
caudiculatum (Standl.) L.G.Lohmann, 48
pyramidatum (Rich.) L.G.Lohmann, 48
- Tapirus*
bairdii, 40
- Taurus mountains, 125
- Taxa
 of Iraq, 8–9 [9 Fig.]
 of Middle East, 5
- Taxaceae, 175
- Taxonomy
 of *Donella*, 297–339*
 of *Primulina*, 25–37*
- TEBBITT, M.C., 143–152
- Tecoma*
rosifolia Kunth, 106, 115
- Terminalia*
amazonia (J.F.Gmel.) Exell, 49, 65, 67–70,
 73–74
valverdeae A.H.Gentry, 116
- Ternstroemia*
tepezapote Schldtl. & Cham., 56, 69

- Tetracera*
volubilis L., 50
Tetraena, 17
coccinea, 10
Tetramerium
peruvianum (Lindau) T.F.Daniel, 106, 111
Tetrapteryx
schiedeana Schldl. & Cham., 53
Tetrasida
chachapoyensis (Baker f.) Fryxell & Fuertes, 103, 105, 110–111, 115
serrulata Fryxell & Fuertes, 110
weberbaueri (Ulbr.) Fryxell & Fuertes, 110
Teucrium
oliverianum, 10
polium, 19
Thamnophthorus
impensus Wood, 226
Theaceae, 291–296*
Thevetia
ahouai (L.) A.DC., 47
Thinouia
tomocarpa Standl., 58
Thouinia
paucidentata Radlk., 59, 62, 64
Threatened species, in Belize, 39–81*
Thymus, 6
TOMAZELLO, M., 95–123
Torreya
bogotensis Linden ex C.Koch, 187, 191, 217
Tournefortia, 103
ternifolia Kunth, 106
Transition zone, *cerrado*–Amazonian forest, 83–93
Trichilia
erythrocarpa Lundell, 54, 69, 71, 73–75
havanensis Jacq., 54
martiana C.DC., 54, 63–64
minutiflora Standl., 54, 69, 73–75
moschata Sw., 54, 74
pallida Sw., 54
Trichospermum
grewiiifolium (A.Rich.) Kosterm., 53
Tripogandra
grandiflora (Donn.Sm.) Woodson, 50
Tripospora
venezuelensis E.Müll., 226
Trophis
mexicana (Liebm.) Bureau, 55
racemosa (L.) Urb., 55
Turkey, 125–131*
Turkistan, 341
TURNER, I.M., 341–344
Turnera
aromatica Arbo, 56
Tynanthus
guatemalensis Donn.Sm., 48, 69, 72
Typha, 20
Typification
of *Nageia minor* Carrière, 241–257 App.
see also Lectotypification
Urera
simplex Wedd., 60
Urticaceae, 11, 60, 62–65, 70, 73, 77, 102
Urvillea
peruviana Ferrucci, 110
Valeriana
scandens L., 49
Valerianaceae, 372 Rev.
Vallesia
glabra (Cav.) Link, 104
Valleys, dry Andean, 95–123
VANDROT, H., 39–81
Vegetation
of Iraq, 13 Map
of Middle East, 1–24*
succession in Brazil, 83–93
Verbascum, 6
Verbenaceae, 101–102, 110
Verbesina, 101, 103, 105, 114
andina Sagást., 108
auriculigera S.F.Blake, 108
cajamaricensis Sagást., 108
capituliparva, 108
chachapoyensis Sagást. & Quipuscoa, 108
hexantha Sagást., 108
lopez-mirandae Sagást., 108
ochroleucotricha Sagást., 108
pentalobifolia Sagást., 108
plowmanii Sagást., 102, 108
Veronicaceae, 372 Rev.
Viburnum, 372 Rev.
beccarii Gamble, 153–155* [154 Fig.]
Violaceae, 11, 60, 70, 73–74
Virola
calophylla Warb., 225
koschnyi Warb., 55, 62, 64

- Vitaceae, 11, 60
Vitex
gaumeri Greenm., 51, 68, 73, 75–76
Vitis
tiliifolia Humb. & Bonpl. ex Schult., 60
Voyria
parasitica (Schltdl. & Cham.) Ruyters & Maas, 51
- Wallraff test, 348
WANG, B.-M., 25–37
WEN, F., 25–37
Western Ghats, 133–138
WIDODO, P., 277–289
WILKIE, P., 139–142
Willungia R.S.Hill & M.Pole, 173–174, 191
maslinensis (D.T.Blackburn) R.S.Hill & M.Pole ex R.R.Mill & R.S.Hill, 173
Wimmeria
bartlettii Lundell, 49
Witheringia
solanacea L'Hér., 59
Woody plant diversity, 95–123*
Woody taxa, of Mesoamerican forest, 39–81
- Xanthostemon*
aurantiacus Schltr., 215
XAVIER VALADÃO, M.B., 83–93
Xinjiang, China, 341–344*
Xyleborus
rameus Schedl, 193
- Yarkand, 341–344
- Zamia* L., 345–370*
acuminata Oerst. ex Dyer, 347, 349–356, 359, 366 App., 369 App.
angustifolia Jacq., 347, 349–356, 361, 366 App., 369 App.
erosa O.F.Cook & G.N.Collins, 347, 349–356, 366 App., 369 App.
fairchildiana L.D.Gómez, 346
integrifolia L.f., 347–357, 360–361, 366 App., 369 App.
lecointei Ducke, 347–359, 367 App., 370 App.
manicata Linden ex Regel, 347, 349–356, 361, 367 App., 370 App.
muricata Willd., 347, 349–356, 361, 367 App., 370 App.
neurophyllidia D.W.Stev., 346–347, 349–356, 368 App., 370 App.
pumila L., 347–348, 349–361, 368 App., 370 App.
pygmaea Sims, 347–348, 349–357, 359, 368 App., 370 App.
roezlii Linden, 347, 349–356, 359, 361, 369 App., 370 App.
skinneri Warsz., 346
- Zamiaceae, 345–370
Zanthoxylum, 65, 67, 75, 103
acuminatum (Sw.) Sw., 58, 69–70, 74–75
rigidum Humb. & Bonpl. ex Willd., 105
Zilla, 17
Ziziphus
nummularia, 10, 18
Zuelania
guidonia (Sw.) Britton & Millsp., 58